

GRINDMASTER Crathco UNIC

**GRINDMASTER
Crathco
UNIC**

2020
Product Catalog

2020



4003 Collins Lane
Louisville, KY 40245
USA

Phone: 502.425.4776
Toll Free: 800.695.4500
Fax: 502.425.4664

Web: www.gmcw.com
Email: info@electrolux.com

© Grindmaster Corporation 2020
Printed in USA

Form # PR-025-15





TABLE OF CONTENTS

Beverage Equipment

- 5** Coffee Grinders
- 17** Water Purity
- 25** Coffee Grind and Brew Systems
- 31** Coffee Brewers
 - 33** Single Serve Brewers
 - 35** Pourover Brewers
 - 39** Digital Decanters and Airpot Brewers
 - 45** Shuttle Brewers
 - 61** Brewer Accessories and Options
- 67** Coffee Urns
 - 80** Urn Accessories and Options
- 87** Iced Tea Brewers and Dispensers
- 95** Hot Tea Urns
- 99** Hot Water Heaters and Dispensers
- 107** Powdered Beverage Dispensers
- 119** Espresso Machines
- 137** Espresso Grinder-Dosers
- 141** Heated Dispensers
- 145** Orange Juice Machines
- 147** Cold Beverage Dispensers
- 177** Hand Mixers
- 183** Frozen Beverages and Desserts

Cooking Equipment

- 195** Fryers
- 203** Griddles
- 209** Charbroilers
- 211** Hot Plates
- 214** Panini Grills

Cooling Equipment

- 224** Countertop Refrigerators

Helpful Information

- 4** Ordering Information
- 225** Warranties
- 226** Terms and Conditions
- 228** Preventive Maintenance
- 232** Product Certifications
- 236** Sales Representatives
- 245** Tradeshows

Find all our products in AutoQuotes



Simplicity[®] Bubblers[®]

Less Equals More

Less counter space with their compact size.
Less time and effort in cleaning and disassembly.
Less wear and power usage.
Less waste, with product dispensed to the last drop.
Less worry with fewer removable parts.
And, less maintenance.

Which we believe gives you much, much more.

See Page **149** for more





ORDERING INFORMATION

Important Information When Ordering Equipment

Credit Terms:

- Net 30 days from date of invoice with approved credit application. 1% discount for payment in 10 days. Credit applications for open accounts normally take 10 working days for approval unless rated by Dun and Bradstreet as high or good.
- We welcome MasterCard®, Visa®, and American Express®.
- Customers without open accounts are required to send payment in advance or pay by credit card. A cashier's check or money order can be accepted. No C.O.D. orders.
- Minimum order is \$40 list price.
- No goods can be returned for credit without our prior written consent and return goods authorization, and will be subject to a 30% re-stocking charge and return shipping costs.

Freight:

- All equipment orders, on a single PO, of \$5,000 net invoice or more to a single destination in the contiguous U.S. are freight prepaid ground shipping only by Grindmaster-Cecilware.
- Prices subject to change without notice. Check www.gmcw.com for current pricing or contact Customer Service at 1.800.695.4500.
- Product availability subject to change. Contact customer service for current product availability at 1.800.695.4500.

Catalog Specifications:

- Images, renderings, and photographs are meant to be representative of the Grindmaster-Cecilware products and may not depict existing or proposed improvements. In keeping with Grindmaster-Cecilware's policy of constant innovation and advancement, the products pictured in this catalog may vary slightly from the actual delivered product and are not meant to be exact representations of the same.
- Product specifications are subject to improvement or change.
- Supersedes all previous price lists.

Installation Recommendations:

- 120/240 electrical designation may require power supply to provide both 120V and 240V. Contact factory for model-specific information.
- Conversion orifices are not available for gas-fired products already in service. Per ANSI / CSA Z83.11-2006, conversion orifices must be included with the appliance.
- Water connections must be per applicable federal, state, and local codes. Your local installer and /or the plumbing inspector can provide guidance.

Product Certifications:

- For a complete listing and description of the independent certifications and marks referred to in this catalog, please see page 227.

COFFEE GRINDERS



100 and 250 Series Coffee Grinders

Years of Proven Performance and Reliability

The 100 and 250 series coffee grinders are economical, dependable workhorses featuring exclusive, long-lasting granulating-style burrs to assure consistent throws.

- Excellent bean visibility.
- Adjustable range of grind profile settings.
- Powerful, energy-efficient 0.5 hp motor.
- Circuit breaker with manual reset button.
- Troubleshooting guide decals with toll-free phone number affixed to the back of each grinder.
- Burrs guaranteed to process 40,000 pounds of coffee at medium grind.
- Exceptional warranty program: burrs - 4 years or 40,000 lbs. of coffee, all other components - 2 years.

100 Series

Solid-state, concealed, dual range timer.



250 Series

Digitally controlled with internal LED display.



COFFEE GRINDERS : FOOD SERVICE
100 Series Coffee Grinders



Model	100 (100)	190-SS (190-SS)
Description	Single portion grinder (1) 6 lbs. hopper with front window for viewing beans C-UL US Certification	Single portion grinder (1) 6 lbs. hopper on top for full beans visibility
Electrical	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included. 	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	22" x 8.5" x 15"	22" x 8.5" x 15"
Ship Dimensions (H x W x D)	27.5" x 12.5" x 18.5"	27.5" x 12.5" x 18.5"
Ship Weight	47 lbs.	44 lbs.
List Price	\$ 1,564	\$ 1,775


Note: Espresso grinders available on pages 137-140.



Intertek

COFFEE GRINDERS : FOOD SERVICE
250 Series Coffee Grinders



Model	250 (250)		250-3A (250-3A)
Description	Single portion and (2) 5.5 lbs. hoppers		Three portions and (2) 5.5 lbs. hoppers
Electrical	115V / 0.92 kW / 9A / 1 Ph NEMA 5-15P line cord included.		115V / 0.92 kW / 9A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	28" x 8.5" x 15"		28" x 8.5" x 15"
Ship Dimensions (H x W x D)	32" x 10.75" x 19.5"		32" x 10.75" x 19.5"
Ship Weight	58 lbs.		60 lbs.
List Price	\$ 2,105		\$ 2,324





Note: Espresso grinders available on pages 137-140.



COFFEE GRINDERS : FOOD SERVICE

250 Series Coffee Grinders



Model	250RH-2 (250RH-2)	250RH-3 (250RH-3)
Description	Dual portions and (2) 5.5 lbs. removable hoppers	Three portions and (2) 5.5 lbs. removable hoppers
Electrical	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included.  	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included.  
Product Dimensions (H x W x D)	28.5" x 9" x 16"	28.5" x 9" x 16"
Ship Dimensions (H x W x D)	32" x 10.75" x 19.5"	32" x 10.75" x 19.5"
Ship Weight	67 lbs.	67 lbs.
List Price	\$ 2,574	\$ 2,912

Optional Replacement Hopper

Model	82349
Description	Replacement hopper for 250RH models
Product Dimensions (H x W x D)	11.75" x 4.25" x 18.75"
Ship Dimensions (H x W x D)	14.5" x 6.5" x 21"
Ship Weight	5 lbs.
List Price	\$ 217

Note: Espresso grinders available on pages 137-140.





COFFEE GRINDERS : RETAIL
800 Series Coffee Grinders

Compact and Powerful

Don't let their size fool you. The 800 series coffee grinders may seem unassuming with their space-saving size of only 7" - 8" wide. But these little guys use their fast grind speed and powerful, energy-efficient 0.5 hp motor to make quick work of coffee beans.







- Motor includes circuit breaker.
- Multiple grind particle profile selections.
- Ideal for low to medium volume specialty shops, grocery stores, doughnut shops, and c-stores.
- Precision burrs guaranteed to process 40,000 lbs. of coffee at medium grind.
- Exceptional warranty program: burrs - 4 years or 40,000 lbs. of coffee, all other components - 2 years.



COFFEE GRINDERS : RETAIL

800 Series Coffee Grinders









Model	810S (810-BS)	835S (835-BS)	875S (875-BS)
Description	Black with 1.5 lbs. hopper	Black with 1.5 lbs. hopper	Black with 3 lbs. hopper
Electrical	115V / 0.92 kW / 8A /   Ph NEMA 5-15P line cord included.	115V / 0.92 kW / 8A /   Ph NEMA 5-15P line cord included.	115V / 0.92 kW / 8A /   Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	22" x 7" x 14"	22" x 7" x 15"	28" x 7" x 15"
Ship Dimensions (H x W x D)	27.5" x 12.5" x 18.5"	27.5" x 12.5" x 18.5"	32" x 10.75" x 19.5"
Ship Weight	45 lbs.	43 lbs.	48 lbs.
List Price	\$ 1,688	\$ 1,798	\$ 1,856



COFFEE GRINDERS : RETAIL

800 Series Coffee Grinders



Model	875S (875-RS)	890BS (890-BS)	890T (890-B-T)
Description	Red with 3 lbs. hopper	Black with European slicing burrs for precision grinding and 3 lbs. hopper	Black with European slicing burrs for precision grinding and 5 lbs. hopper. <i>Does not include base or tray. Must be bolted to counter.</i>
Electrical	115V / 0.92 kW / 8A / 1 Ph   NEMA 5-15P line cord included.	115V / 0.92 kW / 8A / 1 Ph   NEMA 5-15P line cord included.	115V / 0.92 kW / 8A / 1 Ph   NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	28" x 7" x 15"	28" x 7" x 15"	31.25" x 7.5" x 14"
Ship Dimensions (H x W x D)	32" x 10.75" x 19.5"	32" x 10.75" x 19.5"	35" x 11" x 19"
Ship Weight	48 lbs.	48 lbs.	49 lbs.
List Price	\$ 1,856	\$ 2,027	\$ 2,309

Note: Espresso grinders available on pages 137-140.



COFFEE GRINDERS : DISPENSERS

Ground Coffee Dispenser

Dispense perfect portions of ground coffee into your brew basket - every time! The Model A doesn't grind coffee, but provides carefully measured doses of ground coffee at the push of a button. Simplifies brewing, and guarantees consistency.

- No mess, waste, or bridging.
- Stainless steel construction.



Model	Model A (078650L)
Description	Dispenses directly into a brew basket up to 8.75" in diameter
Portion Control Size	1.5 - 3.25 ounces
Product Dimensions (H x W x D)	19.5" x 9.25" x 11.25"
Ship Dimensions (H x W x D)	19" x 14" x 16"
Ship Weight	13 lbs.
List Price	\$ 932

WATER PURITY



Purity C500 Water Filter Starter Kit

Start Here for Great Water

The complete kit to test and produce clearer, cleaner, great tasting water. Begin with the included water hardness testing kit, and then set the adjustable bypass from 0 to 70% to produce exactly the water you need - minimizing scale, and retaining minerals that benefit taste.

Four-step filtration for clearer, cleaner, great tasting water:

1. Prefiltration: Removes coarse particles.
 2. Temporary Hardness Reduction: A hydrogen ion exchanger reduces the temporary hardness content and prevents scale deposits.
 3. Activated Carbon Filtration: Improves taste and odor.
 4. Fine Filtration: Retains small particles.
- Reduces hardness, alkalinity, and TDS.
 - Prevents limescale deposits in equipment.
 - Removes particulates, along with metal ions, such as lead or copper.
 - Eliminates impurities like chlorine that affect the taste, aroma, and quality of water.
 - Decreases service and repair costs.
 - All of the water – including the bypass water – runs through an activated carbon filter, resulting in the removal of substances that have an adverse effect on the taste and aroma.
 - Decarbonation filter with weak acid cation (WAC) resins replace the hardness minerals (calcium and magnesium ions) with hydrogen ions for a saltless softening.
 - Easy-to-use Locking System - remove and replace the filter cartridge quickly and easily.
 - Chlorine reduction: minimum removal of 85.2%, average removal of 88.6%.
 - Operates in horizontal or vertical position.

Purity C500 Water Filter Starter Kit



Model	250-00011
Description	Includes filter, water hardness test kit, and filter head with variable bypass adjustable to local water conditions.
Capacity	1,796 gallons at 40% bypass (10 gpg) 3,555 gallons at 70% bypass (4 gpg)
Flow	Nominal Flow: 26.4 gph Rated Service Flow: 0.44 gpm
Plumbing	3/8" 18 NPT connections. Maximum operating pressure of 8.6 bar/125 psi.
Product Dimensions (H x W x D)	Filter head and cartridge: 22" x 6" x 6"
Ship Dimensions (H x W x D)	27.5" x 7" x 7.25"
Product Weight	Dry Weight: 10.1 lbs. Wet Weight: 15.2 lbs.

Optional Replacement Filter

Model	250-00012
Description	Replacement Filter Cartridge for Purity C500 water filter
Product Dimensions (H x W x D)	19" x 4.5" x 4.5"
Ship Dimensions (H x W x D)	6.5" x 6.5" x 23.25"
Ship Weight	10 lbs.
List Price	\$ 413

Note: Water operating temperature: 39.2° - 86°F. Room operating temperature: 39.2° - 104°F.



Space Saving Water Filter System

Cover Your Basic Filtration at the Exact Point of Need

Get the benefits of both water softener and dual-purpose carbon filter in this single-mounting system. Convenient and compact, the water softener reduces hardness, mineral build-up, and scale deposits that can damage your machine, while the dual-action carbon filter removes impurities such as fine sediment, dirt, rust, THMs, VOCs, and pesticides, and reduces impurities like chlorine that affect the taste, aroma, and quality of water.

- Mounted in series, for installations where space is limited.
- Pressure-relief button on the inlet side relieves housing pressure during cartridge changes.

Water Softener Filter

Designed to allow optimal contact between water and bed of FDA-grade softener resin, ensuring maximum ion exchange.

- Flow Rate: 0.5 gpm
- Temperature Rating: 40°F -100°F

Dual-purpose Carbon Filter

Extremely fine filter protects against impurities down to 5 microns nominal, which removes THMs, VOCs, and pesticides.

- Flow Rate: Maximum flow rate of 2,500 gallons @ 2.5 gpm
- Temperature Rating: 40°F - 125°F

Note: This filtration system cannot be used with twin 1.5 gallon coffee brewers.

Space Saving Water Filter System



Optional Replacement Cartridges

Model	60206	60253	60254
Description	<p>Filter System Includes carbon filter cartridge, water softener cartridge, and (2) 10" low-profile polypropylene housings, plumbed together for easier installation. Mounted with white powder-coated carbon steel wall-mounting bracket. Maximum Pressure: 125 psi Maximum Operating Room Temperature: 100°F</p>	<p>Replacement Water Softener Cartridge Design allows optimal contact between water and bed of FDA-grade softener resin, ensuring maximum ion exchange. Filter Media: Cation, sodium-form resin beads, 20 x 40 mesh, R-SO3-Na+ Capacity: 750 grains CaCO₃ Flow Rate: 0.5 gpm</p>	<p>Replacement Carbon Filter Cartridge Cartridges of a carbon-impregnated cellulose media Protects against sediment down to 5 microns nominal Capacity: >5,000 gallons Chlorine Taste & Odor Reduction @ 1 gpm</p>
Product Dimensions (H x W x D)	14" x 10.5" x 5.25"	9.75" x 2.63" diameter	9.75" x 2.88" diameter
Ship Dimensions (H x W x D)	16.75" x 16.75" x 16.75"	11" x 3.25" x 3.25"	11" x 3.25" x 3.25"
Ship Weight	8 lbs.	1.5 lbs	0.42 lbs.
List Price	\$ 258	\$ 59	\$ 23



WATER PURITY

RC400 Water Filter System

Water Filter System for RC400 Single Cup Brewers

Water Softening and Scale Protection

Effectively filters dirt, extra-fine particles, and cloudiness, and reduces limescale, and chlorine taste and odor.

- Provides 5 Micron Water Filtration
- Treatment of hardness up to 6 Grains Per Gallon
- Flow Rate: 1.5 gpm
- Temperature Rating: 35°F -100°F
- Capacity: 3,000 gallons
- Working Pressure: 10 - 125 psi
- Great RO pre-filtration



Model	250-00034
Description	Water filter kit contains all needed hardware and filter for application to the RC400 Single Cup brewer
Product Dimensions (H x W x D)	12" x 4" x 4"
Ship Dimensions (H x W x D)	12" x 12" x 6"
Ship Weight	2 lbs.
List Price	\$ 273



External Bottled Water Pump Kit

Provides Water Wherever You Are!

For remote locations where a water supply is inaccessible, this portable and compact point-of-use pump dispenses purified water from five gallon bottles.

- Quick-connect ports allow assembly of system and connection in seconds.
- Built-in back-flow prevention.
- Long-life motor ensures years of reliable operation.
- Illuminated on/off switch provides clear visibility.
- Quiet operation with noise-dampening rubber feet.
- Thermal overload protection prevents overheating.
- Auto shut-off when the water source is depleted and restarts when water is restored.



Model	63174
Description	Includes main module with on/off rocker switch, single-inlet suction wand and hose assembly with universal seal cap, 20 feet of 0.25" discharge tubing, fittings kit, wall power transformer.
Flow Rate	0.5 gpm
Plumbing	0.25" flare outlet, 0.375" barbed inlet. Maximum pressure 40 psi.
Electrical	115V / 50/60 Hz / 1.2A NEMA 1-15P line cord included.
Product Dimensions (H x W x D)	Control Box: 3" x 5.1" x 7.6" Suction Wand: 23" length (4" extends past the top of the bottle)
Ship Dimensions (H x W x D)	24" x 10.5" x 3.25"
Product Weight	4.5 lbs.
Ship Weight	6 lbs.
List Price	\$ 431





COFFEE GRIND &
BREW SYSTEMS



Single Hopper Grind'n Brew Coffee System





Grinder and Brewer in One

This unique, space-saving design combines a precision coffee grinder and brewer into one machine in just over 9" of counter space, eliminating the need for separate machines.

- Digitally controlled with PrecisionBrew® Technology.
- Precise brew temperature - brewer will hold the brew temperature to +/- 1°F during the complete brew cycle.
- Single 5.5 lbs. bean hopper.
- Stainless steel brew basket.
- Bean usage counter - controller records volume of beans used from the hopper.

Single Hopper Grind'n Brew Coffee System



Model	GNB-11H (72079)	GNB-10H (72078)
Description	Single decanter brewer with warmer	Single 2.2 L airpot brewer
Electrical	120V / 1.81 kW / 15A / 1 Ph NEMA 5-15P line cord included.  	120V / 1.71 kW / 15A / 1 Ph NEMA 5-15P line cord included.  
Product Dimensions (H x W x D)	31" x 9.25" x 24.25"	26.25" x 9.25" x 24.25"
Ship Dimensions (H x W x D)	33" x 16" x 30"	33" x 16" x 30"
Ship Weight	90 lbs.	90 lbs.
List Price	\$ 4,200	\$ 4,082

Note: Airpots and decanters sold separately, see pages 61-64. Accessories available on pages 65-68.

Note: Order A06513-04 filters. See page 68.





Dual Hopper Grind'n Brew Coffee System

Fresh Ground & Fresh Brewed Coffee With One Machine





In just a little over 9" of counter space, the Dual Hopper Grind'n Brew gives you a consistent, accurate coffee grinder, an advanced brewer, and your choice of brews with dual coffee bean hoppers. All in one push-button easy machine.

- Digitally controlled with PrecisionBrew® Technology.
- Precise brew temperature - brewer will hold the brew temperature to +/- 1° F during the complete brew cycle.
- (2) bean hoppers, 6.5 lbs. each.
- Stainless steel brew basket.
- Bean usage counter - controller records volume of beans used from the hopper.

COFFEE GRIND AND BREW SYSTEMS

Dual Hopper Grind'n Brew Coffee System



Model	GNB-21H (72077)	GNB-20H (72076)
Description	Single decanter brewer with warmer	Single 2.2 L airpot brewer
Electrical	120V / 1.81 kW / 15A / 1 Ph NEMA 5-15P line cord included.  	120V / 1.71 kW / 15A / 1 Ph NEMA 5-15P line cord included.  
Product Dimensions (H x W x D)	32.75" x 9.5" x 24.25"	37" x 9.5" x 24.25"
Ship Dimensions (H x W x D)	39" x 16" x 30"	39" x 16" x 30"
Ship Weight	90 lbs.	90 lbs.
List Price	\$ 5,002	\$ 4,867

Note: Airpots and decanters sold separately, see pages 61-64. Accessories available on pages 65-68.

Note: Order A06513-04 filters. See page 68.



COFFEE BREWERS





COFFEE BREWERS : SINGLE SERVE COFFEE BREWERS

RC400 Single Serve Coffee Brewers

Authentic Flavors of the World, One Cup at a Time

Brew great tasting single serve beverages with the stylish, powerful, and easy-to-use RC400. Compatible for use with any single-serve capsule, including RealCup™ and K-Cup®. Pulse brew and pre-infusion are optimized for coffee, tea, and cocoa, and the patent-pending brew chamber ensures even water distribution for full flavor every time.


- Plumbed in and pour-over capable right out of the box.
- 72 oz. cold water reservoir.
- Large touchscreen and easy-to-use one-touch controls.
- Digital control makes selection of beverage type and size simple.
- Faster brew with no lag time.
- More operator settings, including resettable brew count and customizable default options.
- Six brew size options from 4 oz to 16 oz. provide user with the selection of their choice.
- Adjustable platform for oversized travel mugs.
- Patented brew chamber ensures even water distribution for full flavor every time.
- Energy save mode engages at a programmed time of day, or when brewer has been inactive.
- Added safety with locking brew chamber.
- Commercial grade parts ensure a long life in heavy-usage locations.
- Repairable machine with available replacement parts.

Visit www.RC400Brewer.com for more information.



COFFEE BREWERS : SINGLE SERVE COFFEE BREWERS
RC400 Single Serve Coffee Brewers




Model	RC400 (0001-10000)
Beverage Size Options*	4 oz., 6 oz., 8 oz., 10 oz., 12 oz., and 16 oz.
Plumbing	Water pressure from 10-100 psi required.
Electrical	120V / 1.55 kW / 13A / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	15.75" x 10.75" x 14.75"
Ship Dimensions (H x W x D)	20" x 15" x 19"
Ship Weight	19 lbs.
List Price	\$ 1,300

*Actual dispensed volume is approximately 10% less to allow for addition of milk, cream, or sweetener if desired.

Note: RealCup™ brand has no affiliation with K-Cup® or Keurig Inc. Keurig® and K-Cup® are registered trademarks of Keurig, Inc.

Optional Water Filter for RC400

Model	250-00034
Description	Water filter kit contains all needed hardware and filter for application to the RC400 Single Cup brewer
Ship Dimensions (H x W x D)	12" x 12" x 6"
Ship Weight	2 lbs.
List Price	\$ 273



Portable Pourover Coffee Brewers

Perfect Coffee. Will Travel.

This just may be the brewer you are looking for. Adaptable. Flexible. Solid and Dependable.

Meet the Portable Pourover Family of Coffee Brewers. Stand-alone, temperature-controlled powerhouses that brew directly into decanters or airpots. Most models have additional warmers built-in, so you can keep extra decanters of coffee ready to be served.

- Completely portable unit.
- Convenient, easy operation for consistent, high-quality coffee.
- Just plug it in and go! Requires no plumbing.
- Simply pour in the water for a fresh, delicious pot of coffee.
- All stainless steel construction.
- 1.2 gallon tank capacity.



Visit www.PouroverBrewers.com for more information.






GRINDMASTER



COFFEE BREWERS : POUROVER COFFEE BREWERS

Portable Pourover Coffee Brewers



Model	CPO-1P-15A (0002-10001)	CPO-2P-15A (0002-20001)	CPO-3P-15A (0002-30001)
Description	Warmers: 1 bottom NSF Sanitation, cNSFus Electrical Certification	Warmers: 2 total: 1 top and 1 bottom NSF Sanitation, NSF Electrical Certification	Warmers: 3 total: 2 top and 1 bottom NSF Sanitation, NSF Electrical Certification
Electrical	120V / 15A / 1.5 kW / 1 Ph NEMA 5-15P line cord included. 	120V / 15A / 1.6 kW / 1 Ph NEMA 5-15P line cord included. 	120V / 15A / 1.7 kW / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	17.5" x 8.25" x 17.75"	18.5" x 8.25" x 17.75"	18.5" x 8.25" x 17.75"
Ship Dimensions (H x W x D)	23" x 12.5" x 24"	23" x 12.5" x 24"	23" x 12.5" x 24"
Ship Weight	26 lbs.	26 lbs	26 lbs.
List Price	\$ 459	\$ 487	\$ 541

Note: Airpots and decanters sold separately, see pages 61-64. Accessories available on pages 65-68.





Note: Order A06513-04 filters. See page 68.



COFFEE BREWERS : POUROVER COFFEE BREWERS

Portable Pourover Coffee Brewers



Model	CPO-3RP-15A (0002-30005)	CPO-SAPP (0002-00003)
Description	Warmers: 3 total: 1 right top, 1 bottom, 1 right bottom NSF Sanitation, NSF Electrical Certification	No Warmers: Brews directly into airpot NSF Sanitation, cNSFus Electrical Certification
Electrical	120V / 15A / 1.7 kW / 1 Ph NEMA 5-15P line cord included.  	120V / 15A / 1.4 kW / 1 Ph NEMA 5-15P line cord included.  
Product Dimensions (H x W x D)	17.5" x 16.5" x 17.75"	25" x 8.25" x 17.75"
Ship Dimensions (H x W x D)	23" x 20.5" x 24"	30.5" x 12.5" x 24"
Ship Weight	35 lbs.	28 lbs.
List Price	\$ 610	\$ 590

Note: Airpots and decanters sold separately, see pages 61-64. Accessories available on pages 65-68.

Note: Order A06513-04 filters. See page 68.



COFFEE BREWERS : DIGITAL AIRPOT COFFEE BREWERS

PrecisionBrew® Digital Airpot Brewers

Lasting Warmth

Digitally controlled with PrecisionBrew® Technology. The brewer holds the brew temperature to +/- 1° F during the complete brew cycle.

- Brews into airpots (sold separately).
- Airpots hold freshly brewed coffee for hours without additional heat.
- Pourover capability – automatically converts to pourover mode when the control system does not sense water.
- Low temp/no brew allows the brew cycle to begin only when the water has reached the optimum brew temperature.
- Energy-saving 'sleep mode' feature.
- Dual voltage – brewers are field convertible from 120V to 120/208V and 120/240V.
- Pulse brewing / pre-infusion allows the brew sequence to extract up to 20% more dissolved solids per batch of coffee.
- Programmable features include number of pulses, pulse-on time, and pulse-off time.
- Changing the pulse sequence does not affect the brew volume.

Model	B-SAP (AB-SAP)
Description	Single, digitally-controlled 2.2 L airpot brewer
Plumbing	0.25" flare water line at 30-80 psi required
Electrical	120V / 1.8 kW / 60Hz / 1 Ph 120/240V / 3.5 kW / 60Hz / 1 Ph 120/208V / 2.6 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	25.25" x 8.25" x 17.75"
Ship Dimensions (H x W x D)	30" x 13" x 27"
Ship Weight	35 lbs.
List Price	\$ 1,211



Note: Airpots sold separately, see pages 62-64. Accessories available on

PrecisionBrew® Digital Decanter Brewers

Exact Temperature




Digitally controlled with PrecisionBrew® Technology. The brewer holds the brew temperature to +/- 1° F during the complete brew cycle.

- Brews into decanters (sold separately).
- Pourover capability – automatically converts to pourover mode when the control system does not sense water.
- Low temp/no brew allows the brew cycle to begin only when the water has reached the optimum brew temperature.
- Energy-saving 'sleep mode' feature.
- Dual voltage – brewers are field convertible from 120V to 120/208V and 120/240V.
- Stainless steel brew basket.



COFFEE BREWERS : DIGITAL DECANTER COFFEE BREWERS
PrecisionBrew® Digital Decanter Brewers



Model	B-3 (AB-3)	B-3WL (AB-3WL)	B-3WR (AB-3WR)
Description	Warmers: 1 bottom, 2 top UL Certification	Warmers: 1 bottom, 2 on the left side	Warmers: 1 bottom, 2 on the right side
Electrical	120V / 1.8 kW / 60Hz / 1 Ph 120/240V / 3.8 kW / 60Hz / 1 Ph  120/208V / 2.9 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 60Hz / 1 Ph  120/240V / 3.8 kW / 60Hz / 1 Ph 120/208V / 2.9 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 60Hz / 1 Ph  120/240V / 3.8 kW / 60Hz / 1 Ph 120/208V / 2.9 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	19.25" x 8.25" x 17.75"	17.75" x 16.25" x 17.75"	17.75" x 16.25" x 17.75"
Ship Dimensions (H x W x D)	22" x 13" x 24"	22" x 21" x 24"	22" x 21" x 24"
Ship Weight	34 lbs.	39 lbs.	39 lbs.
List Price	\$ 1,280	\$ 1,418	\$ 1,1418

Note: Decanters sold separately, see pages 61. Accessories available on pages 62-68.

Note: Order A06513-04 filters. See page 68.



PrecisionBrew® Thermal Gravity Container Brewers

Vacuum Fresh

Digitally controlled with PrecisionBrew® Technology. The brewer holds the brew temperature to +/- 1° F during the complete brew cycle.

- Brews into 2.5 L vacuum-insulated gravity containers (sold separately).
- Energy-saving 'sleep mode' feature.
- Low Temp/No Brew setting allows the brew cycle to begin only when the water has reached the optimum brew temperature.
- Pulse brewing / pre-infusion allows the brew sequence to extract up to 20% more dissolved solids per batch of coffee.
- Programmable number of pulses, pulse-on time, and pulse-off time.
- Changing the pulse sequence does not affect the brew volume.
- Stainless steel brew basket.



COFFEE BREWERS : THERMAL GRAVITY POT COFFEE BREWERS

PrecisionBrew® Thermal Gravity Container



Model	B-SGP (AB-SGP)
Description	Single, digitally controlled brewer.
Plumbing	0.25" flare water line at 30-80 psi required
Electrical	120V / 1.8 kW / 60Hz / 1 Ph 120/240V / 3.5 kW / 60Hz / 1 Ph 120/208V / 2.6 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	29" x 8.25" x 18.75"
Ship Dimensions (H x W x D)	32" x 13" x 27"
Ship Weight	35 lbs.
List Price	\$ 1,408



Optional Gravity Containers

Model	AGP-2.5 (AGP-2.5)
Description	2.5 L vacuum-insulated gravity container for use with B-SGP. Portable and holds fresh coffee for hours without additional heat.
Product Dimensions (H x W x D)	17.5" x 8" x 9"
Ship Dimensions (H x W x D)	17.5" x 8.5" x 9"
Ship Weight	5 lbs.
List Price	\$ 156



Note: Order A06513-04 filters. See page 68.





GRINDMASTER

Grindmaster

Grindmaster



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

PrecisionBrew® Coffee Solutions

Not a refinement. A revolution.

Meet the next generation of PrecisionBrew Shuttle coffee brewers. Evolved, modern design, innovative new features, advanced touchscreen digital interface, and the latest sensor technology provide simplified and streamlined brewing, and delicious beverages. 8 different models available to accommodate any coffee program. PrecisionBrew is the brewer you want it to be.



Visit www.PrecisionBrew.com for more information.



PrecisionBrew® Coffee Solutions



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

PrecisionBrew® Coffee Solutions

A Touchscreen Digital Interface

The PrecisionBrew family of coffee brewers are all equipped with advanced touchscreen digital interfaces - 7" color displays with intuitive, icon-driven menus for brewing and operation. Multiple recipe selections, interactive diagnostics, programmed brewing, and attractive, eye-catching merchandising for your machine are all available through the straightforward, easy-to-understand interfaces, keeping the whole process smooth and easy.

B Encapsulair™

The First-in-Industry technology Encapsulair found in the PrecisionBrew Air-heated models, uses the insulating power of air between its internal chambers to surround and protect your brewed coffee. The Encapsulair Shuttle maintains your coffee's temperature and flavor, giving you consistent quality and satisfied customers while reducing wasted beverages.

C Java-tate™

The Java-tate feature gently stirs the coffee at regular, short intervals to keep undissolved particles in suspension, ensuring a consistent flavor profile from the first cup to the very last. Customers can see the blending through the clear sight glass on the front of the machine. Only available in Encapsulair shuttles.

D Virtual Sight Glass

The backlit, internal sight glass in the Encapsulair shuttle provides an LED readiness and freshness indicator for the brew. The color changing light lets you know at a glance when the brew is complete, and when it is time to make more coffee. Plus, the internal placement of the sight glass means no cold-slugging of coffee, and no sight glass to clean!

PrecisionBrew® Coffee Solutions



Shuttle Sensors

Everything about the PrecisionBrew has been optimized to ensure health, safety, and easy operations. The sensor system will not allow brewing if the shuttle is not present or misaligned. Safety first!



Update via USB Drive

Every PrecisionBrew model is programmable locally on the machine, and updates can be made via USB. Eliminates the need to manually key in changes to every machine at every location requires less time in product start-up, travel, and management. Pre-programmed machines can also be transferred to different locations, ensuring a consistent process of brewing.

COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

PrecisionBrew® Coffee Solutions



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

PrecisionBrew® Air-Heated Shuttle® Brewers

Maintain Delicious Flavor

Single and twin digital virtual sight glass models brew into 1.5 gallon air-heated Shuttle(s).

- Portable Encapsulair Shuttles insulate with air between the internal chambers, maintaining coffee temperature and flavor.
- Java-tate technology inside the shuttles gently stirs the brewed coffee at regular, short intervals, to keep undissolved particles in suspension, ensuring a consistent flavor profile from the first cup to the very last.
- The backlit, internal sight glass in the Encapsulair shuttle provides an LED readiness and freshness indicator for the brew. The color changing light lets you know at a glance when the brew is complete, and when it is time to make more coffee.
- The internal placement of the sight glass means no cold-slugging of coffee, and no sight glass to clean!
- Advanced touchscreen digital interface simplifies and streamlines brewing and operation.
- Shuttle safety sensors prevent brewing when server is not in place.



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS
PrecisionBrew® Air-Heated Shuttle® Brewers



Model	PBC-1A (1004-001)	PBC-2A (1004-003)
Description	Single digitally controlled brewer with virtual sight glass	Twin digitally controlled brewer with virtual sight glass
Brew Volumes	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
Plumbing	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required.
Electrical	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
Product Dimensions (H x W x D)	30.13" x 9.13" x 18.88"	30.13" x 18.13" x 18.88"
Ship Dimensions (H x W x D)	30.88" x 14.13" x 25.75"	30.88" x 23.13" x 25.75"
Ship Weight	50 lbs.	80 lbs.
List Price	\$ 2,724	\$ 3,366

Note: Air-Heated Shuttles sold separately. See page 58.

Note: Shuttle graphics shown are not included. See page 60.

Note: Order ABB2.0WP filters. Accessories available separately. See pages 59 - 60.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

PrecisionBrew® Warmer Shuttle® Brewers

Reimagined Brewing

Single and twin digital models brew into 1.5 gallon warmer Shuttle(s).

- Digitally controlled with PrecisionBrew Technology.
- Advanced touchscreen digital interface simplifies and streamlines brewing and operation.
- Troubleshoot with interactive diagnostics through touch display.
- Minimal training with icon-driven programming.
- Shuttle safety sensors prevent brewing when server is not in place.
- Standard electronic basket lock prevents basket removal during brewing and dripout.
- 3.2 gallon heating tank per brew head.
- (3) independent brew volumes of 0.5, 1.0, 1.5 gallons let you be prepared for a busy morning rush and eliminate waste during slower sales periods.
- With the twin model, you can brew two different beverages in side-by-side dispensers and



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS
PrecisionBrew® Warmer Shuttle® Brewers



Model	PBC-1W (1004-002)	PBC-2W (1004-004)
Description	Single digitally controlled warmer shuttle brewer	Twin digitally controlled warmer shuttle brewer
Brew Volumes	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
Plumbing	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required
Electrical	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
Product Dimensions (H x W x D)	30.13" x 9.13" x 18.88"	30.13" x 18.13" x 18.88"
Ship Dimensions (H x W x D)	30.88" x 14.13" x 25.75"	30.88" x 23.13" x 25.75"
Ship Weight	50 lbs.	80 lbs.
List Price	\$ 3,445	\$ 4,818

Note: Warmer Shuttles sold separately. See page 58.

Note: Shuttle graphics shown are not included. See page 60.

Note: Order ABB2.0WP filters. Accessories available separately. See pages 59 - 60.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

PrecisionBrew® Vacuum Shuttle® Brewers

The Choice is Yours

Single and twin models brew into 1.5 gallon vacuum Shuttle(s).

- Available with or without stand.
- Digitally controlled with PrecisionBrew Technology.
- Advanced touchscreen digital interface simplifies and streamlines brewing and operation.
- Troubleshoot with interactive diagnostics through touch display.
- Minimal training with icon-driven programming.
- (3) independent brew volumes of 0.5, 1.0, 1.5 gallons let you be prepared for a busy morning rush and eliminate waste during slower sales periods.
- With the twin model, you can brew two different beverages in side-by-side dispensers and expand your beverage offerings.
- Shuttle safety sensors prevent brewing when server is not in place.
- Standard electronic basket lock prevents basket removal during brewing and dripout.
- 3.2 gallon heating tank per brew head.



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS
PrecisionBrew® Vacuum Shuttle® Brewers



Model	PBC-1V (1004-005)	PBC-2V (1004-006)
Description	Single digitally controlled brewer for use with vacuum shuttle without stand	Twin digitally controlled brewer for use with vacuum shuttle without stands
Brew Volumes	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
Plumbing	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required
Electrical	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
Product Dimensions (H x W x D)	33.56" x 9.13" x 19.13"	33.56" x 18.13" x 19.13"
Ship Dimensions (H x W x D)	34.88" x 14.13" x 25.75"	34.88" x 23.13" x 25.75"
Ship Weight	55 lbs.	85 lbs.
List Price	\$ 2,117	\$ 3,187

Note: Vacuum Shuttles sold separately. See page 58.

Note: Shuttle graphics shown are not included. See page 60.

Note: Order ABB2.0WP filters. Accessories available separately. See page 60.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS
PrecisionBrew® Vacuum Shuttle® Brewers



Model	PBC-1VS (1004-007)	PBC-2VS (1004-008)
Description	Single digitally controlled brewer for use with vacuum shuttle with stand	Twin digitally controlled brewer for use with vacuum shuttle with stands
Brew Volumes	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
Plumbing	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required
Electrical	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
Product Dimensions (H x W x D)	35" x 12.3" x 19.13"	35" x 21.75" x 19.13"
Ship Dimensions (H x W x D)	35.88" x 17.13" x 25.75"	35.88" x 26.13" x 25.75"
Ship Weight	60 lbs.	90 lbs.
List Price	\$ 3,364	\$ 4,424

Note: Vacuum Shuttles sold separately. See page 58.

Note: Shuttle graphics shown are not included. See page 60.

Note: Order ABB2.0WP filters. Accessories available separately. See page 60.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

PrecisionBrew® Shuttles





Model	AS15 (2503-006)	VS15 (2503-002)	V15 (2503-001)	WS15 (2503-007)
Description	Air-heated Shuttle 1.5 gal.	Vacuum Shuttle With Stand 1.5 gal.	Vacuum Shuttle Without Stand 1.5 gal.	Warmer Shuttle 1.5 gal.
Product Dimensions (H x W x D)	12" x 9" x 14.38"	24.38" x 8" x 12.81"	15.88" x 8" x 12.75"	12" x 9" x 14.38"
Ship Dimensions (H x W x D)	14.5" x 12.5" x 17.5"	27" x 16.5" x 11"	27" x 16.5" x 11"	14.5" x 12.5" x 17.5"
Ship Weight	8 lbs.	15 lbs.	12 lbs.	8 lbs.
List Price	\$ 855	\$ 652	\$ 529	\$ 313



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS
PrecisionBrew® Shuttle Stands



Model	RAS1 (1502-004)	RWS1 (1503-004)
Description	Air-heated Shuttle Stand	Warmer Shuttle Stand
Electrical	120V / 0.13 kW / 60Hz / 1 Ph NEMA 5-15P line cord included. 	120V / 0.11 kW / 60Hz / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	18" x 9.13" x 13"	7.5" x 9.13" x 9.25"
Ship Dimensions (H x W x D)	18.63" x 13.25" x 16.75"	7.63" x 13.25" x 13.25"
Ship Weight	13 lbs.	10 lbs.
List Price	\$ 695	\$ 252



PrecisionBrew® Graphics and Accessories



Optional Shuttle Graphics

Model	380-00335	380-00439	380-00336
Description	Air-heated Shuttle Graphics	Vacuum Shuttle Graphics	Warmer Shuttle Graphics
List Price	\$ 40	\$ 54	\$ 40

Brew Baskets and Filters



Model	230-00173	230-00199	ABB2.0WP
Description	Stainless Steel Brew Basket	Plastic Brew Basket	14" bottom, 6" sidewall filter paper, 500 per box
List Price	\$ 119	\$ 44	\$ 77



Coffee Decanters

Industry Standard

Glass decanters for regular or decaf coffee.


- Provides 10-12 cup capacities.
- Thumb rest on handle ensures greater control and easy pouring.
- Contoured bottle design allows for comfortable fit on



Model	98005	98000	98006	98001
Description	3-pack glass decanters with black handle	24-pack glass decanters with black handle	3-pack glass decanters with orange handle	24-pack glass decanters with orange handle
Product Dimensions (H x W x D)	7" x 6" each	7" x 6" each	7" x 6" each	7" x 6" each
Ship Dimensions (H x W x D)	8" x 7" x 19.5"	14.75" x 28" x 20.5"	8" x 7" x 19.5"	14.75" x 28" x 20.5"
Ship Weight	4 lbs.	23 lbs.	4 lbs.	23 lbs.
List Price	\$ 33	\$ 216	\$ 33	\$ 216

Optional Decanter Rack

Model	DR-2SU (ADR-2SU)
Description	Black, powder-coated decanter rack, holds 2 decanters, step-up
Product Dimensions (H x W x D)	7.5" x 7.75" x 12.25"
Ship Dimensions (H x W x D)	8" x 8.5" x 14"
Ship Weight	5 lbs.
List Price	\$ 67



COFFEE BREWERS : ACCESSORIES

Coffee Airpots

**Glass-lined,
Push-top Dispense**



Model	AP-3 (AAP-3)	70768-C
Description	Single (1) 3.0 L airpot	Case of (6) 2.2 L airpots
Product Dimensions (H x W x D)	14.5" x 7.25" x 7.25"	case of six, each 14.5" x 7.25" x 7.25"
Ship Dimensions (H x W x D)	17" x 15" x 11"	18" x 14" x 20"
Ship Weight	4 lbs.	26 lbs.
List Price	\$ 107	\$ 444



**Flavor Tags,
Glass-lined,
Lever-top Dispense**



Model	ENALG22S (2502-000)	ENALG22S (7000-10000)	ENALG25S (2502-002)	ENALG25S (7000-10002)
Description	Single (1) 2.2 L airpot	Case of (6) 2.2 L airpots	Single (1) 2.5 L airpot	Case of (6) 2.5 L airpots
Product Dimensions (H x W x D)	15.5" x 6.25" x 8.5"	case of six, each 15.5" x 6.25" x 8.5"	14" x 5.5" x 5.5"	case of six, each 14" x 5.5" x 5.5"
Ship Dimensions (H x W x D)	15.5" x 8.75" x 6.5"	17.5" x 15.25" x 22.75"	17" x 8.75" x 6.5"	16.5" x 15.5" x 23"
Ship Weight	4.8 lbs.	28 lbs.	5.1 lbs.	30 lbs.
List Price	\$ 79	\$ 470	\$ 89	\$ 520

Note: Airpots sold in cases of six are individually boxed.



Coffee Airpots

ENAL- Models include colored flavor tags to indicate



Brown for regular coffee.



Orange for decaf.



Green for tea or hot water.

**Flavor Tags,
Glass-lined,
Lever-top Dispense**



Model	ENALG30S (2502-004)	ENALG30S (7000-20001)
Description	Single (1) 3.0 L airpot	Case of (6) 3.0 L airpots
Product Dimensions (H x W x D)	16.5" x 7" x 7"	case of six, each 16.5" x 7" x 7"
Ship Dimensions (H x W x D)	18" x 8.75" x 8.75"	18.5" x 15.5" x 23"
Ship Weight	5.3 lbs.	32 lbs.
List Price	\$ 102	\$ 590

Note: Airpots sold in cases of six are individually boxed.



COFFEE BREWERS : ACCESSORIES

Coffee Airpots

Flavor Tags,
Stainless Steel-lined,
Lever-top Dispense



Model	ENALS22S (2502-001)	ENALS22S (7000-10001)
Description	Single (1) 2.2 L airpot	Case of (6) 2.2 L airpots
Product Dimensions (H x W x D)	15.5" x 6" x 6"	case of six, each 15.5" x 6" x 6"
Ship Dimensions (H x W x D)	15.5" x 8.75" x 6.5"	17.5" x 15.25" x 22.75"
Ship Weight	4.8 lbs.	29 lbs.
List Price	\$ 126	\$ 743



Flavor Tags,
Stainless Steel-lined,
Lever-top Dispense



Model	ENALS25S (2502-003)	ENALS25S (7000-20000)	ENALS30S (2502-005)	ENALS30S (7000-20002)
Description	Single (1) 2.5 L airpot	Case of (6) 2.5 L airpots	Single (1) 3.0 L airpot	Case of (6) 3.0 L airpots
Product Dimensions (H x W x D)	14" x 5.5" x 5.5"	case of six, each 14" x 5.5" x 5.5"	16.5" x 7" x 7"	case of six, each 16.5" x 7" x 7"
Ship Dimensions (H x W x D)	17" x 8.75" x 6.5"	20" x 15.25" x 23"	18" x 8.75" x 8.75"	18" x 15" x 23"
Ship Weight	5.1 lbs	30 lbs.	5.3 lbs.	33 lbs.
List Price	\$ 136	\$ 787	\$ 147	\$ 863

Note: Airpots sold in case of six are individually boxed.







Coffee Warmers

Coffee Ready and Waiting

Expand your brewing center by combining multiple warmers with your brewers.

- Attractive appearance complements any decor.
- Space saving designs.
- Stainless steel construction with black warmer plates.



Model	BW-2 (ABW-2)	BW-2SU (ABW-2SU)
Description	(2) side-by-side warmers	(2) warmers, step-up
Electrical	120V / 0.2 kW / 1.7A / 1 Ph NEMA 5-15P line cord included.  	120V / 0.2 kW / 1.7A / 1 Ph NEMA 5-15P line cord included.  
Product Dimensions (H x W x D)	3.5" x 14" x 7.25"	5.5" x 7" x 14"
Ship Dimensions (H x W x D)	4" x 15" x 9"	6.5" x 10" x 16"
Ship Weight	6 lbs	5 lbs.
List Price	\$ 112	\$ 147



COFFEE BREWERS : ACCESSORIES

Coffee Airpot Racks and Systems

Condiment Holders

Model	70583
Description	Holds 2 cream or sugar canisters or multiple packets in rear compartment
Product Dimensions (H x W x D)	7" x 7" x 11"
Ship Dimensions (H x W x D)	12" x 12" x 6"
Ship Weight	1 lbs.
List Price	\$ 75




Model	70620	70759	70577	70571
Description	2 airpot rack only (2 inline)	2 airpot rack with 2 lever-top airpots (2 inline, black)	2 airpot rack only (2 airpots side-by-side)	3 airpot rack only (3 airpots side-by-side)
Product Dimensions (H x W x D)	16" x 7.25" x 21"	23" x 7.25" x 21.5"	9" x 14" x 12"	9" x 21.5" x 11.25"
Ship Dimensions (H x W x D)	17" x 8" x 23"	19" x 9" x 37"	10" x 14.5" x 12.25"	10" x 21.5" x 12.5"
Ship Weight	7 lbs.	20 lbs.	6 lbs.	8 lbs.
List Price	\$ 128	\$ 306	\$ 128	\$ 130

COFFEE BREWERS : ACCESSORIES
Coffee Airpot Racks and Systems



Model	70659	70651
Description	2 airpot rack with 2 lever-top pots (2 side-by-side)	3 airpot rack with 3 lever-top pots (3 side-by-side)
Product Dimensions (H x W x D)	16.25" x 14.5" x 12"	16" x 21.5" x 11.25"
Ship Dimensions (H x W x D)	25.25" x 12.75" x 18.75"	17.5" x 23" x 23"
Ship Weight	16 lbs.	27 lbs.
List Price	\$ 302	\$ 437



Model	70576	70575	70758	70757
Description	Rack only: Riser for 2 airpots.	Rack only: Riser for 3 airpots.	4 airpot rack with 4 lever-top pots. Racks are 2 airpots wide with a riser for 2 airpots.	6 airpot rack with 6 lever-top pots. Racks are 3 airpots wide with a riser for 3 airpots.
Product Dimensions (H x W x D)	11.5" x 10.75" x 10.25"	10" x 19" x 10.75"	15.5" x 27" x 12"	15.5" x 41" x 11.75"
Ship Dimensions (H x W x D)	12.5" x 14.75" x 10"	7" x 19" x 12"	32" x 16" x 24"	39" x 16" x 30"
Ship Weight	4 lbs.	5 lbs.	35 lbs.	48 lbs.
List Price	\$ 70	\$ 81	\$ 558	\$ 664

COFFEE BREWERS : ACCESSORIES

Coffee Brew Baskets and Filters

Brew Baskets



Model	71952	71619	A71431
Description	Plastic brew basket	Stainless steel brew basket	Stainless steel gourmet brew basket
For Use With	Pourover brewers	Decanter, Airpot, and Gravity Container brewers	B-SAP
Product Dimensions (H x W x D)	3.63" x 7.63" x 9"	3.63" x 7.63" x 9"	5" x 7.63" x 9"
List Price	\$ 26	\$ 118	\$ 263

Coffee Filters



Model	A06513-04
Description	12-cup, 4.5" bottom, 2.6" sidewall filter paper 1,000 per box
For Use With	71952 - plastic brew basket 71619 - stainless steel brew basket A71431 - stainless steel gourmet brew basket
List Price	\$ 35

COFFEE URNS



COFFEE URNS

PrecisionBrew® Barista Series Urns

Signature Cup

PrecisionBrew® technology gives user complete control over the brew cycle, contact time, and brew temperature, and holds the water temperature to +/- 1 °F.

- Three independent batch-volume sizes per liner.
- Each batch can be programmed with pulse brewing feature.
- Dual wall, air-insulated, electropolished liners maintain steady temperature. Brews at 200°F, and holds coffee at 185°F.
- Programmable, energy-saving 'sleep mode' feature - every day can be individually programmed to be warmed up and ready to brew when you open, and turn off when you close.
- Low Temp - No Brew function.
- Coffee levels are displayed as an easy-to-read LED light graph.
- Automatic Air Agitation ensures that every cup has the same profile.



Model : PB-8113E

Single Barista Series Urns

Twin Barista Series Urns

Model	PB-8113E (APB8113EP)	PB-8103E (APB8103E)
Description	Pump style (1) liner, 3 gallons	Heat exchange style standard (2) liners, 3 gallons each
Electrical	120/208V / 8.0 kW / 38A / 1 Ph 120/240V / 10.5 kW / 28A / 1 Ph <i>Line cord not included.</i>	120/208V / 11.5 kW / 54A / 1 Ph 120/240V / 15.0 kW / 63A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	28" x 19" x 20"	28" x 31.5" x 20"
Ship Dimensions (H x W x D)	36" x 26" x 22"	41" x 42" x 26"
Ship Weight	105 lbs.	145 lbs.
List Price	\$ 9,877	\$ 12,648

Electrical: Specify 3 phase if needed. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

Note: Order ABB3WP filters. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

COFFEE URNS
Space Saver Urns

Of Course We Have Coffee!

Space Saver Coffee Urns are the hassle-free, automatic, and efficient way to produce premium quality coffee. With so many automatic features, and its constant brew temperature, preparing fresh coffee for a crowd has never been simpler.

- Fully automatic, push-button operation.
- Brew temperature remains constant with less than 5° F variation.
- Dual wall fiberglass insulation saves energy and minimizes heat loss.
- Automatic coffee agitation and automatic refill/reheat of water.
- Low water cutoff system protects heating elements from burn out.



Model : 8106E

	Single Space Saver Urns	Twin Space Saver Urns
Model	8116E (A8116E)	8106E (A8106E)
Description	Heat exchange style (1) liner, 6 gallons C-UL US, CSA, NSF Certification	Heat exchange style (2) liners, 6 gallons each C-UL US, CSA, NSF Certification
Electrical	120/208V / 11.5 kW / 54A / 1 Ph 120/240V / 15.0 kW / 63A / 1 Ph <i>Line cord not included.</i>	120/208V / 15.0 kW / 72A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	35" x 22" x 17.75"	33.5" x 35" x 17.75"
Ship Dimensions (H x W x D)	42" x 45" x 26"	41" x 42" x 26"
Ship Weight	145 lbs.	195 lbs.
List Price	\$ 9,487	\$ 11,987

Electrical: Specify 3 phase if needed. See option chart on page 81.
Note: Accessories available separately. See pages 81-85.
Note: Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns, and ABB810WP for 10 gallon urns. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

COFFEE URNS

Single Midline Pump Urns

One-Button Brewing

Effortless, automatic, and premium coffee are all possible! These solid performers are simple to use, dependable, and produce an exceptional cup of coffee.

- Pump type brewing system - water is heated in large water storage compartment. When brew button is activated, hot water is pumped over the coffee grounds through specially-designed solid cone spray nozzle, providing the most uniform extraction possible from the coffee bed.
- All A.I.S.I. type 304 18-8 stainless steel, single-wall construction.
- Automatic coffee agitation and automatic refill/reheat of water.
- Low water cutoff system protects heating elements from burn out.
- Half batch / full batch capability.
- Closed chamber brewing prevents escape of coffee vapors and loss of aroma and flavor.



Model : 7716E

Model	7713E (A7713E)	7716E (A7716E)
Description	(1) liner, 3 gallons	(1) liner, 6 gallons
Electrical	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph <i>Line cord not included.</i>	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	27.25" x 23.5" x 15.25"	33.25" x 26.5" x 16.75"
Ship Dimensions (H x W x D)	36" x 26" x 22"	42" x 41" x 26"
Ship Weight	90 lbs.	125 lbs.
List Price	\$ 4,320	\$ 5,717

Electrical: Specify 3 phase if needed. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

Note: Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns, and ABB810WP for 10 gallon urns. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

COFFEE URNS
Twin Midline Pump Urns



Model : 77710E

Model	7773E (A7773E)	7776E (A7776E)
Description	(2) liners, 3 gallons each	(2) liners, 6 gallons each
Electrical	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph <i>Line cord not included.</i>	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	27.25" x 36" x 15.25"	33.25" x 39.5" x 16.75"
Ship Dimensions (H x W x D)	42" x 41" x 26"	42" x 41" x 26"
Ship Weight	115 lbs.	155 lbs.
List Price	\$ 5,199	\$ 6,718

Electrical: Specify 3 phase if needed. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

Note: Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns, and ABB810WP for 10 gallon urns. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

COFFEE URNS

Single Midline Heat Exchange Urns

Reliable, Durable, Delicious

For energy-efficient brewing that will surpass the expectations of any coffee shop, try this unique fresh water brewing system. Saves energy while brewing premium quality coffee.

- Fresh water brewing - water is brought into the urn immediately before the brew, preventing any staling. The water passes through a heat exchanger coil, and is instantly heated to optimal brew temperature. Saves energy, and preserves taste!
- All A.I.S.I. type 304 18-8 stainless steel, single-wall construction.
- Automatic coffee agitation and automatic refill/reheat of water.
- Low water cutoff system protects heating elements from burn out.
- Velvet smooth spray arm - Teflon® coating on spray arm piston prevents liming and ensures smooth operation.
- Half batch / full batch capability.



Model : 7416E

Model	7413E (A7413E)	7416E (A7416E)
Description	(1) liner, 3 gallons	(1) liner, 6 gallons
Electrical	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph <i>Line cord not included.</i>	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	27.25" x 23.5" x 15.25"	33.25" x 26.5" x 16.75"
Ship Dimensions (H x W x D)	38" x 26.5" x 22"	41" x 42" x 27"
Ship Weight	90 lbs.	125 lbs.
List Price	\$ 4,488	\$ 5,890

Electrical: Specify 3 phase if needed. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

Note: Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns, and ABB810WP for 10 gallon urns. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

Twin Midline Heat Exchange Urns



Model : 7446E

Model	7443E (A7443E)	7446E (A7446E)
Description	(2) liners, 3 gallons each	(2) liners, 6 gallons each
Electrical	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph Line cord not included.	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph Line cord not included.
Product Dimensions (H x W x D)	27.25" x 36" x 15.25"	33.25" x 39.5" x 16.75"
Ship Dimensions (H x W x D)	41" x 42" x 27"	41" x 42" x 27"
Ship Weight	115 lbs.	155 lbs.
List Price	\$ 5,609	\$ 6,855

Electrical: Specify 3 phase if needed. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

Note: Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns, and ABB810WP for 10 gallon urns. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

COFFEE URNS

Midline Heat Exchange Urns Shipboard Models

Ship Shape Service

Created specifically for shipboard use, these state-of-the-art coffee urns provide every convenience when you are sailing the seas.

- Anti-splash baffle in water compartment.
- Larger capacity coffee liner prevents spills.
- Reusable, washable muslin bags (25 ea) instead of paper filters.
- Drilled and tapped bullet feet, bolts included.
- Heat exchange type brewing saves energy.
- No air agitation for coffee (auto or manual).
- Low water cutoff system protects heating elements from burn out.



Model : 7443E
(A7443EX SHP)

Single Midline Heat Exchange Urns

Twin Midline Heat Exchange Urns

Model	7413E (A7413EX SHP)	7443E (A7443EX SHP)
Description	3 gallon urn with (1) liner, 4 gallons	3 gallon urn with (2) liners, 4 gallons each
Electrical	440V / 10 kW / 13A / 3 Ph / 3W + G Step down transformer for 120V controls built in. <i>Line cord not included.</i>	440V / 10 kW / 13A / 3 Ph / 3W + G Step down transformer for 120V controls built in. <i>Line cord not included.</i>
Product Dimensions (H x W x D)	24.25" x 23.5" x 18"	24.25" x 36" x 15.25"
Ship Dimensions (H x W x D)	33" x 22" x 26"	41" x 42" x 27"
Ship Weight	90 lbs.	115 lbs.
List Price	\$ 4,965	\$ 5,598

Note: No bypass valve.

Note: Order brew basket ABB3 for 3 gallon urns, and ABB6 for 6 gallon urns. See page 85.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service



COFFEE URNS

Grindmaster Urns Single 3 Gallon Models

Keeps Up With Customer Demand

Perfect for high volume coffee environments, the compact construction is a valuable asset to any operation with limited countertop space.

- Solid-state dual water level control.
- Stainless steel, single-wall construction.
- Silicone fittings prevent corrosion, pitting, and leakage.
- Thermostat on side box for easy access and service.
- Pump-style brewing.
- 3 gallon tank.
- Adjustable by-pass.



Model : CL75N

	Automatic Agitator Urn	Automatic Agitator Urn	Manual Agitator Urn
Model	FE75N (101805)	FE75N 3 Phase (101806)	CL75N (118802)
Description	Automatic agitator, solid-state timer	Automatic agitator, solid-state timer	Push button agitator, electro-mechanical timer
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120/208V / 5.3 kW / 26A / 1 Ph 120/240V / 7 kW / 30A / 1 Ph Line cord not included.	120/208V / 4.5 kW / 13A / 3 Ph 120/240V / 6 kW / 15A / 3 Ph Line cord not included.	120/208V / 5.3 kW / 26A / 1Ph 120/240V / 7 kW / 30A / 1Ph Line cord not included.
Product Dimensions (H x W x D)	28.5" x 21.5" x 14"	28.5" x 21.5" x 14"	28.5" x 21.5" x 14"
Ship Dimensions (H x W x D)	31" x 22" x 18"	31" x 22" x 18"	29" x 22" x 18"
Ship Weight	75 lbs.	75 lbs.	70 lbs.
List Price	\$ 3,930	\$ 4,127	\$ 3,665

Electrical: Additional higher wattage units available. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

*Unit does not ship with Cord or plug. Please contact Local Qualified Service



Grindmaster Urns

Twin 3 Gallon Models

Simple Operation

With a six-gallon capacity, you can quickly brew all of the piping hot coffee you need to keep your customers' coffee mugs filled during high-volume hours.

- Solid-state dual water level control.
- Stainless steel, single-wall construction.
- Silicone fittings prevent corrosion, pitting, and leakage.
- Modern look and user-friendly operation.
- Thermostat sensor on side box for easy access and service.
- Pump-style brewing.
- Two 3 gallon tanks (6 gallon total capacity).
- Adjustable by-pass.



Model : FE100N 3

	Automatic Agitator Urn	Automatic Agitator Urn	Manual Agitator Urn
Model	FE100N (102417)	FE100N 3 Phase (102418)	CL100N (117402)
Description	Automatic agitator, solid-state timer.	Automatic agitator, solid-state timer.	Push button agitator, electro-mechanical timer
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120/208 V / 6 kW / 29 A / 1 Ph 120/240 V / 8 kW / 34 A / 1 Ph <i>Line cord not included.</i>	120/208V / 6 kW / 17A / 3 Ph 120/240V / 8 kW / 20A / 3 Ph <i>Line cord not included.</i>	120/208V / 5.3 kW / 26A / 1 Ph 120/240V / 7 kW / 30A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	33" x 38" x 20"	33" x 38" x 20"	33" x 38" x 20"
Ship Dimensions (H x W x D)	33" x 38" x 20"	33" x 38" x 20"	33" x 38" x 20"
Ship Weight	100 lbs.	100 lbs.	90 lbs.
List Price	\$ 4,690	\$ 4,899	\$ 4,283

Electrical: Additional higher wattage units available. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service

COFFEE URNS

Grindmaster Urns

Twin 6 Gallon Models

Consider the Crowds Tamed

Make high volume coffee operation simple and seamless, and deliver delicious drinks with the 12 gallon capacity Cecil Series Urn.

- Two brew batch sizes at the push of a button for high and low volume periods.
- Adjustable by-pass system.
- Automatic refill ensures fresh hot water
- Automatic agitation blends coffee at end of each brew cycle.
- Cycle stop switch provides ability to stop brew cycle midstream.
- Thermometer indicates optimum brewing temperature.
- Durable stainless steel construction.



Model : FE200

Automatic Agitator Urn

Automatic Agitator Urn

Model	FE200 (104400)	FE200 3 Phase (104415)
Description	1 Phase	3 Phase
Plumbing	0.25" water line required	0.25" water line required
Electrical	120/208V / 7.5 kW / 37A / 1 Ph 120/240V / 10 kW / 42A / 1 Ph <i>Line cord not included.</i>	120/208V / 7.5 kW / 21A / 3 Ph 120/240V / 10 kW / 25A / 3 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	33" x 37.5" x 16"	33" x 37.5" x 16"
Ship Dimensions (H x W x D)	33" x 37.5" x 19.5"	33" x 37.5" x 19.5"
Ship Weight	130 lbs.	130 lbs.
List Price	\$ 6,548	\$ 6,661

Electrical: Additional higher wattage units available. See option chart on page 81.

Note: Accessories available separately. See pages 81-85.

Note: Order ABB6WP filters. See page 86.



*Unit does not ship with Cord or plug. Please contact Local Qualified Service



GRINDMASTER®

COFFEE URNS

Electrical Options

Electrical Options: 120/208V

Model	AOPT 21AU	AOPT 21AU6	AOPT 21AU610
Description	120/208V / 3 Ph	120/208V / 3 Ph	120/208V / 3 Ph
For Use With	Midline 3 gallon urns	Midline 6 gallon heat exchange urns	Midline 6 gallon pump urns
List Price	\$ 408	\$ 399	\$ 399

Electrical Options: 208/240V

Model	AOPT 21BU3	AOPT 21BU610
Description	208/240V / 0.003 kW / 3 Ph	208/240V / 3 Ph / 0.003 kW For use with midline 6/10 gallon urns
List Price	\$ 443	\$ 443

Electrical Options: 480V

Model	AOPT 21CU3	AOPT 21CU610	AOPT 21CUTL3	AOPT 21CUTL610
Description	480V / 0.003 kW / 3 Ph	480V / 0.003 kW / 3 Ph	480V / 0.003 kW / 3 Ph	480V / 0.003 kW / 3 Ph
For Use With	Midline 3 gallon urns	Midline 6/10 gallon urns	Space saver 3 gallon urns	Space saver 6/10 gallon urns
List Price	\$ 736	\$ 707	\$ 722	\$ 707

Electrical Options: Transformers

Model	AOPT 2200	AOPT 2200P
Description	Transformer for heat exchange urns: 2 wire	Transformer for pump urns: 2 wire
List Price	\$ 199	\$ 393

COFFEE URNS

Options

Double Service Package Options

Model	AOPT DS101 to DS108	AOPT DS201 to DS206	AOPT TS103 to TS104	AOPT TS204 to TS206
Description	Service, double faucets, gauge on operator side only	Service, double faucets, gauge on both sides	Service, double faucets, gauge on operator sides	Service, double faucets, gauge on both sides
For Use With	Midline/spacesaver urns <specify model>	Midline/spacesaver urns <specify model>	Triple urns <specify model>	Triple urns <specify model>
List Price	\$ 1,811	\$ 1,948	\$ 1,946	\$ 2,489

Low Temp No Brew

Model	AOPT 47U00	AOPT 47U01
Description	Low Temp No Brew	Low Temp No Brew
For Use With	Single and twin urns	Triple and 87710 urns
List Price	\$ 553	\$ 576

Prison Packages

Model	AOPT 10	AOPT 10B	AOPT 10B3
Description	Prison package	Prison package	Prison package
For Use With	Twin highline urns: 3, 6 gal.	Twin midline urns: 6 gal.	Twin midline urns: 3 gal.
List Price	\$ 1,169	\$ 1,146	\$ 1,146

Prison Packages

Model	AOPT 10SB610	AOPT 10SSS
Description	Prison package	Prison package
For Use With	Single midline urns: 6 gal.	Single space saver urns: 6 gal.
List Price	\$ 1,092	\$ 1,092

COFFEE URNS
Accessories

Accessories

Model	AOPT 45	AOPT 4400U	AOPT 5800	AOPT 5700
Description	Bullet feet, drilled and tapped	Flanged feet	Higher legs <specify size>	Gravity jug fill
List Price	\$ 79	\$ 158	\$ 182	\$ 649

Accessories

Model	AOPT 7100	AOPT 93L3 to 93WB
Description	Vacuum Breaker	Control Cover with Lock for all space saver urns <specify model>
List Price	\$ 502	\$ 386



Coffee Brew Baskets

For Coffee Urns

3 Gallon Urns

Model	ABB3	ABB3-1.5	A#153
Description	Brew basket	Brew basket, half batch	Brew basket, permanent stainless steel screen
List Price	\$ 120	\$ 120	\$ 266

6 Gallon Urns

Model	ABB6	ABB6-3	A#156
Description	Brew basket	Brew basket, half batch	Brew basket, permanent stainless steel screen
List Price	\$ 163	\$ 163	\$ 274

10 Gallon Urns

Model	ABB810	ABB810-6	A#158
Description	Brew basket	Brew basket, half batch	Brew basket, permanent stainless steel screen
List Price	\$ 195	\$ 195	\$ 354

COFFEE URNS

Coffee Filters For Coffee Urns

3 Gallon Urns

Model	ABB1.5WP	ABB3WP
Description	13" diameter, 5" bottom 500 per box	18" diameter, 6" bottom 500 per box
For Use With Brew Basket	Half-batch brew basket ABB3-1.5	ABB3
Ship Dimensions (H x W x D)	8.9" x 12.2" x 9"	15.75" x 11.75" x 11.75"
List Price	\$ 77	\$ 96

6 Gallon Urns

Model	ABB3WP	ABB6WP	820 (F820U)
Description	18" diameter, 6" bottom 500 per box	500 per box	20" diameter, 8" bottom 500 per box
For Use With Brew Basket	Half-batch brew basket ABB6-3	ABB6	ABB6
Ship Dimensions (H x W x D)	15.75" x 11.75" x 11.75"	16" x 20.5" x 13.75"	16" x 20.75" x 13.75
List Price	\$ 96	\$ 117	\$ 114

10 Gallon Urns

Model	ABB6WP	ABB810WP	923 (F923U)
Description	500 per box	500 per box	23" diameter, 8" bottom 500 per box
For Use With Brew Basket	Half-batch brew basket ABB810-6	ABB810	ABB810
Ship Dimensions (H x W x D)	16" x 20.5" x 13.75"	16" x 20.5" x 13.75"	16" x 20.75" x 13.75
List Price	\$ 117	\$ 183	\$ 179

ICED TEA BREWERS & DISPENSERS



Front of House Stainless Steel Tea Dispensers

Streamlined and Elegant, With No Liner Required!

The attractive finish is polished and professional. It's large 3 gallon capacity is perfect for self-service beverage areas. Simple to use, easy-to-clean, hard-wearing. We are still trying to find something we don't like about these dispensers.

No Liner Needed

Passivated interior and exterior protects the flavor of the beverage, and does not require the use of a liner. This makes these dispensers easier to clean and sanitize than plastic urns on the market, with substantial cost savings and environmental benefit.

Rugged Construction

Stainless steel construction and faucet connection withstands heavy use, is rust resistant, and easy to clean. Laser welds are heavy duty, stand up to repeated use, and resist leakage.

Easy Brewing and Dispensing

Fits under most commercial brewers - just remove the lid and brew directly into the dispenser. With four dispensers to choose from, you can select the perfect one for your usage.

Cleaning Made Simple

All parts and components are removable, allowing it to be easily and thoroughly cleaned.

Effortless Transportation

Stainless steel handles make it easy to lift and carry.

9 ½" Cup Clearance

Easily fill large to-go cups or tall iced tea glasses.

Slim Design, Considerable Capacity

Its large 3 gallon size guarantees that your drinks will be in good supply, and its compact design allows it to easily fit where you need it, and not waste much-needed counter space.

Front of House Stainless Steel Tea Dispensers



Model	GTD3-DNT (6700-20001)	GTD3-FOT (6700-30000)	GTD3-TP (6700-30001)	GTD3-C (6700-40000)
Description	Tomlinson® down-facing valve	Tomlinson® front valve	Tomlinson® front valve with pinch tube	Crathco® valve. Designed to allow for one-hand operation.
Product Dimensions (H x W x D)	22" x 6" x 13.5"	22" x 6" x 13.5"	22" x 6" x 13.5"	22" x 6" x 13.5"
Ship Dimensions (H x W x D)	24" x 9.5" x 18.5"	24" x 9.5" x 18.5"	24" x 9.5" x 18.5"	24" x 9.5" x 18.5"
Ship Weight	13 lbs.	13 lbs.	13 lbs.	13 lbs.
List Price	\$ 174	\$ 153	\$ 158	\$ 185



ICED TEA BREWERS AND DISPENSERS

S Series Stainless Steel Tea Dispensers

Cool and Easy

The S Series Stainless Steel Tea Dispensers are perfect anywhere you or your customers need easy access to delicious iced tea. Featuring Tomlinson no-drip faucets to protect from potential drips and spills, the series offers dispensers from 2 - 10 gallons in size, with or without handles.

They provide an impressive 7" - 9" high faucet clearance, allowing ample room for serving your delicious fresh-brewed iced tea into tall glasses, to-go cups, and beverage pitchers. When finished serving, its cylindrical design makes cleanup quick and easy.



Model : S2



Model : S3C

Model	S2 (442000L)	S3 (443000L)	S3C (069430L)
Description	2 gallon capacity 7" faucet clearance	3 gallon capacity 7" faucet clearance	3 gallon capacity with handles 7" faucet clearance
Product Dimensions (H x W x D)	15" x 9.25"	19.5" x 9.5"	19.5" x 9.5"
Ship Dimensions (H x W x D)	19" x 10" x 25"	24" x 13" x 13"	24" x 13" x 13"
Ship Weight	8 lbs.	9 lbs.	9 lbs.
List Price	\$ 166	\$ 178	\$ 276



ICED TEA BREWERS AND DISPENSERS

S Series Stainless Steel Tea Dispensers



Model : S5



Model : S10



Model : S10C

Model	S5 (445000L)	S5C (445010L)	S10 (446500L)	S10C (446511L)
Description	5 gallon capacity 7" faucet clearance	5 gallon capacity with handles 7" faucet clearance	10 gallon capacity 9" faucet clearance	10 gallon capacity with handles 9" faucet clearance
Product Dimensions (H x W x D)	26" x 10"	26" x 10"	29" x 12.5"	29" x 12.5"
Ship Dimensions (H x W x D)	29.5" x 13" x 13"	29.5" x 13" x 13"	31" x 14" x 14"	31" x 14" x 14"
Ship Weight	10 lbs.	10 lbs.	18 lbs.	18 lbs.
List Price	\$ 208	\$ 302	\$ 358	\$ 425





ICED TEA BREWERS AND DISPENSERS


TB Series Tea Brewers and Dispensers

Effortless Brewing and Dispensing

The high-performance TB3 Iced Tea Brewer brews 3 gallons of crisp, delicious iced tea in just 5 minutes. It features a low temperature lockout system that will prevent brewing until the water has reached its proper temperature to ensure great tasting drinks. The iced tea brews directly into the B1/3T seamless stainless steel dispenser, which facilitates easy cleaning and crisp taste.

- Brew timer adjustment controls the brewing time.
- Clear plastic brew funnel with restrictor.
- Stainless steel body construction.
- Brew - through cover.



Model	TB3 Brewer with B1/3T Dispenser (069363L)
Description	3 gallon capacity
Plumbing	0.25" water line required
Electrical	120V / 15A / 1 Ph  NEMA 5-15P <i>line cord included.</i>
Product Dimensions (H x W x D)	33.25" x 9.25" x 22.75"
Ship Dimensions (H x W x D)	34" x 13.5" x 23"
Ship Weight	46 lbs.
List Price	\$ 1,408

Brew Filters for TB3

Model	ABB1.5WP
Description	13" x 5" filters . 500 per box.
List Price	\$ 77



ICED TEA BREWERS AND DISPENSERS

TB Series Tea Dispensers



Model	B1/3 Dispenser & Base (069370L)	B1/3T Dispenser (069380L)	SU3P Dispenser & Base (069480L)
Description	3 gallon capacity	3 gallon capacity	3.5 gallon capacity
Product Dimensions (H x W x D)	22" x 12.5" x 12.5"	14" x 10" x 14"	18.75" x 9.25" x 9.25"
Ship Dimensions (H x W x D)	23" x 13" x 12.5"	14" x 11" x 11"	23" x 12.5" x 12.5"
Ship Weight	11 lbs.	4 lbs.	9 lbs.
List Price	\$ 210	\$ 220	\$ 286

Note: All units come standard with plastic brew funnel.



HOT TEA URNS





HOT TEA URNS

Chinese Hot Tea Urns

Hot Tea Made Simple

The Chinese Hot Tea Urn is a twin style unit with 3 gallons in each urn, for a total capacity of 6 gallons. A seamless urn liner and silicone fittings prevent corrosion, pitting, and leaking, and enable the urn to withstand constant use. The urn automatically fills with water thanks to the solid state dual water level controls. Construction of stainless steel makes it durable, easy to clean, and reliable. Tea can be brewed in half or full batches to ensure minimal end-of-day waste.

- Silicone fittings prevent corrosion, pitting, and leakage.
- Type 304L stainless steel single-wall construction.
- Solid-state dual water level control.
- Thermostat sensor at side box for easy access and service.
- Seamless urn liners standard.
- Easy changing of the water pump or thermostat- no need to empty urn completely.
- Provides (2) brew cycle choices, full batch and half batch. Full batch standard, half batch optional.
- Electro-mechanical timer, adjustable by-pass, push-button agitator.



HOT TEA URNS

Chinese Hot Tea Urns

Model	CH100N (119905)
Description	(2) liners, 3 gallons each.
Plumbing	0.25" water line required
Electrical	120/240V / 8 kW / 34A / 1 Ph 120/208V / 6 kW / 29A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	28.5" x 33.5" x 14"
Ship Dimensions (H x W x D)	29" x 34" x 18"
Ship Weight	98 lbs.
List Price	\$ 4,173



Note: Baskets and filters not included with these models.
See options below.



Brew Baskets and Filter Paper

Model	V002A	ABB3WP
Description	Stainless steel brew basket	18" diameter, 6" bottom filter paper 500 per box
Ship Dimensions (H x W x D)	6.25" x 11.5" Diam.	15.75" x 11.75" x 11.75"
Ship Weight	1 lbs.	10 lbs.
List Price	\$ 78	\$ 96

*Unit does not ship with Cord or plug. Please contact Local Qualified Service



HOT WATER HEATERS
AND DISPENSERS

HOT WATER HEATERS AND DISPENSERS

ME Series Water Heaters

10 Gallon Models




The Perfect Addition

Investing in a hot water heater from the ME Series is a wise, economical addition to your business. They provide you with a convenient, affordable way of keeping piping hot water flowing for the preparation of your hot chocolate, tea, Americanos, and more! The automatic refill system ensures you're never caught unprepared, their solid state liquid level control system provides added peace of mind.

Models are available with either a 10 or 15 gallon capacity, so you will have a constant source of hot water, and the no-drip faucet guarantees that the water stays put until you need it.

- Electronic solid state water level control for automatic refill.
- Precision multi-setting thermostat with hold setting.
- Dial thermometer for exact temperature reading.
- Type 304L stainless steel construction for long-lasting service.
- Accurate water level gauge.
- Reliable no-drip faucet with sight glass and water shut off.






Model	ME10EN (121505)	ME10EN (121511)	ME10EN (121521)
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 5.3 kW / 26A / 1 Ph 240V / 7.0 kW / 30A / 1 Ph Line cord not included. 	208V / 7.9 kW / 22A / 3 Ph 240V / 10.5 kW / 25A / 3 Ph Line cord not included. 
Product Dimensions (H x W x D)	26" x 18" x 20"	26" x 18" x 20"	26" x 18" x 19.75"
Ship Dimensions (H x W x D)	26" x 18" x 20"	26" x 18" x 20"	26" x 18" x 19.75"
Ship Weight	47 lbs.	47 lbs.	47 lbs.
List Price	\$ 2,240	\$ 2,532	\$ 2,532



HOT WATER HEATERS AND DISPENSERS

ME Series Water Heaters
15 Gallon Models



Model	ME15EN (121574)	ME15EN (121561)	ME15EN (121571)
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P <i>line cord included.</i> 	208V / 5.3 kW / 26A / 1 Ph 240V / 7.0 kW / 30A / 1 Ph <i>Line cord not included.</i> 	208V / 7.9 kW / 22A / 3 Ph 240V / 10.5 kW / 25A / 3 Ph <i>Line cord not included.</i> 
Product Dimensions (H x W x D)	31" x 18" x 20"	31" x 18" x 20"	30.5" x 18" x 19.75"
Ship Dimensions (H x W x D)	31" x 18" x 20"	31" x 18" x 20"	30.5" x 18" x 19.75"
Ship Weight	53 lbs.	53 lbs.	53 lbs.
List Price	\$ 2,344	\$ 2,413	\$ 2,578



HOT WATER HEATERS AND DISPENSERS

Heavy Duty Hot Water Heaters

Auto Refill and Reheat

- Water temperature is maintained between 190°F and 200°F.
- Water compartment automatically refills and reheats as necessary.
- Dial thermometer with color-marked temperature zone.
- Type 304L stainless steel construction.



Model	830E (A830E)	850E (A850E)
Capacity	30 gallon	50 gallon
Plumbing	3/8" FPT water inlet	3/8" FPT water inlet
Electrical	120/208V / 11.5 kW / 54 A / 1 Ph 120/240V / 15.0 kW / 72 A / 1 Ph <i>Line cord not included.</i>	120/208V / 11.5 kW / 54 A / 1 Ph 120/240V / 15.0 kW / 72 A / 1 Ph <i>Line cord not included.</i>
Product Dimensions (H x W x D)	27" x 26" x 16.75"	32" x 26" x 16.75"
Ship Dimensions (H x W x D)	27" x 25" x 21"	42" x 42" x 27"
Ship Weight	80 lbs.	100 lbs.
List Price	\$ 3,257	\$ 3,835

Optional Prison Package for 830E and 850E

Model	AOPT 10WB
Description	Prison package
List Price	\$ 1,076



HOT WATER HEATERS AND DISPENSERS



Portable Coffee and Hot Water Dispensers

Hot Drinks To Go!

- Ideal for hot coffee or hot water.
- Portable, easily moved to any convenient location.
- Precision thermostat for accurate temperature control.
- Sight glass indicates water level.
- Type 304L stainless steel construction.



Model : CS113

Model	CS113 (431500L)	CS115 (432500L)
Capacity	3 gallon	5 gallon
Electrical	120V / 1.65 kW / 13.8A / 1 Ph NEMA 5-15P <i>line cord included.</i> 	120V / 1.65 kW / 13.8A / 1 Ph NEMA 5-15P <i>line cord included.</i> 
Product Dimensions	21" H x 11" Diameter	26.5" H x 11" Diameter
Ship Dimensions (H x W x D)	31" x 13" x 13"	31" x 14.5" x 14.5"
Ship Weight	15 lbs.	18 lbs.
List Price	\$ 1,055	\$ 1,131



HOT WATER HEATERS AND DISPENSERS

HWD Series Hot Water Dispensers



Two Gallon Models

Constant Temperature

Don't let the compact footprint of the HWD Series of hot water dispensers fool you. Although they take up minimal space in your kitchen, they provide an inexhaustible supply of hot water that is held at a constant temperature up to 200°F. 2, 3, or 5 gallon capacity models are available.

- Instant automatic water refill.
- Energy efficient system keeps water temperature uniform.
- Constant hot water in only 9.4" of counter space.
- Tomlinson® no-drip faucet.
- Digital water temperature display.
- Ideal for large-scale food preparation.
- Easy-to-clean exterior.
- Removable drip tray.



	Two Gallon Models	Two Gallon Models
Model	HWD2 (2401-001)	HWD2 (2401-002)
Plumbing	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 2.3 kW / 11A / 1 Ph 240V / 3.0 kW / 13A / 1 Ph NEMA 6-15P line cord included. 
Product Dimensions (H x W x D)	24" x 9.4" x 21.25"	24" x 9.4" x 21.25"
Ship Dimensions (H x W x D)	30.7" x 12.7" x 22.7"	30.7" x 12.7" x 22.7"
Ship Weight	33 lbs.	33 lbs.
List Price	\$ 1,180	\$ 1,329









HOT WATER HEATERS AND DISPENSERS

HWD Series Hot Water Dispensers
Three and Five Gallon Models



	Three Gallon Models	Three Gallon Models	Five Gallon Models	Five Gallon Models
Model	HWD3 (2401-004)	HWD3 (2401-005)	HWD5 (2401-007)	HWD5 (2401-008)
Capacity	3 gallon	3 gallon	5 gallon	5 gallon
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 2.3 kW / 11A / 1 Ph 240V / 3.0 kW / 13A / 1 Ph NEMA 6-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 2.3 kW / 11A / 1 Ph 240V / 3.0 kW / 13A / 1 Ph NEMA 6-15P line cord included. 
Product Dimensions (H x W x D)	24" x 9.4" x 21.25"	24" x 9.4" x 21.25"	30" x 9.4" x 21.25"	30" x 9.4" x 21.25"
Ship Dimensions (H x W x D)	30.7" x 12.7" x 22.7"	30.7" x 12.7" x 22.7"	32.7" x 12.7" x 22.7"	32.7" x 12.7" x 22.7"
Ship Weight	35 lbs.	35 lbs.	42 lbs.	42 lbs.
List Price	\$ 1,452	\$ 1,579	\$ 1,723	\$ 1,867



POWDERED BEVERAGE
DISPENSERS



POWDERED BEVERAGE DISPENSERS

PIC Powdered Beverage Dispensers




Three and Five Flavor Models



Three Flavor Models

Three Flavor Models

Five Flavor Models

Model	PIC3 (61005D)	PIC33A (61052D)	PIC5 (62933)
Description	3 hoppers, 5 lbs. capacity.	3 hoppers, 5 lbs. capacity. 3 volume options per head.	5 hoppers, 5 lbs. capacity.
Tank Capacity	3.5 gallon	3.5 gallon	5 gallon
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120V / 1.4 kW / 14A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.4 kW / 14A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.4 kW / 14A / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	26.5" x 12" x 22"	26.5" x 12" x 22"	34.75" x 20.5" x 24.75"
Ship Dimensions (H x W x D)	32" x 17" x 27"	32" x 17" x 27"	44" x 31" x 31"
Ship Weight	83 lbs.	85 lbs.	125 lbs.
List Price	\$ 3,005	\$ 3,305	\$ 4,477



POWDERED BEVERAGE DISPENSERS
PIC Powdered Beverage Dispensers
Options

Simple Satisfaction

PIC Hot Powdered Beverage Dispensers are perfect for dispensing a variety of products, including great tasting, high quality cappuccinos, gourmet hot cocoas, chai teas, and hot apple cider.

- Large, operator friendly, Clear-View™ hoppers.
- Direct drive hoppers – self-aligning for durability and easy install.
- Patented safety rib on dispense nozzle and cup guide on the drain tray.
- Generous cup clearance for popular large sizes.
- Attractive front-lit graphics encourage impulse buys.

Preventive Maintenance Kit

PIC 3
 6 Month Schedule
 Item: 250-00112
 List Price: \$ 75

PIC 5
 6 Month Schedule
 Item: 250-00113
 List Price: \$ 115

See Page 229

Optional External Water Pump Kit

Model	63174
Description	External Water Pump Kit: allows unit to operate in remote location from bottled water.
Electrical	115V / 1.5A (draws 1.3A) NEMA 1-15P line cord included.
Ship Dimensions (H x W x D)	24" x 10.5" x 3.25"
Ship Weight	6 lbs.
List Price	\$ 431



POWDERED BEVERAGE DISPENSERS

GB Powdered Beverage Dispensers

Delicious Flavor, Optimal Variety

Let your customers have their choice of mixed hot beverages, from a single flavor all the way up to eight flavors per model! And, with Fast Flow, these delicious beverages will dispense 30% faster, reducing wear and tear on major dispenser components.

A slanted whipper chamber thoroughly mixes your beverage into a creamy drink for optimum flavor and body, while keeping mixing powder away from the motor seal, and a direct drive auger adjusts beverage strength, guarantees perfect hopper alignment, and allows for quiet operation.

The GB Series of Powdered Beverage Dispensers guarantees that you have the right variety of high-quality beverages for any customer's taste!

- Vacuum Steam Removal System ensures the powdered mix remains dry, to eliminate clogging, caking, and bridging.
- Moisture and powder collection tray prevents excess moisture and product powder from reaching the vacuum motor.
- Self cleaning rinse system is touch-button easy and rinses the entire whipper chamber with hot water at the end of each cycle.

POWDERED BEVERAGE DISPENSERS

GB Powdered Beverage Dispensers
Single and Two Flavor Models

Preventive Maintenance Kit

Single Flavor

6 Month Schedule
Item: 250-00105
List Price: \$ 25

Two Flavor

6 Month Schedule
Item: 250-00106
List Price: \$ 35




See Page 229



Single Flavor Models

Two Flavor Models

Two Flavor Models

Model	GB1HC-CP (08003QL)	GB2HC-CP (08003TL)	2K-GB-LD (080022L)
Description	Moderate volume, (1) hopper, 8 lbs. capacity	Moderate volume, smallest footprint available (2) hoppers, 4 lbs. capacity each	Low to medium volume, (2) hoppers, 4 lbs. capacity each
Door	Non-lit, right side hinge	Non-lit, right side hinge	Lit, right side hinge
Tank Capacity	1.4 gallon	1.4 gallon	2 gallon
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	26" x 7.75" x 19"	24" x 7.75" x 19"	34.25" x 8.5" x 23"
Ship Dimensions (H x W x D)	39" x 14" x 27"	39" x 14" x 27"	39" x 14" x 27"
Ship Weight	30 lbs.	32 lbs.	60 lbs.
List Price	\$ 2,074	\$ 2,178	\$ 2,552

POWDERED BEVERAGE DISPENSERS

GB Powdered Beverage Dispensers

Three and Four Flavor Models

Preventive Maintenance Kit

Three Flavor

6 Month Schedule
Item: 250-00107
List Price: \$ 43

Four Flavor

6 Month Schedule
Item: 250-00108
List Price: \$ 52




See Page 229



Three Flavor Models

Three Flavor Models

Four Flavor Models

Model	3K-GB-NL (08002NL)	3K-GB-LD (080023L)	4K-GB-LD (080041L)
Description	Low to medium volume, (3) hoppers, 4 lbs. capacity each	Low to medium volume, (3) hoppers, 4 lbs. capacity each	Low to medium volume, (4) hoppers, 4 lbs. capacity each
Door	Non-lit, right side hinge	Lit, right side hinge	Lit, right side hinge
Tank Capacity	2 gallon	2 gallon	3.75 gallon
Plumbing	0.25" water line required	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 
Product Dimensions (H x W x D)	34.25" x 10" x 22"	34.25" x 10" x 23"	31.5" x 15.6" x 20"
Ship Dimensions (H x W x D)	39" x 16" x 27"	39" x 16" x 27"	33" x 18" x 23"
Ship Weight	87 lbs.	87 lbs.	103 lbs.
List Price	\$ 2,887	\$ 3,031	\$ 3,685





POWDERED BEVERAGE DISPENSERS

GB Powdered Beverage Dispensers
Six and Eight Flavor Models

Preventive Maintenance Kit

Six Flavor

6 Month Schedule
Item: 250-00110
List Price: \$ 70

Eight Flavor



6 Month Schedule
Item: 250-00111
List Price: \$ 89

See Page 229



Six Flavor Models

Eight Flavor Models

Model	GB6M10-LD-U (080152L)	GB8MP-10-LD-U* (080167L)
Description	High volume , (1) hopper, 10 lbs. capacity, (5) hoppers, 5 lbs. capacity each. C-UL US, NSF Certification	High volume , (1) hopper, 10 lbs. capacity, (7) hoppers, 5 lbs. capacity each. UL, NSF Certification
Door	Lit, vertical lift	Lit, vertical lift
Tank Capacity	6 gallon	7.4 gallon
Plumbing	0.25" water line required	0.25" water line required
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P <i>line cord included.</i> 	(2) 120V / 1.8 kW / 15A / 1 Ph (2) NEMA 5-15P <i>line cords included.</i> 
Product Dimensions (H x W x D)	34.25" x 21.75" x 22"	35" x 27.25" x 24"
Ship Dimensions (H x W x D)	39" x 27" x 27"	40" x 33" x 31"
Ship Weight	180 lbs.	180 lbs.
List Price	\$ 5,307	\$ 9,166

* This model requires two water lines and two separate electrical circuits.

* Side panel graphics available.



ESPRESSO
MACHINES





Tango Milk Series

Super-Automatic One-Step with Real Milk

Automatically Delicious

Exceptional quality in a variety of drinks with little operator skill. Two models can be public-facing in some areas. Push a button and the machine will grind the beans, pull the extraction, froth and steam its refrigerated milk, and add it into the drink.

Touchscreen Interface Offers Programmable Control of:

- 48 drink recipes per grouphead
- 2 separate coffee grinds
- 2 pre-infusion methods
- Tamping
- Boiler temperature
- Coffee dose and water dose

Easy use makes it a great choice for locations where espresso is not the focus, or with seasonal employees. Perfect in cafés, cafeterias, offices, refreshment areas for business, education, and hospitals.

- Integrated SteamAir wand with auto milk foamer and programmable temperature control.
- Quick clean cycles every 90 drinks; complete group auto clean cycle every 24 hours.
- ACE L/C, ST Solo L/C and ST Duo L/C offer temperature regulation for the steam and the group.
- Includes installation by a Unic certified service provider.



Visit www.unic-USA.com for more information.



ESPRESSO MACHINES

Tango Milk Series

Super-Automatic One-Step with Real Milk

For details, visit
www.unic-usa.com



Model	ACE L/C Milk (1011-004)	ST Solo Milk (1011-005)	ST Duo Milk (1011-006)
Description	Limited public facing, (1) group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 64 mm Mahlkonig burrs, one-gallon pump refrigerator.	Limited public facing, (1) group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 80 mm Mahlkonig burrs, Shown with 2-Gallon Tango L/C Fridge.	Attended service, (2) groups with double spouts, (2) 3.75 lbs. coffee bean hoppers, (2) precision grinders with 80 mm Mahlkonig burrs. Shown with 2-Gallon Tango L/C Fridge. Can work with 2 Fridges for 2 different milk types.
Capacity	Small to medium capacity, 50-150 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 2 espressos simultaneously.	Large capacity, 200-300 drinks daily. Brews 4 espressos simultaneously.
Boiler	(1) 1.72 gal. 4500 W	(1) 1.72 gal. 4500 W	(2) 1.72 gal. 6800 W
Electrical	240V / 7 kW / 60Hz / 29A 1 Ph Fridge: 120V 0.1 kW / 1 Ph Line cord included with no plug. Suggested plug: L6-30P. NEMA 5-15P line cord included for all refrigerators.	Brewer: 230V / 5.6 kW / 30A 1 Ph Fridge: 120V 15A / 1 Ph Line cord included with no plug. Suggested plug: L6-50P. NEMA 5-15P line cord included for all refrigerators.	Brewer: 230V / 8 kW / 50A 1 Ph Fridge: 120V 15A / 1 Ph Line cord included with no plug. Suggested plug: L6-50P. NEMA 5-15P line cord included for all refrigerators.
Product Dimensions (H x W x D)	Without refrigerator: 33" X 18" X 24" With refrigerator: 33" X 27" X 24" Height includes 3" stainless steel legs.	Without refrigerator: 33" x 18" x 24" With refrigerator: 33" x 28" x 24" Height includes 3" stainless steel legs.	Without refrigerator: 33" X 24" X 24" With refrigerator: 33" X 34" X 24" Height includes 3" stainless steel legs.
Ship Dimensions (H x W x D)	33" X 44" X 30"	33" X 44" X 30"	33" X 44" X 30"
Ship Weight	195 lbs.	205 lbs.	269 lbs.
List Price	\$ 28,290	\$ 31,566	\$ 38,967



ESPRESSO

Tango Series

Super-Automatic Two-Step

Loved by All

A beginning barista will appreciate the easy use, and a skilled barista will love the control. The beans are ground and espresso pulled by the machine, but the user mixes the steamed or frothed milk and other flavorings for each drink.

Programmable Automatic SteamAir wand controls the temperature and foam time to create the perfect milk to add to each drink, which gives you more control over amount and type of foam, froth, and milk in the drink, and lets you steam non-coffee drinks like chai tea and hot chocolate.

Touchscreen Interface Offers Programmable Control of:

- 48 drink recipes per grouphead
- 2 separate coffee grinds
- 2 pre-infusion methods
- Tamping
- Boiler temperature
- Coffee dose and water dose

Produces a delicious drink even with an operator who has only basic skills, and offers more skilled baristas greater variety and control. Made-to-order for cafés, hotels, bakeries, coffee shops, cafeterias, restaurants, drive-thrus, or foodservice.

- Programmable hot water dispenser for other hot drinks.
- Quick clean cycles every 90 drinks; complete group auto clean cycle every 24 hours.
- Includes installation by a Unic certified service provider.



Visit www.unic-USA.com for more information.



ESPRESSO MACHINES

Tango Series

Super-Automatic Two-Step

For details, visit
www.unic-usa.com



Model	ACE (1011-001)	ST Solo (1011-002)	ST Duo (1011-003)
Description	One group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 64 mm Mahlkonig burrs	One group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 80 mm Mahlkonig burrs	Two groups with double spouts, (2) 3.75 lbs. coffee bean hoppers (2) precision grinders with 80 mm Mahlkonig burrs
Capacity	Small to medium capacity, 100-150 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 2 espressos simultaneously.	Large capacity, 200-300 drinks daily. Brews 4 espressos simultaneously.
Boiler	(1) 1.72 gal. 4500 W	(1) 1.72 gal. 4500 W	(2) 1.72 gal. 6800 W
Electrical	240V / 7 kW / 60Hz / 29A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	240V / 7 kW / 60Hz / 29A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	240V / 7 kW / 60Hz / 50A / 1 Ph Line cord included with no plug. Suggested plug: L6-50P.
Product Dimensions (H x W x D)	32" X 18" X 24" Height includes 3" stainless steel legs.	32" X 18" X 24" Height includes 3" stainless steel legs.	32" X 24" X 24" Height includes 3" stainless steel legs.
Ship Dimensions (H x W x D)	33" X 44" X 30"	33" X 44" X 30"	33" X 44" X 30"
Ship Weight	168 lbs.	168 lbs	231 lbs.
List Price	\$ 25,223	\$ 30,337	\$ 37,552



Pony Series

Pod Super-Automatic Two-Step

Pod Perfection

Using 45mm ESE coffee pods to pull espressos, and the automatic SteamAir wand to create just-right milk foam, these machines are ideal where quality and consistency are vital, despite multiple users or employee turnover.

Automatic SteamAir wand is pre-programmed to foam milk, controlling temperature and foam time. User mixes the milk and any other flavorings into the drink. The SteamAir wand gives user more control over amount and type of foam, froth, and milk in the drink, and allows for non-coffee drinks like chai tea and hot chocolate to be created.

Touchscreen Interface Offers Programmable Control of:

- 6 volumetric water settings per grouphead
- Pre-infusion

Excellent for locations such as cafés, restaurants, bakeries, smaller coffee shops, bed & breakfasts, and hotels, and the perfect choice for catering.

- Programmable hot water dispenser for other hot drinks.
- Quick clean cycles every 90 drinks; complete group auto clean cycle every 24 hours.
- Includes installation by a Unic certified service provider.



Visit www.unic-USA.com for more information.



ESPRESSO MACHINES

Pony Series

Pod Super-Automatic Two-Step

For details, visit
www.unic-USA.com



Model	Pony 2 (1011-007)	Pony 4 (1011-008)
Description	One group with double spouts	Two groups with double spouts
Capacity	Small to medium capacity, 100-150 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.
Boiler	(1) 1.66 gal 1500 Watts	(1) 2.64 gal 4500 Watts
Electrical	120V / 1.7 kW / 20A / 1 Ph NEMA 5-20P line cord included.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
Product Dimensions (H x W x D)	26" X 14" X 23" Height includes 3" stainless steel legs.	26" X 25" X 23" Height includes 3" stainless steel legs.
Ship Dimensions (H x W x D)	32" X 30" X 20"	33" X 44" X 30"
Ship Weight	104 lbs.	143 lbs.
List Price	\$ 11,834	\$ 15,167







Mira Series Automatic Espresso Machines

Extraordinary Flexibility for an Automatic!

Incredibly versatile MIRA series can switch from standard groupheads to pods and capsules for more automation, then quickly switch back again. Allows the barista precise control over the grind, dose, and tamp of every drink, while the machine takes care of the extraction. Or, switch to more automation and ease with pods!

Preset volumes are programmed for a variety of drinks, guaranteeing consistent shots every time even with different baristas. A manual override button lets the operator control the shot size, allowing for custom drinks. Barista can multi-task and steam milk while shot is being pulled, allowing for better productivity.

- 4 programmable volumes plus manual per grouphead.
- Hot water dispenser for additional drinks.
- User monitors and adjusts for correct brew and steam temperature.
- Automated back-flushing cycle for daily cleaning.
- Integrated running shot timer.
- Solid Teflon steam wands for easy cleaning.
- Direct-to-boiler mounted grouphead for shot temperature stability.
- Twin pressure gauge for pump and steam.
- Diagnostics display for easy trouble shooting.
- Includes installation by a Unic certified service provider.



Visit www.unic-USA.com for more information.



ESPRESSO MACHINES

Mira Series

Automatic Espresso Machines

For details, visit
www.unic-usa.com



Model	MIRA (1011-009)	Twin MIRA (1011-010)	Tri MIRA (1011-011)
Description	One group with double spouts, (1) solid Teflon steam wand. <i>Pair with HC-600 Timer Grinder-Doser</i>	Two groups with double spouts, (2) solid Teflon steam wands, programmable timing for right steam wand. <i>Pair with VGA Automatic Grinder-Doser</i>	Three groups with double spouts, (2) solid Teflon steam wands, programmable timing for right steam wand. <i>Pair with VGHDA Automatic Grinder-Doser</i>
Capacity	Small capacity, 50-100 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.	High volume capacity, 200-300 drinks daily. Brews 6 espressos simultaneously.
Portafilters	(1) single, (1) double, (1) blank	(1) single, (2) double, (1) blank	(1) single, (3) double, (1) blank
Boiler	(1) 1.66 gal. 1500 W	(1) 2.64 gal. 4300 W	(1) 4.2 gal. 6555 W
Electrical	120V / 1.7 kW / 20A / 1 Ph NEMA 5-20P line cord included.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	230V / 6.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
Product Dimensions (H x W x D)	23" X 14" X 23" Height includes 3" stainless steel legs.	23" X 25" X 23" Height includes 3" stainless steel legs.	23" X 34" X 23" Height includes 3" stainless steel legs.
Ship Dimensions (H x W x D)	32" X 30" X 20"	33" X 44" X 30"	33" X 53" X 30"
Ship Weight	93 lbs.	166 lbs.	218 lbs.
List Price	\$ 8,758	\$ 12,295	\$ 14, 116

OPTIONS

Filter Basket for Single Pods (410-00700) - Basket holds single, 45mm ESE pods. See page 136.

Filter Basket for Double Pods (410-00701) - Basket holds pods for double espresso shots. See page 136.



ESPRESSO MACHINES

Espresso Machine Accessories

Super-Automatic Espresso Machine Accessories

Model	Base Cabinet (250-00015)	Cup Warmer (250-00016)	Mini Fridge (250-00017)
Description	For use with Korinto Prime. Sides of cabinet are black, powder-coated metal, countertop is black Formica.	Cup Warmer with 2 Shelves Will hold 40 standard espresso cups or 24 standard cappuccino cups.	One-gallon Pump Refrigerator Designed to be placed next to an espresso machine, completely insulating and refrigerating a one-gallon container of milk. Built-in hose hole.
Electrical	N/A	120V / 1.4 kW / 12.3A / 1 Ph NEMA 5-15P line cord included.	120V / 0.1kW / 1A / 1Ph NEMA 5-15P line cord included.
Dimensions (H x W x D)	Height: 32.7" Base Width: 16" Countertop Width: 26" Depth: 20.5"	Product Dimensions: 19.5" x 13" x 15.25" Ship Dimensions: 23" x 16" x 23"	13.5" x 8.88" x 18"
Ship Weight	60 lbs.	32 lbs.	35 lbs.
List Price	\$ 1,423	\$ 1,971	\$ 1, 829

Automatic Espresso Machine Accessories

Model	Filter Basket for Single Pods (410-00700)	Filter Basket for Double Pods (410-00701)
Description	Basket holds single, 45mm ESE pods.	Basket holds pods for double espresso shots.
List Price	\$ 38	\$ 38



ESPRESSO MACHINES

Espresso Machine Accessories

Automatic Espresso Machine Accessories

Model	60201	60205	60220
Features	Accessory Kit #1 Includes the following: dump box, steam pitcher, measuring spoon, tamper, and cleaner.	Accessory Kit #2 Includes the following: water filter/softening system, dump box, steam pitcher, measuring spoon, tamper, and cleaner.	Dump Box Provides the ideal place to discard used coffee grounds. Material: 18/8 stainless steel with thick rubber cross bar.
Dimensions (H x W x D)	Ship Dimensions: 9.25" x 8.5" x 9.5"	Ship Dimensions: 22" x 14.5" x 10.5"	Product Dimensions: 2.5" x 6.5" x 10.5"
Ship Weight	3 lbs.	15 lbs.	1.45 lbs.
List Price	\$ 183	\$ 438	\$ 77







Model	Installation Package (80598)
Description	<p>Required for Korinto Prime espresso machines to qualify for factory warranty. The install, start, and adjust program includes limited installation, equipment inspection, equipment start-up, and operator training at a single location 35 miles or less from a Grindmaster-Cecilware Certified Service Provider. This is not barista training.</p> <p>When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation:</p> <ol style="list-style-type: none"> 1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker. 2. Access to cold water with a minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up. 3. Adequate drain availability for flexible drain hose on units requiring water line hook-up. 4. Adequate and appropriate space to position unit.
List Price	\$ 932*

* Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for multiple units in one location.



ESPRESSO MACHINES

Water Purity

Model	250-00011	250-00012	60206
Features	Purity C500 Water Filter Starter Kit Complete kit to test water, and adjustable bypass to produce exactly the water you need - minimizing scale, and retaining minerals that benefit taste. NSF Certification.	Replacement Water Filter Cartridge For Purity C500 water filter. NSF Certification.	Space-saving Water Filter System Includes both water softener and dual-purpose carbon filter in a single-mounting system.
Product Dimensions (H x W x D)	22" x 6" x 6"	19" x 4.5" x 4.5"	14" x 10.5" x 5.25"
Ship Dimensions (H x W x D)	27.5" x 7" x 7.25"	6.5" x 6.5" x 23.25"	16.75" x 16.75" x 16.75"
Ship Weight	13 lbs.	10 lbs.	8 lbs.
List Price	\$ 547	\$ 413	\$ 258



Model	60253	63174
Description	Replacement Water Softener Cartridge For use with the 60206 filter system. Reduces mineral build-up that can damage your machine with FDA-grade softener resin. Material: High impact heavy gauge plastic	External Bottled Water Pump Kit Point-of-Use water pump delivers purified water from a 5-gallon water bottle. For remote locations where water supply is inaccessible.
Electrical	N/A	115V / 50/60 Hz / 1.2A
Product Dimensions	9.75" H x 2.88" D	N/A
Ship Dimensions (H x W x D)	11" x 3.25" x 3.25"	24" x 10.5" x 3.25"
Ship Weight	1.5 lbs.	6 lbs
List Price	\$ 59	\$ 431



Korinto Prime

Super-Automatic One-Step with Powdered Milk

Barista Quality Drinks at the Push of a Button

Ideal for direct-to-public dispensing, serving up to 100 drinks daily. The user selects the drink they want, and the machine does the rest: doses the beans, grinds them, loads and tamps the portafilter, pulls the extraction using the right water temperature and water volume, and mixes in the milk or other solubles to deliver the completed drink. The machine then ejects the grounds into an internal reservoir, and then runs a quick cleaning cycle on itself so it's ready for the next customer.

No operator skill required, exceptional quality, consistency, and variety of drinks, and the small footprint doesn't take up a lot of space. Profitable addition to any existing beverage program or an easy entry point into the specialty beverage market. Perfect choice for cafeterias, refreshment areas for business, education, hospitals, offices, foodservice, bagel shops, bakeries, and clubhouses.

- 8 programmable drinks
- 7 programmable adjustments for every drink
- Coffee bean hopper and 2 soluble hoppers
- Back-lit, touch sensitive selection panel
- Fits up to 9.45" cups
- Quiet running at <70 dB



Visit www.unic-USA.com for more information.



ESPRESSO MACHINES

Korinto Prime

Super-Automatic One-Step with Powdered Milk

Preventive Maintenance Kit

1 Year Schedule
Item: 250-00139
List Price: \$ 640

See Page 224



Model	Korinto Prime (1005-003)
Description	(1) 2.1 lbs. (950 g) coffee bean hopper and (2) soluble hoppers with (1) 20.3 oz (0.6 L) boiler.
Dispense Volumes	8 oz, 10 oz, or 12 oz
Capacity	Small to medium capacity, up to 100 drinks daily
Plumbing	Pressure between 7.3 and 123.3 psig.
Electrical	120V / 1.4 kW / 12A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	Machine closed for dispensing: 28.25" x 13" x 21" With upper lid open for refilling: 36.5" x 13" x 21"
Ship Dimensions (H x W x D)	32" X 16" X 24"
Ship Weight	72.75 lbs.
List Price	\$ 8,787

OPTIONS

Installation Package (80598) - Required for the Korinto Prime to qualify for factory warranty. See page 131.

Base Cabinet (250-00015) - For use with Korinto Prime. See page 127.

Cup Warmer (250-00016) - Cup warmer with 2 shelves. Will hold 40 standard espresso cups or 24 standard cappuccino cups. See page 127.



Note: Installation of this model must be performed by a Grindmaster-Cecilware certified







ESPRESSO
GRINDER-DOSERS



Venezia Espresso Grinder-Dosers

Precise Control

Heavy-duty, high-torque, direct drive grinder-dosers with infinite grind adjustments and exacting precision. These grinder-dosers allow your shop to make it through a rush without having to stop and grind coffee for each drink.

- VGT offers a timer version: set the timer to start the grind, machine turns off automatically after time is up. Timer can also be stopped manually. 1 minute maximum grind.
- VGA and VGHDA offer automatic versions: doser chute is always kept full, ready for dispensing. Auto starts every 12 doses, the grinder stops when the chute is full.
- Direct drive, 1600 rpm motor.
- Overheating safety protection.
- Dose adjustment: 5.5g - 9g.
- Shot counter on doser indicates the number of cups of espresso that have been served.



Visit www.unic-USA.com for more information.



Venezia Espresso Grinder-Dosers

Model	VGT (077800L)	VGA (077810L)	VGHDA (077820L)
Description	Timer model with 1-minute timer 0.5 hp direct drive motor. 64 mm flat precision stainless steel burrs.	Automatic model 0.5 hp direct drive motor. 64 mm flat precision stainless steel burrs.	Heavy-duty, Automatic Model 1.0 hp direct drive motor. 83 mm flat precision stainless steel burrs. Built in cooling fan.
Grinding	2.5 g / sec	2.5 g / sec	4.2 g / sec
Capacity	Up to 200 drinks daily Bean Hopper: 2.7 lbs. (1.2 kg) Ground Espresso: 0.6 lbs. (250 g)	Up to 200 drinks daily Bean Hopper: 2.7 lbs. (1.2 kg) Ground Espresso: 0.6 lbs. (250 g)	200-300 drinks daily Bean Hopper: 4 lbs. (1.8 kg) Ground Espresso: 0.8 lbs. (360 g)
Electrical	120V / 0.35 kW / 2.9A / 1 Ph NEMA 5-15P line cord included.	120V / 0.35 kW / 2.9A / 1 Ph NEMA 5-15P line cord included.	120V / 0.65 kW / 5.4A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	24" x 9.5" x 16.5"	24" x 9.5" x 16.5"	25" x 9.5" x 18"
Ship Dimensions (H x W x D)	17" x 10.5" x 23.5"	17" x 10.5" x 23.5"	25.5" x 8.75" x 11.5"
Product Weight	31 lbs.	31 lbs.	44 lbs.
Ship Weight	35 lbs.	35 lbs.	44 lbs.
List Price	\$ 1,923	\$ 2,387	\$ 3,342



Intertek

ESPRESSO GRINDER-DOSERS

Venezia II Espresso Grinder-Dosers

Exact Grind

In fast-paced environments, this timer model grinder-doser keeps up with demand so you can concentrate on your customers. Direct drive, 0.5 hp 1550 rpm motor, infinite grind adjustments, and exacting precision let this grinder-doser handle workloads of up to 200 cups a day without taking a coffee break.

- Set the timer to start the grind, machine turns off automatically after time is up.
Timer can also be stopped manually. 5 minute maximum grind.
- 64 mm flat specially hardened stainless steel burrs.
- Heavy duty cast aluminum body.
- Overheating safety protection.
- Dose adjustment: 5.5g - 9g.
- Doser quickly and easily fills your espresso machine's portafilter.



Model	HC-600 (077950L)
Description	Timer model with 5-minute timer
Grinding	2.5 g
Capacity	Up to 200 daily drinks Bean Hopper: 3 lbs. (1.4 kg) Ground Espresso: 0.6 lbs. (250 g)
Electrical	120V / 0.35 kW / 60 Hz / 3A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	22" x 7.75" x 11"
Ship Dimensions (H x W x D)	26" x 11" x 16"
Product Weight	30 lbs.
Ship Weight	31 lbs.
List Price	\$ 1,289



HEATED
DISPENSERS



HEATED DISPENSERS


Lola Series Hot Dispensers

Thick, Rich, and Hot

Perfect for heating and dispensing thick chocolate, hot cider, and other hot beverages. Use as a heated dispenser for mixtures with no particulates that need to be served warm and require agitation to prevent separation.

- Adjustable thermostat up to 194° F.
- Vertical tap for free flow. Easy to clean and disassemble.
- Transparent bowl encourages impulse use.
- Attractive design allows for use in any location: as a counter-top dispenser, in the buffet line, or in the kitchen.
- Easily removable bowl even when full for refrigerated storage.



Model	Lola 6 (2505-001)
Description	(1) 1.32 gallon capacity, black finish
Electrical	115V / 60 Hz / 0.32 kW / 2.8A 
Product Dimensions (H x W x D)	18.3" x 10.6" x 12.5"
Ship Dimensions (H x W x D)	21" x 13" x 15"
Product Weight	14 lbs.
Ship Weight	19 lbs.
List Price	\$ 1,440

Note: Clearance of 8" required on all sides.

NSF-18



HEATED DISPENSERS

Syrup Warmers

Wonderful Hot Syrup

Everyone loves a hot breakfast of fresh pancakes, waffles, or French toast. But the best part is always the sweet, hot, flowing syrup.

These heated syrup dispensers hold 1 or 2 gallons of heated syrup at a constant temperature of 125 degrees Fahrenheit. At this temperature, syrup will stay thick and warm, but won't crystallize. Stable and durable stainless steel body with secure faucets that will prevent sticky drips on your countertops.



Model : SD1

Model	SD1 (437100L)	SD2 (437200L)
Description	1 gallon capacity, Tomlinson all-plastic self-closing faucet.	2 gallon capacity, Tomlinson-S no-drip faucet.
Electrical	120V / 0.053 kW / 1Ph NEMA 5-15P line cord included.	120V / 0.116 kW / 1Ph NEMA 5-15P line cord included.
Product Dimensions (Height x Diam.)	12.5" x 7.25"	17" x 11.75"
Ship Dimensions (H x W x D)	15" x 8" x 8"	19" x 13" x 13"
Ship Weight	7 lbs.	11 lbs.
List Price	\$ 415	\$ 577




HEATED DISPENSERS

Portable Bulk Liquid Dispensers

Dispense Anywhere!

- Superior method of containing and dispensing liquids such as honey, syrup, and sauces.
- Large 5 gallon capacity.
- Exceptional durability and reliability.
- Type 304L stainless steel construction.



	Non-Electrified	Electrified
Model	BD505SS (ABD505SS)	BD505SS-177 (2504-000)
Description	5 gallon bulk dispenser	5 gallon bulk dispenser with heat lamp. Includes hard-surface bulb, thermostat, cord with plug, and on - off switch. C-UL US Certification
Electrical	N/A	120V / 0.075 kW NEMA 5-15P <i>line cord included.</i> 
Product Dimensions (H x W x D)	25" x 12.5" x 17"	25" x 12.5" x 17"
Ship Dimensions (H x W x D)	25" x 13" x 17"	25" x 13" x 17"
Ship Weight	18 lbs.	19 lbs.
List Price	\$ 881	\$ 1,309



ORANGE JUICE MACHINES



ORANGE JUICE MACHINES

Automatic Orange Juice Machines

Quick, Efficient, and Juicy

The exclusive design of the juicer separates the peel from the pulp, so that it is not pressed during the squeezing process. The peel never touches the juice, ensuring sanitation.



- Micro-serrated slicing blade - heavy-duty stainless steel blade strong enough to quickly slice through the thickest peel.
- Available carousel-style automatic feeder - fruit is automatically fed into the machine quickly and efficiently as



Model : JX15MC



Model : JX45AF

	Countertop Model	Floor Model
Model	JX15MC (095500L)	JX45AF (095555L)
Description	Orange color, manual feed	Orange color, auto feed, juice reservoir, and self-serve faucet
Feed Rate	15 oranges per minute	45 oranges per minute
Feeder Capacity	6 oranges	39 lbs.
Flow Rate Per Minute	25 oz. - 45 oz.	57 oz. - 114 oz.
Electrical	120V / 1.08 kW / 9A / 1 Ph  NEMA 5-15P line cord included.	120V / 1.08 kW / 9A / 1 Ph  NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	33" x 19.5" x 19.75"	71.5" x 23" x 29.5"
Ship Dimensions (H x W x D)	44.5" x 30.5" x 24"	73" x 24" x 30"
Ship Weight	108 lbs.	190 lbs.
List Price	\$ 8,764	\$ 16,926

Preventive Maintenance Kit

Countertop

1 Year Schedule
Item: 250-00168
List Price: \$ 170

Floor Model

1 Year Schedule
Item: 250-00169
List Price: \$ 170

See Page 224



COLD BEVERAGE DISPENSERS





Less Equals More

Simplicity pre-mix dispensers are the first machines that are proud to offer less. Less counter space with their compact size. Less time and effort in cleaning and disassembly. Less wear and power usage. Less waste, with product dispensed to the last drop. Less worry with fewer removable parts. And, less maintenance. Which we believe gives you much, much more.

- Pre-mix dispenser with stainless steel base and clear plastic easy-clean bowls.
- Spray or Agitation model available.
- Unique to Simplicity more efficient front-to-back air circulation. Efficient cooling uses less energy and saves money.
- New easy-off bowl release system for faster and easier assembly and disassembly.
- Design enables machine to dispense product until the very last drop.
- Fewer removable parts to simplify cleaning and reduce maintenance, including removable tray.
- 9" cup clearance for a variety of drinks.



Simplicity® Bubblers®



Sleek Design

Dispense up to four flavors in 2.4 or 4.75 gallon clear plastic bowls on a stainless steel base with 9" cup clearance.

Agitator and Spray Models

Choose the minimal foaming system in the agitator model or the attractive dynamic cascade of product in the spray model.



Interchangeable Bowls

Different size bowls fit the same machine!

Easily convert your Simplicity Bubbler to the best bowl configuration for your needs.

Wherever you have two 2.4 gallon bowls on a Simplicity base, you can replace them with a 4.75 gallon bowl and vice versa.

Note: The Triple Tall Models (CS-3L Series) are not interchangeable. Can't exchange between spray and agitation types of machine.





COLD BEVERAGE DISPENSERS : PREMIX
Simplicity® Bubblers®



Reduced Maintenance

Fewer removable parts also means less maintenance and a longer lifetime.



Dispense Levers

Dispense levers can be removed quickly and easily without affecting the product dispense valves.



Easy and Better Sealing

Advanced sealing guards against leakage, providing trouble-free usage.

COLD BEVERAGE DISPENSERS : PREMIX

Simplicity® Bubblers®

Mini Twin Models

Preventive Maintenance Kit

Agitator Model

6 Month Schedule



Item: 250-00120

List Price: \$ 62

See Page 225



Agitator Models

Model	CS-2E-16 Base: (231-00001) BPA Free Bowl: (231-00539)
Description	(2) 2.4 gallon bowls
Electrical	120V / 60Hz / 3.6A   NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	27.5" x 10.5" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 15" x 18.9" Bowl: 17.3" x 11.8" x 18.9"
Ship Weight (in two boxes)	Total: 66 lbs. Base: 53 lbs. Bowl: 13 lbs.
List Price	\$ 2,290

Note: Accessories available separately. See page 160.



Simplicity® Bubblers®

Mini Quad Models

Preventive Maintenance Kit

Agitator Model

6 Month Schedule
Item: 250-00122
List Price: \$ 106

Spray Model



6 Month Schedule
Item: 250-00123
List Price: \$ 99

See Page 225



Agitator Models

Spray Models

Model	CS-4E-16 Base: (231-00234) BPA Free Bowl: (231-00543)	CS-4E-16-S Base: (231-00236) BPA Free Bowl: (231-00544)
Description	(4) 2.4 gallon bowls	(4) 2.4 gallon bowls
Electrical	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	27.5" x 20.5" x 17.75" Height includes 4" legs.	27.5" x 20.5" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 19" x 24.8" Bowl: 25.6" x 22.4" x 12.2"	Base: 20.8" x 19" x 24.8" Bowl: 25.6" x 22.4" x 12.2"
Ship Weight (in two boxes)	Total: 99 lbs. Base: 77 lbs. Bowl: 22 lbs.	Total: 101 lbs. Base: 77 lbs. Bowl: 24 lbs.
List Price	\$ 3,194	\$ 3,194



Note: Accessories available separately. See page 160.

COLD BEVERAGE DISPENSERS : PREMIX

Simplicity® Bubblers®

Single Standard Bowl Models

Preventive Maintenance Kit

Agitator Model

6 Month Schedule



Item: 250-00124

List Price: \$ 62

See Page 225



Agitator Models

Model	CS-1D-16 Base: (231-00001) BPA Free Bowl: (231-00541)
Description	(1) 4.75 gallon bowl
Electrical	120V / 60Hz / 3.6A   NEMA 5-15P <i>line cord included.</i>
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	27.5" x 10.5" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 15" x 18.9" Bowl: 17" x 12.2" x 19.3"
Ship Weight (in two boxes)	Total: 66 lbs. Base: 53 lbs. Bowl: 13 lbs.
List Price	\$ 1,806

Note: Accessories available separately. See page 160.



COLD BEVERAGE DISPENSERS : PREMIX
Simplicity® Bubblers®
Twin Standard Bowl Models

**Preventive
Maintenance Kit**

Agitator Model

6 Month Schedule
 Item: 250-00126
 List Price: \$ 104


Spray Model

6 Month Schedule
 Item: 250-00127
 List Price: \$ 99

See Page 225



Agitator Models

Model	CS-2D-16 Base: (231-00234) BPA Free Bowl: (231-00545)
Description	(2) 4.75 gallon bowls
Electrical	120V / 60Hz / 8.5A  NEMA 5-15P <i>line cord included.</i>
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	27.5" x 20.5" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 19" x 24.8" Bowl: 25.6" x 22.4" x 12.2"
Ship Weight (in two boxes)	Total: 95 lbs. Base: 77 lbs. Bowl: 18 lbs.
List Price	\$ 2,488



Note: Accessories available separately. See page 160.

COLD BEVERAGE DISPENSERS : PREMIX

Simplicity® Bubblers®

Triple Tall Bowl Models

Preventive Maintenance Kit

Agitator Model

6 Month Schedule


Item: 250-00130

List Price: \$ 79

See Page 225



Agitator Models

Model	CS-3L-16 Base: (231-00426) BPA Free Bowl: (231-00549)
Description	(3) 4.75 gallon bowls
Electrical	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	31.3" x 20.4" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 19" x 24.8" Bowl: 22" x 22" x 13.8"
Ship Weight (in two boxes)	Total: 101 lbs. Base: 77 lbs. Bowl: 24 lbs.
List Price	\$ 3,200

Note: Accessories available separately. See page 160.



COLD BEVERAGE DISPENSERS : PREMIX
Simplicity® Bubblers®
 Triple Combo Bowl Models



**Preventive
 Maintenance Kit**

Agitator Model
 6 Month Schedule
 Item: 250-00128
 List Price: \$ 104

See Page 225



Agitator Models

Model	CS-3D-16 Base: (231-00234) BPA FreeBowl: (231-00547)
Description	(1) 4.75 gallon bowl and (2) 2.4 gallon bowls
Electrical	120V / 60Hz / 8.5A   NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	27.5" x 20.5" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 19" x 24.8" Bowl: 25.6" x 22.4" x 12.2"
Ship Weight (in two boxes)	Total: 99 lbs. Base: 77 lbs. Bowl: 22 lbs.
List Price	\$ 2,813

Note: Accessories available separately. See page 160.



COLD BEVERAGE DISPENSERS : PREMIX

Simplicity® Bubblers®

Options and Accessories

Model	231-0009T	210-00125T
Description	BPA-Free Bowl 2.4 gallon, dishwasher safe.	BPA-Free Lid for use with 2.4 gallon bowl, dishwasher safe.
List Price	\$ 323	\$ 32

Model	231-00227	231-00293
Description	Merchandiser Kit for Mini Twin and Single Bowl Models Attract customers with extra graphics.	Merchandiser Kit for Mini Quad and Double Bowl Models Attract customers with extra graphics.
List Price	\$ 141	\$ 305



Model	210-00118	2001-000
Description	Condenser Filter Protect your condenser with a simple, easy to clean filter. 8.25" x 3.25	Liquid Autofill Control Box Not for use with RO water systems. See page 170.
List Price	\$ 3	\$ 2,185

Note: Contact factory for pre-drilled holes for autofill on new premix machine. See page 171.

Durable and Efficient

Keep a steady supply of cold drinks on hand with Crathco Classic Bubbler cold beverage dispensers. Stainless steel and super-strong, virtually unbreakable polycarbonate bowls and covers ensure long-lasting use, and are easy to maintain for a fast, simple cleanup. Crystal-clear bowls and covers showcase your colorful signature fruit juice, tea, and iced coffees and provide an eye-catching appearance - perfect for boosting impulse sales.

- Unique evaporator and high efficiency pump cools faster and more efficiently for quick start-up.
- Along with spray circulation, agitators are included with each unit for fresh juices, coffees, or tea.
- Superior engineering allows full beverage cooling to the dispense point, and right down to the last drink.
- Bowls have easy-to-read measuring marks and models with more than one bowl separate to allow cleaning and flavor changes without total system shut-down.
- Temperature range from 35 - 41°F.



COLD BEVERAGE DISPENSERS : PREMIX

Standard Series Crathco® Classic Bubblers®

Single 5 Gallon Bowl Models

Preventive Maintenance Kit



6 Month Schedule
Item: 250-00136
List Price: \$ 29

See Page 225



Stainless Steel Side Panels and Drip Tray

Plastic Side Panels and Drip Tray

	Stainless Steel Side Panels and Drip Tray	Plastic Side Panels and Drip Tray
Model	D15-3 Base: (5619) BPA-Free Bowl: (5111)	D15-4 Base: (5620) BPA-Free Bowl: (5121)
Description	1 bowl, Certified NSF / ANSI 20- safe for milk, 8.25" cup clearance.	1 bowl, Certified NSF / ANSI 20- safe for milk, 8.25" cup clearance.
Electrical	115V / 0.34 kW / 2.8A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.34 kW / 2.8A / 1 Ph  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/6 hp	Refrigerant: R134A Compressor: 1/6 hp
Product Dimensions (H x W x D)	27.25" x 10.25" x 16"	27.25" x 10.25" x 16"
Ship Dimensions (H x W x D)	Base: 15.5" x 13.5" x 13.5" Bowl: 8.5" x 14" x 15.5"	Base: 15.5" x 13.5" x 13.5" Bowl: 8.5" x 14" x 15.5"
Ship Weight (in two boxes)	Total: 46 lbs. Base: 37 lbs. Bowl: 9 lbs.	Total: 46 lbs. Base: 37 lbs. Bowl: 9 lbs.
List Price	\$ 1,571	\$ 1,495

Note: Accessories available separately. See pages 168 - 171.



NSF-20



COLD BEVERAGE DISPENSERS : PREMIX

Standard Series Crathco® Classic Bubblers®

Double 5 Gallon Bowl Models

Preventive Maintenance Kit



6 Month Schedule
Item: 250-00138
List Price: \$ 43

See Page 225



Stainless Steel Side Panels and Drip Tray

Plastic Side Panels and Drip Tray

	D25-3	D25-4
Model	Base: (5507) BPA-Free Bowl: (5112)	Base: (5508) BPA-Free Bowl: (5122)
Description	2 bowls, 8.25" cup clearance.	2 bowls, 8.25" cup clearance.
Electrical	115V / 0.66 kW / 5.5A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.66 kW 5.5A / 1 Ph  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/5 hp	Refrigerant: R134A Compressor: 1/5 hp
Product Dimensions (H x W x D)	27.25" x 17.5" x 16"	27.25" x 17.5" x 16"
Ship Dimensions (H x W x D)	Base: 16.25" x 20.75" x 13.5" Bowl: 22.5" x 15.5" x 8.5"	Base: 16.25" x 20.75" x 13.5" Bowl: 22.5" x 15.5" x 8.5"
Ship Weight (in two boxes)	Total: 73 lbs. Base: 56 lbs. Bowl: 17 lbs.	Total: 73 lbs. Base: 56 lbs. Bowl: 17 lbs.
List Price	\$ 2,164	\$ 2,013

Note: Accessories available separately. See pages 168 - 171.



COLD BEVERAGE DISPENSERS : PREMIX

Standard Series Crathco® Classic Bubblers®

Triple 5 Gallon Bowl Models

Preventive Maintenance Kit



6 Month Schedule
Item: 250-00140
List Price: \$ 56

See Page 225



Stainless Steel Side Panels and Drip Tray

Plastic Side Panels and Drip Tray

Model	D35-3 Base: (5511) BPA-Free Bowl: (5113)	D35-4 Base: (5512) BPA-Free Bowl: (5123)
Description	3 bowls, 8.25" cup clearance.	3 bowls, 8.25" cup clearance.
Electrical	115V / 1.02 kW / 8.5A / 1 Ph  NEMA 5-15P line cord included.	115V / 1.02 kW / 8.5A / 1 Ph  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/3 hp	Refrigerant: R134A Compressor: 1/3 hp
Product Dimensions (H x W x D)	27.25" x 25.75" x 16"	27.25" x 25.75" x 16"
Ship Dimensions (H x W x D)	Base: 16" x 29.5" x 13.5" Bowl: 28.5" x 15.5" x 8.5"	Base: 16" x 29.5" x 13.5" Bowl: 28.5" x 15.5" x 8.5"
Ship Weight (in two boxes)	Total: 98 lbs. Base: 74 lbs. Bowl: 24 lbs.	Total: 98 lbs. Base: 74 lbs. Bowl: 24 lbs.
List Price	\$ 2,806	\$ 2,619

Note: Accessories available separately. See pages 168 - 171.



COLD BEVERAGE DISPENSERS : PREMIX

Mini-Bowl Series Crathco® Classic Bubblers®

Double 2.4 Gallon Bowl Models

Preventive Maintenance Kit





6 Month Schedule
Item: 250-00142
List Price: \$ 41

See Page 226



Stainless Steel Side Panels and Drip Tray

Plastic Side Panels and Drip Tray

Model	E29-3 Base: (5584) BPA-Free Bowl: (5114)	E29-4 Base: (5583) BPA-Free Bowl: (5124)
Description	2 bowls, 8" cup clearance.	2 bowls, 8" cup clearance.
Electrical	115V / 0.4 kW / 4A / 1 Ph   NEMA 5-15P line cord included.	115V / 0.4 kW / 4A / 1 Ph   NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/6 hp	Refrigerant: R134A Compressor: 1/6 hp
Product Dimensions (H x W x D)	25.5" x 11.25" x 16"	25.5" x 11.25" x 16"
Ship Dimensions (H x W x D)	Base: 15" x 15" x 16" Bowl: 16" x 19" x 9"	Base: 15" x 15" x 16" Bowl: 16" x 19" x 9"
Ship Weight (in two boxes)	Total: 56 lbs. Base: 45 lbs. Bowl: 11 lbs.	Total: 56 lbs. Base: 45 lbs. Bowl: 11 lbs.
List Price	\$ 1,992	\$ 1,855

Note: Accessories available separately. See pages 168 - 171.





COLD BEVERAGE DISPENSERS : PREMIX

Mini-Bowl Series Crathco® Classic Bubblers®

Quad 2.4 Gallon Bowl Models

**Preventive
Maintenance Kit**



6 Month Schedule
Item: 250-00144
List Price: \$ 66

See Page 226



Stainless Steel Side Panels and Drip Tray

Plastic Side Panels and Drip Tray

	E49-3	E49-4
Model	Base: (5538) Bowl: (5115)	Base: (5542) Bowl: (5125)
Description	4 bowls, 8" cup clearance.	4 bowls, 8" cup clearance.
Electrical	115V / 0.72 kW / 6A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.72 kW / 6A / 1 Ph  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/6 hp	Refrigerant: R134A Compressor: 1/6 hp
Product Dimensions (H x W x D)	27.25" x 17.5" x 16"	27.25" x 17.5" x 16"
Ship Dimensions (H x W x D)	Base: 14" x 24" x 16" Bowl: 20" x 26" x 10"	Base: 14" x 24" x 16" Bowl: 20" x 26" x 10"
Ship Weight (in two boxes)	Total: 91 lbs. Base: 67 lbs. Bowl: 24 lbs.	Total: 91 lbs. Base: 67 lbs. Bowl: 24 lbs.
List Price	\$ 3,119	\$ 2,950

Note: Accessories available separately. See pages 168 - 171.



COLD BEVERAGE DISPENSERS : PREMIX

Crathco® Classic Bubblers®

Options and Accessories

Model	1161M	3587	3709
Description	Large Milkfat Impeller (blue) For thicker dairy products and products with heavy pulp.	Standard MCX Mag Drive™ Impeller (black) For juices and water.	MCX Mag Drive™ Low Foam Impeller (black with blue center) For products that create foam, such as teas and lemonades.
Product Dimensions	2.1" Diameter	2" Diameter	2" Diameter
List Price	\$ 49	\$ 38	\$ 38

Model	3657	2039	2502
Description	Condensation Cover For use with D15, D25, D35. Direct and conceal condensation in high humidity or outdoor locations.	Valve Cap Improves sealing of valve when using pulpy product.	Valve Locking Box For use with cup activated handle - cannot be used with non-contact handle. Secures the valve from dispensing during off-hours.
Product Dimensions (H x W x D)	10" x 7.5" x 3.25"	1.75" Diameter	6" x 3.5" x 3.25"
List Price	\$ 36	\$ 91	\$ 82



COLD BEVERAGE DISPENSERS : PREMIX
Crathco® Classic Bubblers®
 Options and Accessories

Model	2484	2266	2543
Description	Non Contact Handle (Standard)	Cup Activated Handle	3" Legs Set of 4
Product Dimensions (H x W x D)	4.25" x 3.25" x 1"	5.25" x 3.25" x 3"	0.5" Diameter
List Price	\$ 38	\$ 38	\$ 85

Model	2509	2510	2511	5353
Description	Security Kit For use with D15	Security Kit For use with D25	Security Kit For use with D35	Security Kit For use with E49
List Price	\$ 199	\$ 270	\$ 394	\$ 337

Model	5925
Description	Shipboard Kit For use with D15, D25, D35. Only available for use with agitator. Makes unit safer for installation aboard marine vessel.
List Price	\$ 155

COLD BEVERAGE DISPENSERS : BUBBLER® AUTOFILL SYSTEM

Liquid Autofill System for Bubblers®

Drinks Always Ready

Increase productivity beyond bowl capacity in your cold beverage machine! Automatically refills bowls as the product drops below preset level. Placed between the dispensing bowl, liquid concentrate, and a potable water line, the autofill system mixes the liquid concentrate and water together and refills the bowl. Safeguard controls prevent the overfilling of the bowls.

- Use with the Simplicity series, and the Classic series models D1, D25, D35, E29, and E49.
- Unit includes: Sanitizing system, digital control system, power cord and 72" each of concentrate tubing, dispense tubing, and sensor probe cable.
- Compatible with liquid box products used to create cold or froz drinks.
- Automatic shutdown at power failure.
- Input and output water tubing attached with quick connects.
- Output: 1.5 - 2.5 oz per second at 32 psi outlet pressure maximum.
- Output in sanitizing mode: approximately 3 gallons per minute.
- Pre-drilled bowls required.



Single Pump Models

Model	2001-000	2001-001
Description	Mixing Ratio of 5:1	Mixing Ratio of 4:1
Plumbing	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11½ TPI.	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11½ TPI.
Electrical	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	6.5" x 11.75" x 9.625"	6.5" x 11.75" x 9.625"
Ship Dimensions (H x W x D)	9.75" x 14.25" x 13.25"	9.75" x 14.25" x 13.25"
Ship Weight	19 lbs.	19 lbs.
List Price	\$ 2,185	\$ 2,185

COLD BEVERAGE DISPENSERS : BUBBLER® AUTOFILL SYSTEM

Liquid Autofill System for Bubblers®

Double Pump Models

Model	2001-002	2001-003
Description	Double Pump, Mixing Ratio of 5:1	Double Pump, Mixing Ratio of 4:1
Plumbing	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11½ TPI.	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11½ TPI.
Electrical	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	6.5" x 16.5" x 12"	6.5" x 16.5" x 12"
Ship Dimensions (H x W x D)	9.5" x 18.75" x 15.5"	9.5" x 18.75" x 15.5"
Ship Weight	38 lbs.	38 lbs.
List Price	\$ 3,277	\$ 3,277



Options for Both Pump Models

Model	90380
Description	Pre-drilled holes for autofill on new premix machine (drilling charge per bowl)
List Price	Contact Factory

Crathco® G-Cool® Series

So Many Options - Even Safe for Milk!

The most advanced, user-friendly cold premix dispenser available, for up to 4 flavors with options of both 2.4 and 5 gallon bowls. Easy operator interface, simple machine care, and faster cleaning. Cleans in half the time of a traditional dispenser. Patented Tri-Cool™ evaporator with a large 3-sided cooling surface refrigerates through the bowl using less energy and saving money.

Low aeration magnetic mixing system keeps product mixed without creating unwanted foam in tea and cappuccino products.

- 360° merchandising with choice of fruit, tea, or cappuccino graphic attract customers.
- Stainless steel dispensing valve and 9.5" cup height.
- Temperature range from 35 - 41°F.
- Certified NSF / ANSI 20 - safe for milk.



COLD BEVERAGE DISPENSERS : PREMIX
Crathco® G-Cool® Series
5 Gallon Bowl Models

Preventive Maintenance Kit

Single Model

6 Month Schedule
 Item: 250-00132
 List Price: \$ 39

Double Model



6 Month Schedule
 Item: 250-00133
 List Price: \$ 62

See Page 226



Single Models

Double Models

Model	C-1S-16 (231-00162)	C-2D-16 (231-00166)
Description	(1) 5 gallon bowl	(2) 5 gallon bowls
Electrical	120V / 0.45 kW / 5.2A / 1 Ph  NEMA 5-15P line cord included.	120V / 0.98 kW / 11A / 1 Ph  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/6 hp	Refrigerant: R134A Compressor: 1/3 hp
Product Dimensions (H x W x D)	26.5" x 12.5" x 19.5"	26.5" x 22" x 19.5"
Ship Dimensions (H x W x D)	30" x 16" x 22"	30" x 23" x 25"
Ship Weight	72 lbs.	119 lbs.
List Price	\$ 1,627	\$ 2,398

Specify Graphic: Iced Coffee (99454), Iced Tea (99455), or Fruit (99456).

Note: Accessories available separately. See page 176.



NSF-20

COLD BEVERAGE DISPENSERS : PREMIX

Crathco® G-Cool® Series

Focus Flavor Models

**Preventive
Maintenance Kit**

6 Month Schedule
Item: 250-00134
List Price: \$ 87

See Page 226



Model	C-3D-16 (231-00168)
Description	(1) 5 gallon bowl and (2) 2.4 gallon bowls
Electrical	120V / 0.98 kW / 11A / 1 Ph NEMA 5-15P <i>line cord included.</i>
Refrigeration	Refrigerant: R134A Compressor: 1/3 hp
Product Dimensions (H x W x D)	26.5" x 22" x 19.5"
Ship Dimensions (H x W x D)	30" x 23" x 25"
Ship Weight	119 lbs.
List Price	\$ 2,915



NSF-20

Specify Graphic: Iced Coffee (99454), Iced Tea (99455), or Fruit (99456).

Note: Accessories available separately. See page 176.

Crathco® G-Cool® Series Mini Models

**Preventive
Maintenance Kit**

Mini Duo

6 Month Schedule
Item: 250-00133
List Price: \$ 62

Mini Quattro



6 Month Schedule
Item: 250-00135
List Price: \$ 110

See Page 226



Duo Models

Quattro Models

Model	C-2S-16 (231-00164)	C-4D-16 (231-00170)
Description	(2) 2.4 gallon bowls	(4) 2.4 gallon bowls
Electrical	120V / 0.45 kW / 5.2A / 1 Ph  NEMA 5-15P <i>line cord included.</i>	120V / 0.98 kW / 11A / 1 Ph  NEMA 5-15P <i>line cord included.</i>
Refrigeration	Refrigerant: R134A Compressor: 1/6 hp	Refrigerant: R134A Compressor: 1/3 hp
Product Dimensions (H x W x D)	26.5" x 12.5" x 19.5"	26.5" x 22" x 19.5"
Ship Dimensions (H x W x D)	30" x 16" x 22"	30" x 21" x 25"
Ship Weight	72 lbs.	150 lbs.
List Price	\$ 2,071	\$ 3,238

Specify Graphic: Iced Coffee (99454), Iced Tea (99455), or Fruit (99456).

Note: Accessories available separately. See page 176.



NSF-20

COLD BEVERAGE DISPENSERS : PREMIX

Crathco® G-Cool® Series

Options and Accessories

Model	9913	99453	99634
Description	Milkfat Impeller	Single cradle 4" leg kit (Optional on single units, standard on double cradle units)	Heavy valve assembly for G-Cool for use with products with pulp 3.8" H x 1.45"
List Price	\$ 22	\$ 160	\$ 74

HAND MIXERS



HAND MIXERS

Immersion Blenders

Effortless Power

Easy-to-use immersion blender, designed for heavy-duty usage. Lightweight, ergonomic grip, stainless steel tube, and 9 adjustable speeds make tasks fast and easy, and the space-saving wall mount makes it convenient! All parts in contact with food are easily disassembled without tools and 100% dishwasher safe.

- Visible and waterproof control panel adjusts speed and has overload indicator warning.
- Safety feature requires both hands to start the mixer.
- Bell knife design with antisplash protection and minimum handling during working.
- Shaft locking device avoids release during operation.
- Double fan system to cool motor.
- Water protected motor unit.
- BPA free.



Model	DBP4545 (2801-000)
Description	With 18" stainless steel tube Capacity up to 26 gallons Variable speeds up to 9,000 rpm
Electrical	110-120V / 0.45 kW / 50/60 Hz / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	34" x 5" x 5"
Ship Weight	11 lbs.
List Price	\$ 1,169



Options

Model	250-00257
Description	Reinforced 10" whisk attachment
Product Dimensions (H x W x D)	16" x 5" x 5"
Ship Weight	4 lbs.
List Price	\$ 580



FROZEN BEVERAGES
AND DESSERTS



I-Pro Frozen Granita Dispensers

Introducing the most advanced professional slush, sorbet, and granita machine in the world. Even safe for milk!

High performance, ultramodern design, and user-friendly. Insulating technology increases cooling power, saves energy and money, and reduces external condensation. Choose from either (2) or (3) 2.9 gallon insulated bowls with either mechanical or electronic control board and timer, and optional light panel.

Perfect solution for restaurants, coffee shops, bars, amusement parks, convenience stores, kiosks, and much more.

- All models are certified NSF-6 safe for milk.
- Transparent bowl encourages impulse purchasing.
- Manual defrost mode.
- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- Lockable lid.
- Adjustable product consistency.
- Black finish.
- Commercial grade parts ensure a long life in heavy-usage locations.
- Repairable machine with available replacement parts.



FROZEN BEVERAGES AND DESSERTS : FROZEN GRANITA DISPENSERS

I-Pro 2 Frozen Granita Dispensers

Preventive Maintenance Kit









for details, visit www.gmcw.com



Model : I-PRO 2M with light



Model : I-PRO 2E

Model	I-PRO 2M (1206-000)	I-PRO 2M light panel (1206-001)	I-PRO 2E (1206-002)	I-PRO 2E light panel (1206-003)
Description	(2) 2.9 gallon insulated bowls, Mechanical control and timer.	(2) 2.9 gallon insulated bowls, Mechanical control and timer, Lighted panel.	(2) 2.9 gallon insulated bowls, Electronic control and timer.	(2) 2.9 gallon insulated bowls, Electronic control and timer, Lighted panel.
Electrical	115V / 60 Hz 0.975 kW / 10A / 1 Ph  	115V / 60 Hz 0.975 kW / 10A / 1 Ph  	115V / 60 Hz 0.93 kW / 9.4 A / 1 Ph  	115V / 60 Hz 0.93 kW / 9.4 A / 1 Ph  
Refrigeration	Refrigerant: R404A Compressor: ½ hp	Refrigerant: R404A Compressor: ½ hp	Refrigerant: R404A Compressor: ½ hp	Refrigerant: R404A Compressor: ½ hp
Product Dimensions (H x W x D)	34" x 16" x 23"	34" x 16" x 23"	34" x 16" x 23"	34" x 16" x 23"
Ship Dimensions (H x W x D)	36" x 17" x 23"	36" x 17" x 23"	36" x 17" x 23"	36" x 17" x 23"
Product Weight	132 lbs.	132 lbs.	132 lbs.	132 lbs.
Ship Weight	141 lbs.	141 lbs.	141 lbs.	141 lbs.
List Price	\$ 4,543	\$ 4,676	\$ 4,728	\$ 4,862

NSF-6







FROZEN BEVERAGES AND DESSERTS : FROZEN GRANITA DISPENSERS

I-Pro 3 Frozen Granita Dispensers

Preventive Maintenance Kit

for details, visit www.gmcw.com



Model	I-PRO 3M (1206-004)	I-PRO 3M light panel (1206-005)	I-PRO 3E (1206-006)	I-PRO 3E light panel (1206-007)
Description	(3) 2.9 gallon insulated bowls, Mechanical control and timer.	(3) 2.9 gallon insulated bowls, Mechanical control and timer, Lighted panel.	(3) 2.9 gallon insulated bowls, Electronic control and timer.	(3) 2.9 gallon insulated bowls, Electronic control and timer, Lighted panel.
Electrical	115V / 60 Hz 1.3 kW / 14.4A / 1Ph 	115V / 60 Hz 1.3 kW / 14.4A / 1Ph 	115V / 60 Hz 1.2 kW / 12A / 1Ph 	115V / 60 Hz 1.2 kW / 12A / 1Ph 
Refrigeration	Refrigerant: R404A Compressor: 7/8 hp	Refrigerant: R404A Compressor: 7/8 hp	Refrigerant: R404A Compressor: 7/8 hp	Refrigerant: R404A Compressor: 7/8 hp
Product Dimensions (H x W x D)	34" x 24" x 23"	34" x 24" x 23"	34" x 24" x 23"	34" x 24" x 23"
Ship Dimensions (H x W x D)	36" x 21" x 25"	36" x 21" x 25"	36" x 21" x 25"	36" x 21" x 25"
Product Weight	179 lbs.	179 lbs.	179 lbs.	179 lbs.
Ship Weight	209 lbs.	209 lbs.	209 lbs.	209 lbs.
List Price	\$ 7,554	\$ 7,719	\$ 8,399	\$ 8,563

Note: Operate at room temperature between 75 - 90° F.
Note: Clearance of 8" required on all sides.



NSF-6



Frosty Frozen Granita Dispensers

Perfect for Indoor or Outdoor Use

Frosty Frozen Dispensers are the go-to model when you want large-sized, high-performance equipment, without a high investment. Slushes, sherbets, and other frozen treats are created with a double mixing system that prevents ice accumulation, for optimum product consistency that is also adjustable. The black and stainless steel finishes and illuminated lid encourage impulse purchasing.



- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- All models are certified NSF-6 safe for milk.
- LED illumination system.
- Manual control keypad.



Model : Frosty 2

Preventive Maintenance Kit

for details, visit www.gmcw.com

Model	Frosty 2 (1206-010)	Frosty 3 (1206-011)
Description	(2) 3.2 gallon tanks, 6.3 gallon total capacity.	(3) 3.2 gallon tanks, 9.5 gallon total capacity.
Electrical	115V / 60 Hz / 1.05 kW / 11 A / 1 Ph 	115V / 60 Hz / 1.35 kW / 13.2 A / 1 Ph 
Refrigeration	Refrigerant: R404A Compressor: ½ hp air cooled	Refrigerant: R404A Compressor: ¾ hp air cooled
Product Dimensions (H x W x D)	32.5" x 15.8" x 21.9"	32.5" x 23.6" x 21.9"
Ship Dimensions (H x W x D)	34" x 44" x 75"	26" x 47" x 75"
Product Weight	117 lbs.	172 lbs.
Ship Weight	123 lbs.	198 lbs.
List Price	\$ 4,374	\$ 5,930

Note: Operate at room temperature between 75 - 90° F.

Note: Clearance of 8" required on all sides.

Note: Mixture must maintain a sugar content between 12 -14%; a lower concentration could seriously damage the mixing parts and gear motors.



NSF-6

FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

MP Series Crathco® Single Barrel Freezers

High-Volume, High-Demand


You won't come across another slush machine that is so user-friendly! Provides continuous, rapid production, thanks to its gravity-feed system.

- 4.76 gallon capacity single barrel freezer.
- Certified NSF-6 safe for milk.
- Front window ensuring product visibility, and encourages impulse purchasing.
- Refrigerated tank.
- LED-illuminated graphic panel for customer appeal.
- Robust stainless steel structure.
- Mechanical control board and defrost mode.



Preventive Maintenance Kit

for details, visit www.gmcw.com

Model	MP (1207-000)
Description	2.64 gallons capacity in hopper, 2.1 gallons capacity in cooling cylinder.
Electrical	115V / 60 Hz / 1.35 kW / 13 A / 1Ph 
Refrigeration	Refrigerant: R404A Compressor: 3/4 hp air cooled
Product Dimensions (H x W x D)	31" x 14" x 28"
Ship Dimensions (H x W x D)	31" x 47" x 41"
Product Weight	172 lbs.
Ship Weight	207 lbs.
List Price	\$ 7,924



NSF-6

Note: Operate at room temperature between 75 - 90° F.

Note: Mixture must maintain a sugar content between 12 -14%; a lower concentration could seriously damage the mixing parts and gear motors.

FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

3000 and 5000 Series Crathco® Barrel Freezers

Industry Workhorse

Serves a variety of frozen smoothies, frozen cappuccinos or lattes, granitas, frozen fruit juices, frozen lemonades, slushes, or cocktails. Your delicious drinks are continually replenished in the barrel by a large product reservoir, and a mix low light alerts you when the reservoir needs to be refilled. Patented FlavorLight™ illuminates your beverage with your choice of eye catching back-lit signs that draw customers and increase sales.

The oversize drive motor, sturdy belt drive, and heavy-duty stainless steel frame construction will stand tough against years of high volume use. Individual controls allow you select on/off, clean, and mix out for each barrel so you can easily maintain your machine for consistent dispensing and long life.

This space-saving unit is great for self-serve applications or behind-the-bar service, providing you with everything you need to serve a variety of delicious frozen treats!

- Heavy-duty components provide lasting commercial use.
- Compact units provide big service. Single barrel models are only 13" wide, and double barrel models are only 18.5" wide, but they more than double the output capacity of visual beverage freezers.
- Mechanical control in the 3000 Series.



FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

3000 Series Crathco® Barrel Freezers

Preventive Maintenance Kit

3311 Model



6 Month Schedule
Item: 250-00115
List Price: \$ 81

3511 Model

6 Month Schedule
Item: 250-00117
List Price: \$ 106



See Page 226

Model	3311 (CFB3311-A)	3511 (CFB3511-C)
Description	Single barrel, 0.5 hp drive motor	Single barrel, 0.5 hp drive motor.
Capacity per Barrel	5-7 gallon/hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon	8-10 gallon/hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon
Electrical	120V / 1.392 kW / 11.6A / 1 Ph NEMA 5-15P line cord included. 	208-230V / 60Hz / 10.5A / 1 Ph NEMA 6-20P line cord included. 
Refrigeration	Refrigerant: R404A Compressor: ¾ hp air cooled	Refrigerant: R404A Compressor: 1 hp air cooled
Product Dimensions (H x W x D)	28.5" x 13" x 29"	28.5" x 13" x 29"
Ship Dimensions (H x W x D)	31" x 21" x 37"	30" x 19" x 38"
Ship Weight	195 lbs.	200 lbs.
List Price	\$ 9,499	\$ 10,007

Note: Accessories available separately. See page 189.



FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

3000 Series Crathco® Barrel Freezers

Preventive Maintenance Kit

3312

6 Month Schedule
Item: 250-00116
List Price: \$ 135




3341

6 Month Schedule
Item: 250-00117
List Price: \$ 106

See Page 226



Remote Condensing Frozen Beverage Dispensers

Model	3312 (CFB3312-A)	3341 (CFB3341-D)
Description	Twin barrel, (2) 0.25 hp drive motors	Drive motor: 0.5 hp Compress: 2.5 hp Works with remote condensing units up to 2.5 hp per freezing cylinder*.
Capacity per Barrel	5-7 gallon / hour Frozen: 1.5 gallon Storage: 2.25 gallon Total: 3.75 gallon	Match condensing unit's size to output needs: up to 30 gallon / hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon
Electrical	120V / 1.896 kW / 15.8A / 1 Ph NEMA 5-20P line cord included. 	120V / 60Hz / 0.816 kW / 6.8A / 1 Ph Required Circuit: 120V 15A NEMA#5-15R NEMA 5-15P line cord included  
Refrigeration	Refrigerant: R404A Compressor: ¼ hp air cooled	Refrigerant: R404A Compressor: 2.5 hp
Product Dimensions (H x W x D)	28.5" x 18.5" x 29"	28.5" x 13" x 29"
Ship Dimensions (H x W x D)	33" x 24" x 37"	31" x 20" x 37"
Ship Weight	280 lbs.	150 lbs.
List Price	\$ 12,113	\$ 8,830

Note: Accessories available separately. See page 189.

*Remote condensing units not available through Grindmaster-Cecilware.



FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

5000 Series Crathco® Barrel Freezers

Preventive Maintenance Kit

5311 Model



6 Month Schedule
Item: 250-00118
List Price: \$ 95

5711 Model

6 Month Schedule
Item: 250-00119
List Price: \$ 99

See Page 226



Model	5311 (CFB5311-D)	5711 (CFB5711-B)
Description	Single barrel, 0.25 hp drive motor	Single barrel, 0.5 hp drive motor
Capacity per Barrel	5-7 gallon / hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon	15-20 gallon / hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon
Electrical	120V / 1.92 kW / 16A / 1 Ph Required Circuit: 120V / 20A NEMA#5-20 NEMA 5-20P line cord included. 	208V / 2.7 kW / 12A / 1 Ph Required Circuit: 208V / 20A NEMA#6-20R NEMA 6-20P line cord included. 
Refrigeration	Refrigerant: R404A Compressor: ¾ hp air cooled	Refrigerant: R404A Compressor: 1.5 hp
Product Dimensions (H x W x D)	28.5" x 13" x 29"	28.5" x 18.5" x 29"
Ship Dimensions (H x W x D)	34" x 21" x 37"	32" x 23" x 34"
Ship Weight	200 lbs.	270 lbs.
List Price	\$ 9,986	\$ 11,572

Note: Accessories available separately. See page 189.



FROZEN BEVERAGES AND DESSERTS : ACCESSORIES

Crathco® Barrel Freezer Accessories

Model	W0890208	W0890200	W0890206	W0890220
Description	Concealed Filter Kit Black	Concealed Filter Kit Stainless Steel	Exposed Filter Kit	Legs Set of (4)
List Price	\$ 304	\$ 355	\$ 148	\$ 78

Model	W0890224	W0890219	W0470051	W0890053
Description	Parts Tray Kit Scraper Dasher	Parts Tray Kit Standard	Refractometer	120V Spinner Kit 120V / 60Hz / 1A / 1 Ph
List Price	\$ 228	\$ 228	\$ 240	\$ 879

Start and Adjust for Counter Models

Model	W0910001	W0910002
	Start and Adjust, Single Barrel	Start and Adjust, Twin Barrel
Description	<p>Start and Adjust available for all counter units except remote condensing or pressurized models. The Install, Start, and Adjust Program includes limited installation, equipment inspection, equipment start-up, and operator training at a single location 35 miles or less from a Grindmaster-Cecilware Authorized Service Center.</p> <p>When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation:</p> <ol style="list-style-type: none"> 1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker. 2. Access to cold water with a minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up. 3. Adequate drain availability for flexible drain hose on units requiring water line hook-up. 4. Adequate and appropriate space to position unit 	
List Price	\$ 957*	\$ 1,434*

* Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for multiple units in one location.

FROZEN BEVERAGES AND DESSERTS : FROZEN GRANITA AND ICE CREAM

SP Series Frozen Granita and Cold Cream





Cold Cream and Frozen Coffee

One compact counter machine creates both chilled beverages like frozen coffee, fruit juices, frozen cocktails, and creamy desserts, like mousses, ice creams, slushes, sherbets, and sorbets. Functions with both water or milk added to dried base or with ready-to-use mixed product bases to create delicious chilled treats. Easy to clean and user-friendly, this is the perfect solution for restaurants, cafeterias, coffee shops, bars, or hotels.

- Easy disassemble without tools for cleaning.
- Lockable lid.
- Mechanical control board.
- Manual defrost mode.
- Digital display shows the bowls temperature.
- All models are certified NSF-6 safe for milk.



Model : SP 2

Model	SP 1 (1206-008)	SP 2 (1206-009)
Description	(1) 1.3 gallon capacity	(2) 1.3 gallon capacity, 2.6 gallon total capacity.
Electrical	115V / 60 Hz / 0.44 kW / 5.2 A / 1Ph  	115V / 60 Hz / 0.7 kW / 9.3 A / 1Ph  
Refrigeration	Refrigerant: R404A Compressor: 1/6 hp air cooled	Refrigerant: R404A Compressor: ¼ hp air cooled
Product Dimensions (H x W x D)	24" x 10" x 17"	24" x 18" x 17"
Ship Dimensions (H x W x D)	28" x 12" x 19"	25" x 18" x 19"
Product Weight	62 lbs.	106 lbs.
Ship Weight	66 lbs.	110 lbs
List Price	\$ 3,249	\$ 3,751

Preventive Maintenance Kit

for details, visit
www.gmcw.com



NSF-6

GT Push Frozen Granita and Ice Cream Dispensers

Easy Freeze



Elegant appearance, small footprint, versatile, and delicious! This compact, multi-purpose wonder creates the perfect thick shakes, soft serve, slushes, smoothies, sherbets, frozen yogurts, frozen fruit drinks and frozen coffees, or whatever your own signature frozen specialty may be!

The GT Push is simple, easy, and reliable, designed to operate with either water or milk-based products to create delicious chilled specialties.

- Transparent bowl and clean white finish encourage impulse purchasing.
- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- LED-based electronic keypad.
- When the product is ready, just press the push button, increasing motor speed, and allowing quicker dispensing.
- All models are certified NSF-6 safe for milk.



Model : GT Push 2

Model	GT Push 1 (1206-012)	GT Push 2 (1206-013)
Description	(1) 1.3 gallon insulated tank	(2) 1.3 gallon insulated tanks, 2.6 gallon total capacity.
Electrical	 115V / 60 Hz / 0.35 kW / 4.1 A / 1 Ph	 115V / 60 Hz / 0.75 kW / 7.7 A / 1 Ph
Refrigeration	Refrigerant: R404A Compressor: 1/3 hp	Refrigerant: R404A Compressor: ½ hp
Product Dimensions (H x W x D)	26" x 10" x 17"	26" x 18" x 17"
Ship Dimensions (H x W x D)	30" x 12" x 20"	30" x 18" x 18"
Product Weight	62 lbs.	101 lbs.
Ship Weight	73 lbs.	117 lbs.
List Price	\$ 3,909	\$ 6,207

Preventive Maintenance Kit

for details, visit
www.gmcw.com

Note: Operate at room temperature between 75 - 90° F.



NSF-6


Karma Soft Ice Cream Dispensers

Ice Cream Cones in 24 Seconds

Delicious soft serve ice cream and frozen yogurt in a compact, quiet, counter-top machine! Its cooled hopper reduces dispense time, as the product is cold before reaching the freezing cylinder. And, don't let the small size fool you. The Karma gives back to the universe by producing 150 ice cream cones an hour!

- Auto defrost/night mode: keeps product fresh.
- Product is ready in a few minutes after start-up.
- Minimum level warning light.
- Customizable dispensing lever.
- 3 consistency levels.
- Certified NSF-6 safe for milk.



Model	Karma Gravity (1208-002)
Description	1.85 gallon capacity in cooled upper tank, 0.61 gallon capacity in freezing cylinder, 2.5 gallon total capacity.
Production Capacity	20 lbs. per hour - about 150  ies
Electrical	115V / 60 Hz / 1.4 kW / 14.8 A / 1Ph
Refrigeration	Refrigerant: R404A Compressor: ½ hp
Product Dimensions (H x W x D)	25.5" x 14.1" x 20.5"
Ship Dimensions (H x W x D)	29" x 17" x 26"
Product Weight	154 lbs.
Ship Weight	176 lbs.
List Price	\$ 9,773

Preventive Maintenance Kit

for details, visit www.gmcw.com



NSF-6

COOKING
EQUIPMENT





WARNING
Hot Surfaces
May Cause Burns

COOKING EQUIPMENT : FRYERS
Floor Model Gas Fryers
40, 50, and 70 lbs.

Sleek and Solid

Constructed of heavy-duty stainless steel for long life and easy maintenance, the new Cecilware Pro line of gas floor fryers are built using the best components the industry has to offer. Offering heavy-duty construction at value prices, these tube fryers are ideal for heavy volume restaurants. The deep cold zone meets the demand for healthier foods by preventing the breakdown of oil, and maximizes savings by prolonging oil life span.

Equipped with multiple safety features, and available in either natural or LP gas, with Invensys® thermostat rated at 200 - 400° F, and an auto reset high limit, these fryers also make the job simple!

- Models available using natural or LP gas.
- 6" adjustable legs.
- Two nickel chrome wire mesh fry baskets included.
- Fry pot depth of 30.25".



Visit www.CecilwarePRO.com for more information.



COOKING EQUIPMENT : FRYERS

Floor Model Gas Fryers

40, 50, and 70 lbs.



40 lbs. Fryer Tank



50 lbs. Fryer Tank

40 lbs. Capacity Models

50 lbs. Capacity Models

Model	FMS403LP (555700)	FMS403NAT (555710)	FMS504LP (555720)	FMS504NAT (555730)
Description	Stainless steel front and galvanized sides, (3) 30,000 BTU tubes	Stainless steel front and galvanized sides, (3) 30,000 BTU tubes	Stainless steel front and sides, (4) 30,000 BTU tubes	Stainless steel front and sides, (4) 30,000 BTU tubes
BTUs / Hour	90,000	90,000	120,000	120,000
Tank Size	14" x 14"	14" x 14"	14" x 14"	14" x 14"
Plumbing	1.25" ball type full port drain.	1.25" ball type full port drain.	1.25" ball type full port drain.	1.25" ball type full port drain.
Product Dimensions (H x W x D)	48.25" x 15.5" x 30.25" Working Height: 36.25"	48.25" x 15.5" x 30.25" Working Height: 36.25"	48.25" x 15.5" x 30.25" Working Height: 36.25"	48.25" x 15.5" x 30.25" Working Height: 36.25"
Ship Dimensions (H x W x D)	49" x 17" x 33"	49" x 17" x 33"	49" x 17" x 33"	49" x 17" x 33"
Ship Weight	130 lbs.	130 lbs.	156 lbs.	156 lbs.
List Price	\$ 1,763	\$ 1,763	\$ 2,205	\$ 2,205



COOKING EQUIPMENT : FRYERS
Floor Model Gas Fryers
 40, 50, and 70 lbs.



70 lbs. Fryer Tank



Model : FMS705LP

70 lbs. Capacity Models

Optional Casters for FMS Model Fryers

Model	FMS705LP (555740)	FMS705NAT (555750)	410-00190
Description	Stainless steel front and sides, (5) 30,000 BTU tubes	Stainless steel front and sides, (5) 30,000 BTU tubes	Set of 4 Casters: 2 locking casters and 2 regular casters
BTUs / Hour	150,000	150,000	N/A
Tank Size	19.5" x 14"	19.5" x 14"	N/A
Plumbing	1.25" ball type full port drain.	1.25" ball type full port drain.	N/A
Product Dimensions (H x W x D)	48.25" x 21" x 30.25" Working Height: 36.25"	48.25" x 21" x 30.25" Working Height: 36.25"	5.75" Height, 5" Diameter Wheel
Ship Dimensions (H x W x D)	34" x 33" x 24.5"	34" x 33" x 24.5"	6.5" x 6.25" x 11.25"
Ship Weight	172 lbs.	172 lbs.	11 lbs.
List Price	\$ 2,814	\$ 2,814	\$ 110



COOKING EQUIPMENT : FRYERS

Floor Model Fryer Baskets

Fryer Baskets with Plasticized Handles

Fry baskets ensure complete and even circulation of shortening for perfect deep fried foods.

- Constructed of sturdy, heavy-gauge wire handles and frames, plus quality nickel-plated wire.



Model	V180P (V180P)
For Use With Fryers	EFS65
Dimensions (H x W x D)	6" x 8.75" x 16.75"
List Price	\$ 66

Model	410-00212
For Use With Fryers	FMS705LP, FMS705NAT
List Price	Contact Factory

COOKING EQUIPMENT : FRYERS
Floor Model Fryer Accessories

Fryer Covers

Model	U589Q	U641Q
Description	Cover for 40 lbs. fryer	Cover for 65 lbs. fryer
Product Dimensions (H x W x D)	0.75" x 23" x 15.75"	0.75" x 15.75" x 22.81"
List Price	\$ 164	\$ 226

Banking Strips

Model	U631A	U633A-L
Description	Banking (connecting) strip 40 lbs. fryer	Banking (connecting) strip 65 lbs. fryer
Product Dimensions (H x W x D)	22.75" x 2.25" x 1"	29.75" x 2.09" x 1.67"
List Price	\$ 35	\$ 59

Other Accessories for Fryers

Model	250-00052	V109A
Description	Set of 4 Casters (2 locking and 2 regular casters) For EFS floor model fryers	Standard 200 Pan (for dump station)
Product Dimensions (H x W x D)	5.75" Height 5" Diameter Wheel	2.5" x 21" x 12.75"
List Price	\$ 338	\$ 101

COOKING EQUIPMENT : FRYERS

Countertop Electric Fryers

Safety and Ease

Easy-to-use controls, all stainless steel construction, and fast-responding heating elements for accurate heat adjustments will have you looking for things to fry up! The stainless steel tank is removable for easy cleaning, and for the best operator safety, thermal overload device turns off the fryer if the heating element gets too hot, and a cutout switch automatically turns off the element when the tank is being removed.

- Includes fry basket(s).
- Non-slip feet.



Model	EL6 (721140)	EL15 (721160)	EL25 (721180)
Description	(1) 6 lbs. fry pot with (1) basket	(1) 15 lbs. fry pot with (2) baskets	(1) 15 lbs. fry pot with (2) baskets
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	240V / 3.2 kW / 15A / 1 Ph NEMA 6-20P line cord included.
Product Dimensions (H x W x D)	12.75" x 7.5" x 17.5"	15.75" x 11" x 17.5"	15.75" x 11" x 17.5"
Ship Dimensions (H x W x D)	17" x 11" x 22"	21" x 14" x 22"	21" x 14" x 22"
Ship Weight	14 lbs.	20 lbs.	20 lbs.
List Price	\$ 502	\$ 834	\$ 913

Note: Optional fry baskets and fry tank covers available. See page 202.



COOKING EQUIPMENT : FRYERS
Countertop Electric Fryers



Model EL2X6
 Shown with Optional Fry Tank Cover

Model	EL2X6 (721100)	EL2X15 (721120)	EL2X25 (721130)
Description	(2) 6 lbs. fry pots with (2) baskets	(2) 15 lbs. fry pots with (4) baskets	(2) 15 lbs. fry pots with (4) baskets
Electrical	(2) 120V / 1.8 kW / 15A / 1 Ph (2) NEMA 5-15P line cords included.	(2) 120V / 1.8 kW / 15A / 1 Ph (2) NEMA 5-15P line cords included.	(2) 240V / 3.2 kW / 15A / 1 Ph (2) NEMA 6-20P line cords included.
Product Dimensions (H x W x D)	12.75" x 14.5" x 17.5"	15.75" x 21.75" x 17.5"	15.75" x 21.75" x 17.5"
Ship Dimensions (H x W x D)	17" x 22" x 17"	17" x 22" x 17"	17" x 22" x 17"
Ship Weight	22 lbs.	37 lbs.	37 lbs.
List Price	\$ 1,082	\$ 1,426	\$ 1,499

Note: Optional fry baskets and fry tank covers available. See page 202.



Countertop Fryer Baskets and Accessories

Countertop Fryer Baskets with Back Hook Placement

Model	08050L	08086L	08021L
Description	Single large fry basket	Single large fry basket	Twin fry basket
Fits Fryer Model	EL6 and EL2X6	EL15, EL25, EL2X15, and EL2X25	EL15, EL25, EL2X15, and EL2X25
Ship Weight	2 lbs.	3 lbs.	2 lbs.
List Price	\$ 92	\$ 115	\$ 105

Fry Tank Covers

Model	08049L	08020QL
Description	Single fry tank cover	Single fry tank cover
Fits Fryer Model	EL6 and EL2X6	EL15, EL25, EL2X6, EL2X15, and EL2X25
Ship Weight	1.5 lbs.	3 lbs.
List Price	\$ 75	\$ 97

Medium Duty Gas Griddles

Professional Results

The ultimate in flexibility for your kitchen! Available in four widths with manually controlled, independent cooking zones and a polished steel cooking surface for the best results in grilling.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Griddle plate thickness of 1" for better heat retention, faster recovery, and more even heat distribution than thin plates.
- Heavy-duty stainless steel full-cooking depth dual-ported burners for long life and easy maintenance.
- Manually controlled, independent cooking zones.
- Bottom-welded plate for accurate heat distribution.
- Non-welded top plate ensures uniform temperature consistency on cooking surface.



Visit www.CecilwarePRO.com for more information.





COOKING EQUIPMENT : GRIDDLES
Medium Duty Gas Griddles



Model : GCP15



Model : GCP24

Model	GCP15 (6601-1000)	GCP24 (6601-1001)	GCP36 (6601-1002)	GCP48 (6601-1003)
Cooking Surface (W x D)	15" x 20"	24" x 20"	36" x 20"	48" x 20"
Number of Burners	1	2	3	4
BTUs per Hour	30,000	60,000	90,000	120,000
Product Dimensions (H x W x D)	15.75" x 15.5" x 30"	15.75" x 24.5" x 30"	15.75" x 36.5" x 30"	15.75" x 48.5" x 30"
Ship Dimensions (H x W x D)	18" x 32" x 17"	18" x 31" x 25"	18" x 37" x 31"	18" x 50" x 31"
Ship Weight	137 lbs.	194 lbs.	269 lbs.	342 lbs.
List Price	\$ 1,102	\$ 1,413	\$ 1,893	\$ 2,349



Thermostatic Gas Griddles

Exact Temperature

Unlike manual griddles that only have temperature ranges, thermostatic griddles can be set to an exact temperature, and will maintain that temperature within a couple of degrees.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Griddle plate thickness of 1" for better heat retention, faster recovery, and more even heat distribution than thin plates.
- Heavy-duty stainless steel full-cooking depth dual-ported burners for long life and easy maintenance.
- Manually controlled, independent cooking zones.
- One U-shaped burner and thermostat control for every 12" of cooking surface to maintain even heating.
- Throttling thermostat provides a consistent surface temperature and superior food quality.



Model : CE-G24TPF

Model	CE-G15TPF (6602-10000)	CE-G24TPF (6602-10001)	CE-G36TPF (6602-10002)	CE-G48TPF (6602-10003)
Cooking Surface (W x D)	15" x 20"	24" x 20"	36" x 20"	48" x 20"
Number of Burners	1	2	3	4
BTUs per Hour	30,000	60,000	90,000	120,000
Product Dimensions (H x W x D)	15.6" x 15" x 30"	15.6" x 24" x 30"	15.6" x 36" x 30"	15.6" x 48" x 30"
Ship Dimensions (H x W x D)	19.1" x 18.5" x 32.5"	19.1" x 28" x 32.5"	18" x 38" x 32"	18" x 52" x 32.5"
Ship Weight	165 lbs.	215 lbs.	318 lbs.	360 lbs.
List Price	\$ 1,277	\$ 1,667	\$ 2,262	\$ 2,894



COOKING EQUIPMENT : GRIDDLES

Medium Duty Electric Griddles

Precise Temperature Control

This countertop griddle provides the heating power you need to produce great results while maintaining a small footprint. Delivering uniform heating without hot spots, temperature is controlled by precision thermostats with pilot light indicator

- Stainless steel body construction.
- Steel cooking surface.
- Concealed, easily cleaned, removable grease tray and convenient rotary controls for precise temperature control up to 572°F.
- 24" x 16" cooking area.
- 1/2" thick machine polished steel griddle plate.
- Welded, stainless steel splash guards.



Model : EL1624

Model	EL1624 (721250)	EL1636 (721275)
Description	1 heating element, 1/2" griddle plate thickness	2 heating elements, 1/2" griddle plate thickness
Electrical	240V / 2.4 kW / 10A / 1 Ph NEMA 6-20P line cord included.	240V / 3.6 kW / 15A / 1 Ph NEMA 6-20P line cord included.
Product Dimensions (H x W x D)	8" x 24" x 16"	8" x 36" x 16"
Ship Dimensions (H x W x D)	12" x 29" x 27"	16.5" x 41" x 27"
Ship Weight	92 lbs.	131 lbs
List Price	\$ 1,236	\$ 1,611





Flexibility and Performance

The ideal option for the increasing demand of char grilled food. With reversible, heavy-duty cast iron grilling grates for delicate proteins, manually controlled, independent cooking zones, and grates designed to be tilted for different level heating. Available in four widths, and can alternate between lava rock and radiant cooking methods.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Stainless steel construction for long life and easy maintenance.
- Angled sidewalls and bottom plate reflect heat into cooking zone for better and more accurate heat distribution.
- Lava Rock Kit and Holding Rack options available in 24", 36", and 48".



Visit www.CecilwarePRO.com for more information.



COOKING EQUIPMENT : CHARBROILERS

Gas Charbroilers



Model : CCP15



Model : CCP24

Model	CCP15 (6600-1000)	CCP24 (6600-1001)	CCP36 (6600-1002)	CCP48 (6600-1003)
Description	(1) burner, 3" & 6" wide grates	(2) burners, 6" wide grates	(3) burners, 6" wide grates	(4) burners, 6" wide grates
Cooking Surface	15" W x 20" D	24" W x 20" D	36" W x 20" D	48" W x 20" D
BTUs per Hour	40,000	80,000	120,000	160,000
Product Dimensions (H x W x D)	15.75" x 15.5" x 26.5"	15.75" x 24.5" x 31.5"	15.75" x 36.5" x 31.5"	15.75" x 48.5" x 31.5"
Ship Dimensions (H x W x D)	18" x 17" x 30"	18" x 30" x 26"	20" x 40" x 32"	18" x 50" x 30"
Ship Weight	110 lbs.	154 lbs.	184 lbs.	280 lbs.
List Price	\$ 1,199	\$ 1,500	\$ 2,324	\$ 2,635



Options

Model	250-00031 (6600-1000)	250-00032 (6600-1001)	250-00033 (6600-1002)
Description	Lava rocks and holding racks kit for CCP24	Lava rocks and holding racks kit for CCP36	Lava rocks and holding racks kit for CCP48
List Price	\$ 263	\$ 392	\$ 522

Heavy-Duty Workhorse

Easily expand your menu offerings! Available in 2, 4, and 6 burner configurations with individually controlled burners, each with 22,000 BTUs per hour. Heavy-duty cast iron trivets create a sturdy work surface.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Sleek, durable stainless steel construction for long life and easy maintenance.
- Easy access front panel pilot adjustments.
- Durable anti-clogging dual-ported burners.
- Removable grease drawer.



Visit www.CecilwarePRO.com for more information.



COOKING EQUIPMENT : HOT PLATES

Gas Hot Plates



Model : HPCP636

Model	HPCP212 (6200-1000)	HPCP424 (6200-4000)	HPCP636 (6200-6000)
Description	(2) burners	(4) burners	(6) burners
Cooking Surface	12" W x 20" D	24" W x 20" D	36" W x 20" D
BTUs per Hour	44,000	88,000	132,000
Product Dimensions (H x W x D)	15" x 12" x 27.5"	13.5" x 24" x 30.5"	13.5" x 36" x 30.5"
Ship Dimensions (H x W x D)	18" x 14" x 30"	18" x 30" x 26"	18" x 41" x 31"
Ship Weight	93 lbs.	166 lbs.	176 lbs.
List Price	\$ 898	\$ 1,448	\$ 2,005





Model : HPCP212

COOKING EQUIPMENT : PANINI GRILLS

Sandwich or Panini Grills

What a Time Saver!

Cut your cooking time in half when you cook both sides of a sandwich, hamburger, chicken breast, and many other products simultaneously. The self-balanced top surface adjusts to different heights ensuring even cooking of food.

- Choice of flat or grooved surface.
- Stainless steel construction.
- Cast iron cooking surface.



Model : SG1SG



Model : SG1SF

Model	SG1SG (721300)	SG1SF (721315)	SG1LG (721325)	SG1LF (721350)
Description	Single, grooved surface.	Single, flat surface.	Single plus, grooved surface.	Single plus, flat surface.
Work Surface	9.6" W x 9" D	9.6" W x 9" D	14" W x 11" D	14" W x 11" D
Electrical	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.
Product Dimensions (H x W x D)	22" x 15.5" x 15.5" Height with Lid Open: 23.5"	22" x 15.5" x 15.5" Height with Lid Open: 23.5"	22" x 20.25" x 17.5" Height with Lid Open: 23.5"	22" x 20.25" x 17.5" Height with Lid Open: 23.5"
Ship Dimensions (H x W x D)	14.5" x 19" x 19"	14.5" x 19" x 19"	14.5" x 22" x 23.5"	14.5" x 22" x 23.5"
Ship Weight	49 lbs.	49 lbs.	73 lbs.	73 lbs.
List Price	\$ 749	\$ 749	\$ 936	\$ 936



COOKING EQUIPMENT : PANINI GRILLS
Sandwich or Panini Grills



Model : SG2LG

Model	SG1LG240 (721320)	SG2LG (721375)	SG2LF (721425)
Description	Single plus, grooved surface.	Double, grooved surface	Double, flat surface
Work Surface	14" W x 11" D	Per Side: 7.25" W x 9" D	Per Side: 7.25" W x 9" D
Electrical	240V / 2.4 kW / 10A / 1 Ph NEMA 6-20P line cord included.	240V / 3.2 kW / 13A / 1 Ph NEMA 6-20P line cord included.	240V / 3.2 kW / 13A / 1 Ph NEMA 6-20P line cord included.
Product Dimensions (H x W x D)	22" x 20.25" x 17.5" Height with Lid Open: 23.5"	22" x 22.75" x 15.5" Height with Lid Open: 23.5"	22" x 22.75" x 15.5" Height with Lid Open: 23.5"
Ship Dimensions (H x W x D)	14.5" x 22" x 23.5"	14" x 20" x 26"	14" x 20" x 26"
Ship Weight	73 lbs.	77 lbs.	77 lbs.
List Price	\$ 936	\$ 1,201	\$ 1,201



COOKING EQUIPMENT : PANINI GRILLS

Medium Duty Sandwich or Panini Grills

Larger Grilling Surface

Grill sandwiches, chicken, hot dogs, and other foods to perfection! A cast iron griddle surface on the top and bottom for even heating, and your choice of flat or grooved plates are covered with non-stick enamel for easy use. The upper plate is adjustable to accommodate a wide variety of sandwiches and foods. A removable stainless steel grease tray makes this unit incredibly easy to clean, and its low clearance and compact footprint let it fit on any countertop.

- Counter balanced top plate ensures even cooking temperature up to 570° F.
- Large work surface.
- Stainless steel body construction.



Model : TSG2F



Model : TSG1G

Model	TSG1G (720100)	TSG1F (720150)	TSG2G (720200)	TSG2F (720250)
Description	Single, grooved surface.	Single, flat surface.	Double, grooved surface.	Double, flat surface.
Work Surface	14.5" W x 10" D	14.5" W x 10" D	19.75" W x 10" D	19.75" W x 10" D
Electrical	110V / 1.4 kW / 13A / 1 Ph NEMA 5-15P line cord included.	110V / 1.4 kW / 13A / 1 Ph NEMA 5-15P line cord included.	240V / 3.1 kW / 13A / 1 Ph NEMA 6-20P line cord included.	240V / 3.1 kW / 13A / 1 Ph NEMA 6-20P line cord included.
Product Dimensions (H x W x D)	19.75" x 15" x 12.5"	19.75" x 15" x 12.5"	19.75" x 20.25" x 12.5"	19.75" x 20.25" x 12.5"
Ship Dimensions (H x W x D)	11" x 17" x 17"	11" x 17" x 17"	11" x 18" x 13"	11" x 18" x 13"
Ship Weight	47 lbs.	47 lbs.	63 lbs.	63 lbs.
List Price	\$ 1,338	\$ 1,338	\$ 1,892	\$ 1,892



WARMING
EQUIPMENT



WARMING EQUIPMENT

Syrup Warmers

Wonderful Hot Syrup

Everyone loves a hot breakfast of fresh pancakes, waffles, or French toast. But the best part is always the sweet, hot, flowing syrup.

These heated syrup dispensers hold 1 or 2 gallons of heated syrup at a constant temperature of 125 degrees Fahrenheit. At this temperature, syrup will stay thick and warm, but won't crystallize. Stable and durable stainless steel body with secure faucets that will prevent sticky drips on your countertops.



Model : SD1

Model	SD1 (437100L)	SD2 (437200L)
Description	1 gallon capacity, Tomlinson all-plastic self-closing faucet.	2 gallon capacity, Tomlinson-S no-drip faucet.
Electrical	120V / 0.053 kW / 1Ph NEMA 5-15P line cord included.	120V / 0.116 kW / 1Ph NEMA 5-15P line cord included.
Product Dimensions (Height x Diam.)	12.5" x 7.25"	17" x 11.75"
Ship Dimensions (H x W x D)	15" x 8" x 8"	19" x 13" x 13"
Ship Weight	7 lbs.	11 lbs.
List Price	\$ 415	\$ 577



COOLING
EQUIPMENT



COOLING EQUIPMENT

Countertop Refrigerators

Compact and Chilly

Countertop display refrigerators allow you to put your food and beverages on display and increase impulse sales! These refrigerated merchandisers have double pane thermal glass doors with a built-in door locks and a strong magnetic gasket for exceptional energy efficiency.

- Interior lights show off your product.
- ETL and ETL sanitation listed.
- Adjustable thermostat between 34 - 45° F.
- Adjustable PVC coated wire shelves.



Model : CTR2.68LD

Model	CTR2.68LD (810115L)	CTR3.75 (810105L)
Description	Black, 2.7 cubic feet, (4) shelves, Includes lighted display header.	Black, 3.8 cubic feet, (5) shelves.
Electrical	120V / 0.24 kW / 2A / 1Ph NEMA 5-15P line cord included.	120V / 0.24 kW / 2A / 1Ph NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/8 hp	Refrigerant: R134A Compressor: 1/8 hp
Product Dimensions (H x W x D)	36.5" x 18" x 18.5"	33.75" x 19" x 18.75"
Ship Dimensions (H x W x D)	38" x 22" x 22"	35" x 22" x 22"
Ship Weight	90 lbs.	85 lbs.
List Price	\$ 881	\$ 970

Optional Shelf for CTR3.75

Model	08727L
Description	Additional shelf for CTR3.75
Product Dimensions (H x W x D)	15.75" W x 13" D
List Price	\$ 14



Domestic Equipment Warranty

1
YEAR Labor
All Equipment unless specified
otherwise in Terms and Conditions.

2
YEARS Parts
All Equipment unless specified
otherwise in Terms and Conditions.

3
YEARS Micro-Controller Based Boards
& Urn Bodies and Liners

4
YEARS Grinding Burrs

5
YEARS Compressors

See the full terms and conditions at www.GMCW.com

PREVENTIVE MAINTENANCE

Requirements and Frequencies

Category 1:

Care and Use Per Frequency Specified in Operators Manual

- Coffee Grinders
- Coffee Brewers (except RC400)
- Hot Water Dispensers
- Liquid Autofill Systems
- Cooking, Warming, and Cooling Equipment

Category 2:

Onsite Preventive Maintenance through Grindmaster

Recommended to be scheduled and completed within 30 days of one-year anniversary of purchase through Grindmaster Technical Service. To schedule, contact Grindmaster Technical Service by email at TSmailbox@gmcw.com.

- Urns and Hot Water Heaters

Category 3:

One Year Preventive Maintenance Schedule

Series	Model	Preventive Maintenance Kit Part Number	List Price
Espresso Machines			
Super Automatic Espresso	Korinto Prime (1005-003)	250-00139	\$ 640
Orange Juice Machines			
Countertop Orange Juice	JX15MC (095500L)	250-00168	\$ 170
Floor Model Orange Juice	JX45AF (095555L)	250-00169	\$ 170

PREVENTIVE MAINTENANCE

Requirements and Frequencies

Category 4:

Six Months Preventive Maintenance Schedule

Series	Model	Preventive Maintenance Kit Part Number	List Price
Cold Beverage Dispensers			
Simplicity Bubbler Mini Twin	CS-2E-16	250-00120	\$ 62
Simplicity Bubbler Mini Twin	CS-2E-16-S	250-00121	\$ 60
Simplicity Bubbler Mini Quad	CS-4E-16	250-00122	\$ 106
Simplicity Bubbler Mini Quad	CS-4E-16-S	250-00123	\$ 99
Simplicity Bubbler Triple Combo	CS-3D-16	250-00128	\$ 104
Simplicity Bubbler Triple Combo	CS-3D-16-S	250-00129	\$ 99
Simplicity Bubbler Single Standard	CS-1D-16	250-00124	\$ 62
Simplicity Bubbler Single Standard	CS-1D-16-S	250-00125	\$ 58
Simplicity Bubbler Twin Standard	CS-2D-16	250-00126	\$ 104
Simplicity Bubbler Twin Standard	CS-2D-16-S	250-00127	\$ 99
Simplicity Bubbler Triple Tall	CS-3L-16	250-00130	\$ 79
Simplicity Bubbler Triple Tall	CS-3L-16-S	250-00131	\$ 75
Classic Bubbler Standard	D15-3	250-00136	\$ 29
Classic Bubbler Standard	D15-4	250-00136	\$ 29
Classic Bubbler Standard	D25-3	250-00138	\$ 43
Classic Bubbler Standard	D25-4	250-00138	\$ 43
Classic Bubbler Standard	D35-3	250-00140	\$ 56
Classic Bubbler Standard	D35-4	250-00140	\$ 56

PREVENTIVE MAINTENANCE

Requirements and Frequencies

Category 4:

Six Months Preventive Maintenance Schedule

Series	Model	Preventive Maintenance Kit Part Number	List Price
Cold Beverage Dispensers			
Classic Bubbler Mini	E29-3	250-00142	\$ 41
Classic Bubbler Mini	E29-4	250-00142	\$ 41
Classic Bubbler Mini	E49-3	250-00144	\$ 66
Classic Bubbler Mini	E49-4	250-00144	\$ 66
G-Cool Single	C-1S-16 (231-00162)	250-00132	\$ 39
G-Cool Double	C-2D-16 (231-00166)	250-00133	\$ 62
G-Cool Focus Flavor Triple	C-3D-16 (231-00168)	250-00134	\$ 87
G-Cool Mini-Duo	C-2S-16 (231-00164)	250-00133	\$ 62
G-Cool Mini-Quattro	C-4D-16 (231-00170)	250-00135	\$ 110
Frozen Beverage and Dessert Dispensers			
3000 Barrel Mechanical Freezer	3311 (CFB3311-A)	250-00115	\$ 81
3000 Barrel Mechanical Freezer	3511 (CFB3511-C)	250-00117	\$ 106
3000 Barrel Mechanical Freezer	3312 (CFB3312-A)	250-00116	\$ 135
5000 Barrel Electronic Freezer	5311 (CFB5311-D)	250-00118	\$ 95
5000 Barrel Electronic Freezer	5711 (CFB5711-B)	250-00119	\$ 99
Remote Condensing Barrel Freezer	3341 (CFB3341-D)	250-00117	\$ 106

PRODUCT CERTIFICATIONS

Domestic Certifications

Grindmaster-Cecilware strives to design, create, and deliver the highest quality beverage and cooking equipment to help you build your business. Sanitation, safety, quality, and public health are critical. That is why Grindmaster-Cecilware works with numerous independent, third-party testing and certification organizations to simplify your search for superior equipment. Below are the certifications and marks that we refer to in this catalog, along with a brief description of the standards used to provide certification.

UL

Underwriters Laboratories (UL) is an independent, not-for-profit, nongovernmental organization that has been testing products for public safety for more than a century and has developed more than 1,000 safety standards. UL serves a wide range of customers including manufacturers, retailers, consumers, and regulating bodies.

UL Certification



The UL Certification symbol can be found on products in compliance with UL's safety standards and U.S. safety requirements.

C-UL US Certification



The C-UL US Mark indicates that a product meets the testing standards for UL listing, as well as applicable regulations on that type of product in the United States and Canada. The Canada/US UL mark is optional, but UL encourages those manufacturers with products certified for both countries to use this new, combined mark.

NSF

NSF (National Sanitation Foundation) International is the only third-party testing organization to undertake a complete evaluation of every aspect of a product's development for public health and safety, quality, and sanitation. NSF food equipment standards include requirements for material safety, to ensure the product will not leach harmful chemicals into food; design and construction, to ensure the product is cleanable and is not likely to harbor bacteria; and product performance. As part of the certification process, the production facility is subject to unannounced plant inspections.



NSF Certification

The NSF Certification Mark on a food equipment product confirms that NSF has assessed and certified its conformity with the relevant NSF/ANSI food safety standards. Products with the NSF Mark receive guaranteed regulatory acceptance in North America and improved acceptance worldwide.



NSF Electrical Certification

The NSF Electrical Mark certifies electrical safety certification and compliance with U.S. requirements.



cNSFus Electrical Certification

NSF is accredited by OSHA as a nationally recognized testing laboratory to provide electrical safety certification to various UL standards in a wide range of foodservice equipment categories. The cNSFus Mark indicates compliance with both Canadian and U.S. requirements.

NSF-20

NSF-20 Certification

NSF International, in conjunction with ANSI has created the NSF / ANSI 20 certification. This establishes minimum food protection and sanitation requirements for the materials, design, fabrication, construction, and performance of commercial bulk milk dispensers and their related components. This includes equipment designed to dispense servings of milk or milk products by manual or machine actuation. This standard does not apply to dispensing freezers (soft-serve machines), vending machines, or manual food and beverage dispensing equipment covered by the scope of other NSF standards.

The American National Standards Institute (ANSI) is a private non-profit organization that oversees the development of voluntary consensus standards for products, services, processes, systems, and personnel in the United States.

Domestic Certifications

ETL

ETL is the certification mark used by Intertek, a Nationally Recognized Testing Laboratory (NRTL) providing independent evaluation, testing, and certification of any electrically operated or gas- and oil-fired product. A product bearing the ETL listed mark is determined to have met the minimum requirements of prescribed product safety standards. Moreover, the mark indicates that the manufacturer’s production site conforms to a range of compliance measures and is subject to periodic follow-up inspections to verify continued conformance. The ETL listed mark is the equivalent of the UL listed and CSA listed marks throughout the United States and Canada.

ETL Sanitation Certification



The ETL Sanitation Mark indicates a product meets applicable requirements for food safety. To achieve it, the item must pass tests by ANSI/NSF standards and the certification shows production conforms to compliance measures for ensuring a food-safe product. Facilities are inspected on a regular basis to verify those standards continue to be met. The ETL Certification with “sanitation listed” inscribed on the bottom of the circle signifies that the product has been tested and deemed compliant with product safety standards.

ETL Certification - United States



A product bearing the ETL Certification with the U.S. mark has been tested and deemed compliant with U.S. product safety standards.

ETL Certification



An ETL Certification Mark signifies that the product complies with both U.S. and Canadian product safety standards.

PRODUCT CERTIFICATIONS

Domestic Certifications

CSA

CSA (Canadian Standards Association) International is an independent, not-for-profit member-based association that tests products for compliance with national and international safety and performance standards. CSA Group is recognized and accredited in the U.S. by OSHA, which enables them to use the U.S. standards written or administered by organizations including ANSI, UL, and NSF, among others.

CSA Certification



The CSA Mark signifies that the product meets applicable U.S. and Canadian standards, including those from CSA, CSA America, ANSI, ASME, ASSE, ASTM, NSF, and UL. If a product has features from more than one area (such as electrical equipment with fuel-burning features), the mark indicates compliance with all applicable standards.

CSA Star Certification Mark



Indicates that the product was tested and has met the certification requirements for gas-fired products in the United States.

CSA Flame Certification Mark



Indicates that the product was tested and has met the certification requirements for gas-fired products in Canada.

Contact Information

Customer Service

(place an order, check product availability and price, obtain freight and tracking information, request literature, inquire about parts)

Phone: 502.425.4776
Toll Free: 800.695.4500 (US & Canada)
Email: csmailbox@electrolux.com

Technical Service

(warranty information, equipment troubleshooting, schedule service calls, RA inquiries, part number inquiries, field service programs)

Phone: 502.425.4776
Toll Free: 800.695.4500 (US & Canada)
Email: tsmailbox@electrolux.com

Head of National Accounts

Greg Immell

Phone: 847.562.8851
Email: greg.immell@electrolux.com

Head of Field Sales

Rick Burr

Phone: 267.454.1472
Email: rick.burr@electrolux.com

National Account Equipment Sales Team

Kenny Stratton

Phone: 281.772.7006

Email: kenny.stratton@electrolux.com

Ken Duncan

Phone: 817.475.8581

Email: ken.duncan@electrolux.com

Patrick Walker

Phone: 305.439.4330

Email: patrick.walker@electrolux.com

United States

SCA Expo

Specialty Coffee Association of America

April 23-26, 2020

Oregon Convention Center

Portland, Oregon

Booth # 2267

NRA Show

National Restaurant Association

May 16 - 19, 2020

McCormick Place Convention Center

Chicago, Illinois

NACS Show

National Association of Convenience Stores

October 12 - 14, 2020

Las Vegas Convention Center

Las Vegas, NV

Booth # 7423

Refer to www.GMCW.com for up-to-date information.