

**GRINDMASTER UNIC Crathco**

**GRINDMASTER  
UNIC  
Crathco**

**2020**  
Product Catalog

2020

4003 Collins Lane  
Louisville, KY 40245  
USA

Phone: 502.425.4776  
Toll Free: 800.695.4500  
Fax: 502.425.4664

Web: [www.grindmaster.com](http://www.grindmaster.com)

© Grindmaster Corporation 2020  
Printed in USA

Form # PR-025-15  
Item # 390-00290





# TABLE OF CONTENTS

## **Beverage Equipment**

- 7** Coffee Grinders
- 17** Water Purity
- 25** Coffee Grind and Brew Systems
- 31** Coffee Brewers
  - 33** Single Serve Brewers
  - 35** Pourover Brewers
  - 39** Digital Decanters and Airpot Brewers
  - 47** Shuttle Brewers
  - 65** Brewer Accessories and Options
- 73** Coffee Urns
  - 87** Urn Accessories and Options
- 91** Iced Tea Brewers and Dispensers
- 99** Hot Tea Urns
- 103** Hot Water Heaters and Dispensers
- 111** Powdered Beverage Dispensers
- 121** Espresso Machines
- 151** Espresso Grinder-Dosers
- 155** Orange Juice Machines
- 157** Cold Beverage Dispensers
- 189** Frozen Beverages and Desserts
- 205** Hand Mixers

## **Cooking Equipment**

- 207** Fryers
- 217** Griddles
- 223** Charbroilers
- 225** Hot Plates
- 228** Panini Grills

## **Warming Equipment**

- 231** Warming and Heated Dispensers

## **Cooling Equipment**

- 235** Countertop Refrigerators

## **Helpful Information**

- 237** Preventive Maintenance
- 241** Product Certifications

Find all our products in AutoQuotes



# Simplicity<sup>®</sup> Bubblers<sup>®</sup>

## Less Equals More

Less counter space with their compact size.  
Less time and effort in cleaning and disassembly.  
Less wear and power usage.  
Less waste, with product dispensed to the last drop.  
Less worry with fewer removable parts.  
And, less maintenance.

Which we believe gives you much, much more.

See Page **155** for more



## ORDERING INFORMATION

# Important Information When Ordering Equipment

### **Credit Terms:**

- Net 30 days from date of invoice with approved credit application. Credit applications for open accounts normally take 10 working days for approval unless rated by Dun and Bradstreet as high or good.
- We welcome credit cards.
- Customers without open accounts are required to send payment in advance or pay by credit card. A cashier's check or money order can be accepted. No C.O.D. orders.
- Minimum order is \$100 list price.
- No goods can be returned for credit without our prior written consent and return goods authorization, and will be subject to a 30% re-stocking charge and return shipping costs.

### **Freight:**

- All equipment orders, on a single PO, of \$5,000 net invoice or more to a single destination in the contiguous U.S. are freight prepaid ground shipping only by Grindmaster.
- Prices subject to change without notice. Check [www.grindmaster.com](http://www.grindmaster.com) for current pricing or contact Customer Service at 1.800.695.4500.
- Product availability subject to change. Contact customer service for current product availability at 1.800.695.4500.

### **Catalog Specifications:**

- Images and photographs are meant to be representative of the Grindmaster products and may not depict existing or proposed improvements. In keeping with Grindmaster's policy of constant innovation and advancement, the products pictured in this catalog may vary slightly from the actual delivered product and are not meant to be exact representations of the same.
- Product specifications are subject to improvement or change.
- Supersedes all previous price lists.

### **Installation Recommendations:**

- 120/240 electrical designation may require power supply to provide both 120V and 240V. Contact factory for model-specific information.
- Conversion orifices are not available for gas-fired products already in service. Per ANSI / CSA Z83.11-2006, conversion orifices must be included with the appliance.
- Water connections must be per applicable federal, state, and local codes. Your local installer and /or the plumbing inspector can provide guidance.

### **Product Certifications:**

- For a complete listing and description of the independent certifications and marks referred to in this catalog, please see page 241.

# COFFEE GRINDERS



# **100 and 250 Series Coffee Grinders**

## **Years of Proven Performance and Reliability**

The 100 and 250 series coffee grinders are economical, dependable workhorses featuring exclusive, long-lasting granulating-style burrs to assure consistent throws.

- Excellent bean visibility.
- Adjustable range of grind profile settings.
- Powerful, energy-efficient 0.5 hp motor.
- Circuit breaker with manual reset button.
- Troubleshooting guide decals with toll-free phone number affixed to the back of each grinder.
- Burrs guaranteed to process 40,000 pounds of coffee at medium grind.
- Exceptional warranty program: burrs - 4 years or 40,000 lbs. of coffee, all other components - 2 years.

### **100 Series**

Solid-state, concealed, dual range timer.

### **250 Series**



Digitally controlled with internal LED display.





**COFFEE GRINDERS : FOOD SERVICE**  
**100 Series Coffee Grinders**



Model	<b>100</b> (100)	<b>190-SS</b> (190-SS)
<b>Description</b>	Single portion grinder (1) 6 lbs. hopper with front window for viewing beans <b>C-UL US Certification</b>	Single portion grinder (1) 6 lbs. hopper on top for full beans visibility
<b>Electrical</b>	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included. 	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	22" x 8.5" x 15"	22" x 8.5" x 15"
<b>Ship Dimensions (H x W x D)</b>	27.5" x 12.5" x 18.5"	27.5" x 12.5" x 18.5"
<b>Ship Weight</b>	47 lbs.	44 lbs.
<b>List Price</b>	\$ 1,564	\$ 1,775


**Note:** Espresso grinders available on pages 152-154.



Intertek

**COFFEE GRINDERS : FOOD SERVICE**  
**250 Series Coffee Grinders**



Model	<b>250</b> (250)		<b>250-3A</b> (250-3A)
<b>Description</b>	Single portion and (2) 5.5 lbs. hoppers		Three portions and (2) 5.5 lbs. hoppers
<b>Electrical</b>	115V / 0.92 kW / 9A / 1 Ph NEMA 5-15P line cord included.		115V / 0.92 kW / 9A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	28" x 8.5" x 15"		28" x 8.5" x 15"
<b>Ship Dimensions (H x W x D)</b>	32" x 10.75" x 19.5"		32" x 10.75" x 19.5"
<b>Ship Weight</b>	58 lbs.		60 lbs.
<b>List Price</b>	\$ 2,105		\$ 2,324





**Note:** Espresso grinders available on pages 152-154.



# COFFEE GRINDERS : FOOD SERVICE

## 250 Series Coffee Grinders



Model	<b>250RH-2</b> (250RH-2)	<b>250RH-3</b> (250RH-3)
<b>Description</b>	Dual portions and (2) 5.5 lbs. removable hoppers	Three portions and (2) 5.5 lbs. removable hoppers
<b>Electrical</b>	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included.  	115V / 0.92 kW / 8A / 1 Ph NEMA 5-15P line cord included.  
<b>Product Dimensions (H x W x D)</b>	28.5" x 9" x 16"	28.5" x 9" x 16"
<b>Ship Dimensions (H x W x D)</b>	32" x 10.75" x 19.5"	32" x 10.75" x 19.5"
<b>Ship Weight</b>	67 lbs.	67 lbs.
<b>List Price</b>	\$ 2,574	\$ 2,912

### Optional Replacement Hopper

Model	<b>82349</b>
<b>Description</b>	Replacement hopper for 250RH models
<b>Product Dimensions (H x W x D)</b>	11.75" x 4.25" x 18.75"
<b>Ship Dimensions (H x W x D)</b>	14.5" x 6.5" x 21"
<b>Ship Weight</b>	5 lbs.
<b>List Price</b>	\$ 217

**Note:** Espresso grinders available on pages 152-154.





## COFFEE GRINDERS : RETAIL

# 800 Series Coffee Grinders

### Compact and Powerful

Don't let their size fool you. The 800 series coffee grinders may seem unassuming with their space-saving size of only 7" - 8" wide. But these little guys use their fast grind speed and powerful, energy-efficient 0.5 hp motor to make quick work of coffee beans.




- Motor includes circuit breaker.
- Multiple grind particle profile selections.
- Ideal for low to medium volume specialty shops, grocery stores, doughnut shops, and c-stores.
- Precision burrs guaranteed to process 40,000 lbs. of coffee at medium grind.
- Exceptional warranty program: burrs - 4 years or 40,000 lbs. of coffee, all other components - 2 years.



**COFFEE GRINDERS : RETAIL**

**800 Series Coffee Grinders**



Model	<b>810S</b> (810-BS)	<b>835S</b> (835-BS)	<b>875S</b> (875-BS)
<b>Description</b>	Black with 1.5 lbs. hopper	Black with 1.5 lbs. hopper	Black with 3 lbs. hopper
<b>Electrical</b>	115V / 0.92 kW / 8A /  Ph NEMA 5-15P line cord included.	115V / 0.92 kW / 8A /  Ph NEMA 5-15P line cord included.	115V / 0.92 kW / 8A /  Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	22" x 7" x 14"	22" x 7" x 15"	28" x 7" x 15"
<b>Ship Dimensions (H x W x D)</b>	27.5" x 12.5" x 18.5"	27.5" x 12.5" x 18.5"	32" x 10.75" x 19.5"
<b>Ship Weight</b>	45 lbs.	43 lbs.	48 lbs.
<b>List Price</b>	\$ 1,688	\$ 1,798	\$ 1,856







**Note:** Espresso grinders available on pages 152-154.



# COFFEE GRINDERS : RETAIL

## 800 Series Coffee Grinders



Model	875S (875-RS)	890BS (890-BS)	890T (890-B-T)
<b>Description</b>	Red with 3 lbs. hopper	Black with European slicing burrs for precision grinding and 3 lbs. hopper	Black with European slicing burrs for precision grinding and 5 lbs. hopper. <i>Does not include base or tray. Must be bolted to counter.</i>
<b>Electrical</b>	115V / 0.92 kW / 8A / 1 Ph   NEMA 5-15P line cord included.	115V / 0.92 kW / 8A / 1 Ph   NEMA 5-15P line cord included.	115V / 0.92 kW / 8A / 1 Ph   NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	28" x 7" x 15"	28" x 7" x 15"	31.25" x 7.5" x 14"
<b>Ship Dimensions (H x W x D)</b>	32" x 10.75" x 19.5"	32" x 10.75" x 19.5"	35" x 11" x 19"
<b>Ship Weight</b>	48 lbs.	48 lbs.	49 lbs.
<b>List Price</b>	\$ 1,856	\$ 2,027	\$ 2,309

**Note:** Espresso grinders available on pages 152-154.



## COFFEE GRINDERS : DISPENSERS

# Ground Coffee Dispenser

Dispense perfect portions of ground coffee into your brew basket - every time! The Model A doesn't grind coffee, but provides carefully measured doses of ground coffee at the push of a button. Simplifies brewing, and guarantees consistency.

- No mess, waste, or bridging.
- Stainless steel construction.



<b>Model</b>	<b>Model A</b> (078650L)
<b>Description</b>	Dispenses directly into a brew basket up to 8.75" in diameter
<b>Portion Control Size</b>	1.5 - 3.25 ounces
<b>Product Dimensions (H x W x D)</b>	19.5" x 9.25" x 11.25"
<b>Ship Dimensions (H x W x D)</b>	19" x 14" x 16"
<b>Ship Weight</b>	13 lbs.
<b>List Price</b>	\$ 932



# WATER PURITY



# **Purity C500 Water Filter Starter Kit**

## **Start Here for Great Water**

The complete kit to test and produce clearer, cleaner, great tasting water. Begin with the included water hardness testing kit, and then set the adjustable bypass from 0 to 70% to produce exactly the water you need - minimizing scale, and retaining minerals that benefit taste.

### **Four-step filtration for clearer, cleaner, great tasting water:**

1. Prefiltration: Removes coarse particles.
  2. Temporary Hardness Reduction: A hydrogen ion exchanger reduces the temporary hardness content and prevents scale deposits.
  3. Activated Carbon Filtration: Improves taste and odor.
  4. Fine Filtration: Retains small particles.
- Reduces hardness, alkalinity, and TDS.
  - Prevents limescale deposits in equipment.
  - Removes particulates, along with metal ions, such as lead or copper.
  - Eliminates impurities like chlorine that affect the taste, aroma, and quality of water.
  - Decreases service and repair costs.
  - All of the water – including the bypass water – runs through an activated carbon filter, resulting in the removal of substances that have an adverse effect on the taste and aroma.
  - Decarbonation filter with weak acid cation (WAC) resins replace the hardness minerals (calcium and magnesium ions) with hydrogen ions for a saltless softening.
  - Easy-to-use Locking System - remove and replace the filter cartridge quickly and easily.
  - Chlorine reduction: minimum removal of 85.2%, average removal of 88.6%.
  - Operates in horizontal or vertical position.

# Purity C500 Water Filter Starter Kit



<b>Model</b>	<b>250-00011</b>
<b>Description</b>	Includes filter, water hardness test kit, and filter head with variable bypass adjustable to local water conditions.
<b>Capacity</b>	1,796 gallons at 40% bypass (10 gpg) 3,555 gallons at 70% bypass (4 gpg)
<b>Flow</b>	<b>Nominal Flow:</b> 26.4 gph <b>Rated Service Flow:</b> 0.44 gpm
<b>Plumbing</b>	3/8" 18 NPT connections. Maximum operating pressure of 8.6 bar/125 psi.
<b>Product Dimensions (H x W x D)</b>	<b>Filter head and cartridge:</b> 22" x 6" x 6"
<b>Ship Dimensions (H x W x D)</b>	27.5" x 7" x 7.25"
<b>Product Weight</b>	<b>Dry Weight:</b> 10.1 lbs. <b>Wet Weight:</b> 15.2 lbs.

### Optional Replacement Filter

<b>Model</b>	<b>250-00012</b>
<b>Description</b>	Replacement Filter Cartridge for Purity C500 water filter
<b>Product Dimensions (H x W x D)</b>	19" x 4.5" x 4.5"
<b>Ship Dimensions (H x W x D)</b>	6.5" x 6.5" x 23.25"
<b>Ship Weight</b>	10 lbs.
<b>List Price</b>	\$ 413

**Note:** Water operating temperature: 39.2° - 86°F. Room operating temperature: 39.2° - 104°F.



## **Space Saving Water Filter System**

### **Cover Your Basic Filtration at the Exact Point of Need**

Get the benefits of both water softener and dual-purpose carbon filter in this single-mounting system. Convenient and compact, the water softener reduces hardness, mineral build-up, and scale deposits that can damage your machine, while the dual-action carbon filter removes impurities such as fine sediment, dirt, rust, THMs, VOCs, and pesticides, and reduces impurities like chlorine that affect the taste, aroma, and quality of water.

- Mounted in series, for installations where space is limited.
- Pressure-relief button on the inlet side relieves housing pressure during cartridge changes.

#### **Water Softener Filter**

Designed to allow optimal contact between water and bed of FDA-grade softener resin, ensuring maximum ion exchange.

- Flow Rate: 0.5 gpm
- Temperature Rating: 40°F -100°F

#### **Dual-purpose Carbon Filter**

Extremely fine filter protects against impurities down to 5 microns nominal, which removes THMs, VOCs, and pesticides.

- Flow Rate: Maximum flow rate of 2,500 gallons @ 2.5 gpm
- Temperature Rating: 40°F - 125°F

Note: This filtration system cannot be used with twin 1.5 gallon coffee brewers.

# Space Saving Water Filter System



### Optional Replacement Cartridges

Model	60206	60253	60254
<b>Description</b>	<p><b>Filter System</b> Includes carbon filter cartridge, water softener cartridge, and (2) 10" low-profile polypropylene housings, plumbed together for easier installation. Mounted with white powder-coated carbon steel wall-mounting bracket. Maximum Pressure: 125 psi Maximum Operating Room Temperature: 100°F</p>	<p><b>Replacement Water Softener Cartridge</b> Design allows optimal contact between water and bed of FDA-grade softener resin, ensuring maximum ion exchange. Filter Media: Cation, sodium-form resin beads, 20 x 40 mesh, R-SO3-Na+ Capacity: 750 grains CaCO<sub>3</sub> Flow Rate: 0.5 gpm</p>	<p><b>Replacement Carbon Filter Cartridge</b> Cartridges of a carbon-impregnated cellulose media Protects against sediment down to 5 microns nominal Capacity: &gt;5,000 gallons Chlorine Taste &amp; Odor Reduction @ 1 gpm</p>
<b>Product Dimensions (H x W x D)</b>	14" x 10.5" x 5.25"	9.75" x 2.63" diameter	9.75" x 2.88" diameter
<b>Ship Dimensions (H x W x D)</b>	16.75" x 16.75" x 16.75"	11" x 3.25" x 3.25"	11" x 3.25" x 3.25"
<b>Ship Weight</b>	8 lbs.	1.5 lbs	0.42 lbs.
<b>List Price</b>	\$ 258	\$ 59	\$ 23



## WATER PURITY

# RC400 Water Filter System

## Water Filter System for RC400 Single Cup Brewers

### Water Softening and Scale Protection

Effectively filters dirt, extra-fine particles, and cloudiness, and reduces limescale, and chlorine taste and odor.

- Provides 5 Micron Water Filtration
- Treatment of hardness up to 6 Grains Per Gallon
- Flow Rate: 1.5 gpm
- Temperature Rating: 35°F -100°F
- Capacity: 3,000 gallons
- Working Pressure: 10 - 125 psi
- Great RO pre-filtration



<b>Model</b>	<b>250-00034</b>
<b>Description</b>	Water filter kit contains all needed hardware and filter for application to the RC400 Single Cup brewer
<b>Product Dimensions (H x W x D)</b>	12" x 4" x 4"
<b>Ship Dimensions (H x W x D)</b>	12" x 12" x 6"
<b>Ship Weight</b>	2 lbs.
<b>List Price</b>	\$ 273



# External Bottled Water Pump Kit

## Provides Water Wherever You Are!

For remote locations where a water supply is inaccessible, this portable and compact point-of-use pump dispenses purified water from five gallon bottles.

- Quick-connect ports allow assembly of system and connection in seconds.
- Built-in back-flow prevention.
- Long-life motor ensures years of reliable operation.
- Illuminated on/off switch provides clear visibility.
- Quiet operation with noise-dampening rubber feet.
- Thermal overload protection prevents overheating.
- Auto shut-off when the water source is depleted and restarts when water is restored.



<b>Model</b>	<b>63174</b>
<b>Description</b>	Includes main module with on/off rocker switch, single-inlet suction wand and hose assembly with universal seal cap, 20 feet of 0.25" discharge tubing, fittings kit, wall power transformer.
<b>Flow Rate</b>	0.5 gpm
<b>Plumbing</b>	0.25" flare outlet, 0.375" barbed inlet. Maximum pressure 40 psi.
<b>Electrical</b>	115V / 50/60 Hz / 1.2A NEMA 1-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	Control Box: 3" x 5.1" x 7.6" Suction Wand: 23" length (4" extends past the top of the bottle)
<b>Ship Dimensions (H x W x D)</b>	24" x 10.5" x 3.25"
<b>Product Weight</b>	4.5 lbs.
<b>Ship Weight</b>	6 lbs.
<b>List Price</b>	\$ 431







COFFEE GRIND &  
BREW SYSTEMS



# Single Hopper Grind'n Brew Coffee System

## Grinder and Brewer in One





This unique, space-saving design combines a precision coffee grinder and brewer into one machine in just over 9" of counter space, eliminating the need for separate machines.

- Digitally controlled with PrecisionBrew® Technology.
- Precise brew temperature - brewer will hold the brew temperature to +/- 1°F during the complete brew cycle.
- Single 5.5 lbs. bean hopper.
- Stainless steel brew basket.
- Bean usage counter - controller records volume of beans used from the hopper.



# Single Hopper Grind'n Brew Coffee System



<b>Model</b>	<b>GNB-11H</b> (72079)	<b>GNB-10H</b> (72078)
<b>Description</b>	Single decanter brewer with warmer	Single 2.2 L airpot brewer
<b>Electrical</b>	120V / 1.81 kW / 15A / 1 Ph NEMA 5-15P line cord included.  	120V / 1.71 kW / 15A / 1 Ph NEMA 5-15P line cord included.  
<b>Product Dimensions (H x W x D)</b>	31" x 9.25" x 24.25"	26.25" x 9.25" x 24.25"
<b>Ship Dimensions (H x W x D)</b>	33" x 16" x 30"	33" x 16" x 30"
<b>Ship Weight</b>	90 lbs.	90 lbs.
<b>List Price</b>	\$ 4,200	\$ 4,082

**Note:** Airpots and decanters sold separately, see pages 65-68. Accessories available on pages 69-72.

**Note:** Order A06513-04 filters. See page 72.





# Dual Hopper Grind'n Brew Coffee System

## Fresh Ground & Fresh Brewed Coffee With One Machine

In just a little over 9" of counter space, the Dual Hopper Grind'n Brew gives you a consistent, accurate coffee grinder, an advanced brewer, and your choice of brews with dual coffee bean hoppers. All in one push-button easy machine.





- Digitally controlled with PrecisionBrew® Technology.
- Precise brew temperature - brewer will hold the brew temperature to +/- 1° F during the complete brew cycle.
- (2) bean hoppers, 6.5 lbs. each.
- Stainless steel brew basket.
- Bean usage counter - controller records volume of beans used from the hopper.



COFFEE GRIND AND BREW SYSTEMS

# Dual Hopper Grind'n Brew Coffee System



Model	GNB-21H (72077)	GNB-20H (72076)
Description	Single decanter brewer with warmer	Single 2.2 L airpot brewer
Electrical	120V / 1.81 kW / 15A / 1 Ph NEMA 5-15P line cord included.  	120V / 1.71 kW / 15A / 1 Ph NEMA 5-15P line cord included.  
Product Dimensions (H x W x D)	32.75" x 9.5" x 24.25"	37" x 9.5" x 24.25"
Ship Dimensions (H x W x D)	39" x 16" x 30"	39" x 16" x 30"
Ship Weight	90 lbs.	90 lbs.
<b>List Price</b>	\$ 5,002	\$ 4,867

**Note:** Airpots and decanters sold separately, see pages 65-68. Accessories available on pages 69-72.

**Note:** Order A06513-04 filters. See page 72.



# COFFEE BREWERS





I REALLY  
LIKE  
MY  
Coffee

Trudeau



# COFFEE BREWERS : SINGLE SERVE COFFEE BREWERS

## RC400 Single Serve Coffee Brewers

### Authentic Flavors of the World, One Cup at a Time

Brew great tasting single serve beverages with the stylish, powerful, and easy-to-use RC400. Compatible for use with any single-serve capsule, including RealCup™ and K-Cup®. Pulse brew and pre-infusion are optimized for coffee, tea, and cocoa, and the patent-pending brew chamber ensures even water distribution for full flavor every time.


- Plumbed in and pour-over capable right out of the box.
- 72 oz. cold water reservoir.
- Large touchscreen and easy-to-use one-touch controls.
- Digital control makes selection of beverage type and size simple.
- Faster brew with no lag time.
- More operator settings, including resettable brew count and customizable default options.
- Six brew size options from 4 oz to 16 oz. provide user with the selection of their choice.
- Adjustable platform for oversized travel mugs.
- Patented brew chamber ensures even water distribution for full flavor every time.
- Energy save mode engages at a programmed time of day, or when brewer has been inactive.
- Added safety with locking brew chamber.
- Commercial grade parts ensure a long life in heavy-usage locations.
- Repairable machine with available replacement parts.

Visit [www.RC400Brewer.com](http://www.RC400Brewer.com) for more information.



**COFFEE BREWERS : SINGLE SERVE COFFEE BREWERS**  
**RC400 Single Serve Coffee Brewers**




<b>Model</b>	<b>RC400</b> (0001-10000)
<b>Beverage Size Options*</b>	4 oz., 6 oz., 8 oz., 10 oz., 12 oz., and 16 oz.
<b>Plumbing</b>	Water pressure from 10-100 psi required.
<b>Electrical</b>	120V / 1.55 kW / 13A / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	15.75" x 10.75" x 14.75"
<b>Ship Dimensions (H x W x D)</b>	20" x 15" x 19"
<b>Ship Weight</b>	19 lbs.
<b>List Price</b>	\$ 1,300

\*Actual dispensed volume is approximately 10% less to allow for addition of milk, cream, or sweetener if desired.

**Note:** RealCup™ brand has no affiliation with K-Cup® or Keurig Inc. Keurig® and K-Cup® are registered trademarks of Keurig, Inc.

**Optional Water Filter for RC400**

<b>Model</b>	<b>250-00034</b>
<b>Description</b>	Water filter kit contains all needed hardware and filter for application to the RC400 Single Cup brewer
<b>Ship Dimensions (H x W x D)</b>	12" x 12" x 6"
<b>Ship Weight</b>	2 lbs.
<b>List Price</b>	\$ 273



## Portable Pourover Coffee Brewers

### **Perfect Coffee. Will Travel.**

This just may be the brewer you are looking for. Adaptable. Flexible. Solid and Dependable.

Meet the Portable Pourover Family of Coffee Brewers. Stand-alone, temperature-controlled powerhouses that brew directly into decanters or airpots. Most models have additional warmers built-in, so you can keep extra decanters of coffee ready to be served.

- Completely portable unit.
- Convenient, easy operation for consistent, high-quality coffee.
- Just plug it in and go! Requires no plumbing.
- Simply pour in the water for a fresh, delicious pot of coffee.
- All stainless steel construction.
- 1.2 gallon tank capacity.






Visit [www.PouroverBrewers.com](http://www.PouroverBrewers.com) for more information.



**COFFEE BREWERS : POUROVER COFFEE BREWERS**

**Portable Pourover Coffee Brewers**



Model	<b>CPO-1P-15A</b> (0002-10001)	<b>CPO-2P-15A</b> (0002-20001)	<b>CPO-3P-15A</b> (0002-30001)
<b>Description</b>	Warmers: 1 bottom <b>NSF Sanitation,</b> <b>cNSFus Electrical</b> <b>Certification</b>	Warmers: 2 total: 1 top and 1 bottom <b>NSF Sanitation,</b> <b>NSF Electrical Certification</b>	Warmers: 3 total: 2 top and 1 bottom <b>NSF Sanitation,</b> <b>NSF Electrical Certification</b>
<b>Electrical</b>	120V / 15A / 1.5 kW / 1 Ph NEMA 5-15P line cord included. 	120V / 15A / 1.6 kW / 1 Ph NEMA 5-15P line cord included. 	120V / 15A / 1.7 kW / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	17.5" x 8.25" x 17.75"	18.5" x 8.25" x 17.75"	18.5" x 8.25" x 17.75"
<b>Ship Dimensions (H x W x D)</b>	23" x 12.5" x 24"	23" x 12.5" x 24"	23" x 12.5" x 24"
<b>Ship Weight</b>	26 lbs.	26 lbs	26 lbs.
<b>List Price</b>	\$ 459	\$ 487	\$ 541

**Note:** Airpots and decanters sold separately, see pages 65-68. Accessories available on pages 69-72.





**Note:** Order A06513-04 filters. See page 72.



# COFFEE BREWERS : POUROVER COFFEE BREWERS

## Portable Pourover Coffee Brewers



Model	CPO-3RP-15A (0002-30005)	CPO-SAPP (0002-00003)
<b>Description</b>	Warmers: 3 total: 1 right top, 1 bottom, 1 right bottom <b>NSF Sanitation, NSF Electrical Certification</b>	No Warmers: Brews directly into airpot <b>NSF Sanitation, cNSFus Electrical Certification</b>
<b>Electrical</b>	120V / 15A / 1.7 kW / 1 Ph NEMA 5-15P line cord included.  	120V / 15A / 1.4 kW / 1 Ph NEMA 5-15P line cord included.  
<b>Product Dimensions (H x W x D)</b>	17.5" x 16.5" x 17.75"	25" x 8.25" x 17.75"
<b>Ship Dimensions (H x W x D)</b>	23" x 20.5" x 24"	30.5" x 12.5" x 24"
<b>Ship Weight</b>	35 lbs.	28 lbs.
<b>List Price</b>	\$ 610	\$ 590

**Note:** Airpots and decanters sold separately, see pages 65-68. Accessories available on pages 69-72.  
**Note:** Order A06513-04 filters. See page 72.



**GRINDMASTER**



# COFFEE BREWERS : DIGITAL AIRPOT COFFEE BREWERS

## PrecisionBrew® Digital Airpot Brewers

### Lasting Warmth

Digitally controlled with PrecisionBrew® Technology. The brewer holds the brew temperature to +/- 1° F during the complete brew cycle.

- Brews into airpots (sold separately).
- Airpots hold freshly brewed coffee for hours without additional heat.
- Pourover capability – automatically converts to pourover mode when the control system does not sense water.
- Low temp/no brew allows the brew cycle to begin only when the water has reached the optimum brew temperature.
- Energy-saving ‘sleep mode’ feature.
- Dual voltage – brewers are field convertible from 120V to 120/208V and 120/240V.
- Pulse brewing / pre-infusion allows the brew sequence to extract up to 20% more dissolved solids per batch of coffee.
- Programmable features include number of pulses, pulse-on time, and pulse-off time.
- Changing the pulse sequence does not affect the brew volume.

<b>Model</b>	<b>B-SAP</b> (AB-SAP)
<b>Description</b>	Single, digitally-controlled 2.2 L airpot brewer
<b>Plumbing</b>	0.25" flare water line at 30-80 psi required
<b>Electrical</b>	120V / 1.8 kW / 60Hz / 1 Ph 120/240V / 3.5 kW / 60Hz / 1 Ph 120/208V / 2.6 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	25.25" x 8.25" x 17.75"
<b>Ship Dimensions (H x W x D)</b>	30" x 13" x 27"
<b>Ship Weight</b>	35 lbs.
<b>List Price</b>	\$ 1,211



**Note:** Airpots sold separately, see pages 66-68. Accessories available on





# COFFEE BREWERS : DIGITAL DECANTER COFFEE BREWERS

## PrecisionBrew® Digital Decanter Brewers

### Exact Temperature

Digitally controlled with PrecisionBrew® Technology. The brewer holds the brew temperature to +/- 1° F during the complete brew cycle.




- Brews into decanters (sold separately).
- Pourover capability – automatically converts to pourover mode when the control system does not sense water.
- Low temp/no brew allows the brew cycle to begin only when the water has reached the optimum brew temperature.
- Energy-saving 'sleep mode' feature.
- Dual voltage – brewers are field convertible from 120V to 120/208V and 120/240V.
- Stainless steel brew basket.



**COFFEE BREWERS : DIGITAL DECANTER COFFEE BREWERS**

**PrecisionBrew® Digital Decanter Brewers**



Model	<b>B-3</b> (AB-3)	<b>B-3WL</b> (AB-3WL)	<b>B-3WR</b> (AB-3WR)
<b>Description</b>	Warmers: 1 bottom, 2 top <b>UL Certification</b>	Warmers: 1 bottom, 2 on the left side	Warmers: 1 bottom, 2 on the right side
<b>Electrical</b>	120V / 1.8 kW / 60Hz / 1 Ph 120/240V / 3.8 kW / 60Hz / 1 Ph  120/208V / 2.9 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 60Hz / 1 Ph  120/240V / 3.8 kW / 60Hz / 1 Ph 120/208V / 2.9 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 60Hz / 1 Ph  120/240V / 3.8 kW / 60Hz / 1 Ph 120/208V / 2.9 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	19.25" x 8.25" x 17.75"	17.75" x 16.25" x 17.75"	17.75" x 16.25" x 17.75"
<b>Ship Dimensions (H x W x D)</b>	22" x 13" x 24"	22" x 21" x 24"	22" x 21" x 24"
<b>Ship Weight</b>	34 lbs.	39 lbs.	39 lbs.
<b>List Price</b>	\$ 1,280	\$ 1,418	\$ 1,418

**Note:** Decanters sold separately, see pages 65. Accessories available on pages 66-72.

**Note:** Order A06513-04 filters. See page 72.



# COFFEE BREWERS : THERMAL GRAVITY POT COFFEE BREWERS

## PrecisionBrew® Thermal Gravity Container Brewers

### Vacuum Fresh

Digitally controlled with PrecisionBrew® Technology. The brewer holds the brew temperature to +/- 1° F during the complete brew cycle.

- Brews into 2.5 L vacuum-insulated gravity containers (sold separately).
- Energy-saving 'sleep mode' feature.
- Low Temp/No Brew setting allows the brew cycle to begin only when the water has reached the optimum brew temperature.
- Pulse brewing / pre-infusion allows the brew sequence to extract up to 20% more dissolved solids per batch of coffee.
- Programmable number of pulses, pulse-on time, and pulse-off time.
- Changing the pulse sequence does not affect the brew volume.
- Stainless steel brew basket.



**COFFEE BREWERS : THERMAL GRAVITY POT COFFEE BREWERS**

**PrecisionBrew® Thermal Gravity Container Brewers**



<b>Model</b>	<b>B-SGP</b> (AB-SGP)
<b>Description</b>	Single, digitally controlled brewer.
<b>Plumbing</b>	0.25" flare water line at 30-80 psi required
<b>Electrical</b>	120V / 1.8 kW / 60Hz / 1 Ph 120/240V / 3.5 kW / 60Hz / 1 Ph 120/208V / 2.6 kW / 60Hz / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	29" x 8.25" x 18.75"
<b>Ship Dimensions (H x W x D)</b>	32" x 13" x 27"
<b>Ship Weight</b>	35 lbs.
<b>List Price</b>	\$ 1,418



**Optional Gravity Containers**

<b>Model</b>	<b>AGP-2.5</b> (AGP-2.5)
<b>Description</b>	2.5 L vacuum-insulated gravity container for use with B-SGP. Portable and holds fresh coffee for hours without additional heat.
<b>Product Dimensions (H x W x D)</b>	17.5" x 8" x 9"
<b>Ship Dimensions (H x W x D)</b>	17.5" x 8.5" x 9"
<b>Ship Weight</b>	5 lbs.
<b>List Price</b>	\$ 156



**Note:** Order A06513-04 filters. See page 72.







GRINDMASTER

Grindmaster

Grindmaster



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

## PrecisionBrew® Coffee Solutions

### **Not a refinement. A revolution.**

Meet the next generation of PrecisionBrew Shuttle coffee brewers. Evolved, modern design, innovative new features, advanced touchscreen digital interface, and the latest sensor technology provide simplified and streamlined brewing, and delicious beverages. 8 different models available to accommodate any coffee program. PrecisionBrew is the brewer you want it to be.



Visit [www.PrecisionBrew.com](http://www.PrecisionBrew.com) for more information.



# PrecisionBrew® Coffee Solutions





# COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

## PrecisionBrew® Coffee Solutions

### **A** Touchscreen Digital Interface

The PrecisionBrew family of coffee brewers are all equipped with advanced touchscreen digital interfaces - 7" color displays with intuitive, icon-driven menus for brewing and operation. Multiple recipe selections, interactive diagnostics, programmed brewing, and attractive, eye-catching merchandising for your machine are all available through the straightforward, easy-to-understand interfaces, keeping the whole process smooth and easy.

### **B** Encapsulair™

The First-in-Industry technology Encapsulair found in the PrecisionBrew Air-heated models, uses the insulating power of air between its internal chambers to surround and protect your brewed coffee. The Encapsulair Shuttle maintains your coffee's temperature and flavor, giving you consistent quality and satisfied customers while reducing wasted beverages.

### **C** Java-tate™

The Java-tate feature gently stirs the coffee at regular, short intervals to keep undissolved particles in suspension, ensuring a consistent flavor profile from the first cup to the very last. Customers can see the blending through the clear sight glass on the front of the machine. Only available in Encapsulair shuttles.

### **D** Virtual Sight Glass

The backlit, internal sight glass in the Encapsulair shuttle provides an LED readiness and freshness indicator for the brew. The color changing light lets you know at a glance when the brew is complete, and when it is time to make more coffee. Plus, the internal placement of the sight glass means no cold-slugging of coffee, and no sight glass to clean!

## PrecisionBrew® Coffee Solutions



### Shuttle Sensors

Everything about the PrecisionBrew has been optimized to ensure health, safety, and easy operations. The sensor system will not allow brewing if the shuttle is not present or misaligned. Safety first!



### Update via USB Drive

Every PrecisionBrew model is programmable locally on the machine, and updates can be made via USB. Eliminates the need to manually key in changes to every machine at every location requires less time in product start-up, travel, and management. Pre-programmed machines can also be transferred to different locations, ensuring a consistent process of brewing.

COFFEE BREWERS : SHUTTLE® COFFEE BREWERS

# PrecisionBrew® Coffee Solutions





GRINDMASTER

Grindmaster

Grindmaster



COFFEE BREWERS : SHUTTLE® COFFEE BREWERS  
**PrecisionBrew® Air-Heated Shuttle® Brewers**

## Maintain Delicious Flavor

Single and twin digital virtual sight glass models brew into 1.5 gallon air-heated Shuttle(s).

- Portable Encapsulair Shuttles insulate with air between the internal chambers, maintaining coffee temperature and flavor.
- Java-tate technology inside the shuttles gently stirs the brewed coffee at regular, short intervals, to keep undissolved particles in suspension, ensuring a consistent flavor profile from the first cup to the very last.
- The backlit, internal sight glass in the Encapsulair shuttle provides an LED readiness and freshness indicator for the brew. The color changing light lets you know at a glance when the brew is complete, and when it is time to make more coffee.
- The internal placement of the sight glass means no cold-slugging of coffee, and no sight glass to clean!
- Advanced touchscreen digital interface simplifies and streamlines brewing and operation.
- Shuttle safety sensors prevent brewing when server is not in place.
- Standard electronic basket lock prevents basket removal during brewing and



# PrecisionBrew® Air-Heated Shuttle® Brewers



Model	PBC-1A (1004-001)	PBC-2A (1004-003)
<b>Description</b>	Single digitally controlled brewer with virtual sight glass	Twin digitally controlled brewer with virtual sight glass
<b>Brew Volumes</b>	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
<b>Plumbing</b>	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required.
<b>Electrical</b>	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
<b>Product Dimensions (H x W x D)</b>	30.13" x 9.13" x 18.88"	30.13" x 18.13" x 18.88"
<b>Ship Dimensions (H x W x D)</b>	30.88" x 14.13" x 25.75"	30.88" x 23.13" x 25.75"
<b>Ship Weight</b>	50 lbs.	80 lbs.
<b>List Price</b>	\$ 2,724	\$ 3,366

**Note:** Air-Heated Shuttles sold separately. See page 61.

**Note:** Shuttle graphics shown are not included. See page 63.

**Note:** Order ABB2.0WP filters. Accessories available separately. See pages 62 - 63.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

COFFEE BREWERS : SHUTTLE® COFFEE BREWERS  
**PrecisionBrew® Warmer Shuttle® Brewers**

## Reimagined Brewing

Single and twin digital models brew into 1.5 gallon warmer Shuttle(s).

- Digitally controlled with PrecisionBrew Technology.
- Advanced touchscreen digital interface simplifies and streamlines brewing and operation.
- Troubleshoot with interactive diagnostics through touch display.
- Minimal training with icon-driven programming.
- Shuttle safety sensors prevent brewing when server is not in place.
- Standard electronic basket lock prevents basket removal during brewing and dripout.
- 3.2 gallon heating tank per brew head.
- (3) independent brew volumes of 0.5, 1.0, 1.5 gallons let you be prepared for a busy morning rush and eliminate waste during slower sales periods.
- With the twin model, you can brew two different beverages in side-by-side dispensers and



**COFFEE BREWERS : SHUTTLE® COFFEE BREWERS**

**PrecisionBrew® Warmer Shuttle® Brewers**



Model	<b>PBC-1W</b> (1004-002)	<b>PBC-2W</b> (1004-004)
<b>Description</b>	Single digitally controlled warmer shuttle brewer	Twin digitally controlled warmer shuttle brewer
<b>Brew Volumes</b>	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
<b>Plumbing</b>	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required
<b>Electrical</b>	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
<b>Product Dimensions (H x W x D)</b>	30.13" x 9.13" x 18.88"	30.13" x 18.13" x 18.88"
<b>Ship Dimensions (H x W x D)</b>	30.88" x 14.13" x 25.75"	30.88" x 23.13" x 25.75"
<b>Ship Weight</b>	50 lbs.	80 lbs.
<b>List Price</b>	\$ 3,445	\$ 4,818

**Note:** Warmer Shuttles sold separately. See page 61.

**Note:** Shuttle graphics shown are not included. See page 63.

**Note:** Order ABB2.0WP filters. Accessories available separately. See pages 62 - 63.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.



**COFFEE BREWERS : SHUTTLE® COFFEE BREWERS**  
**PrecisionBrew® Vacuum Shuttle® Brewers**

**The Choice is Yours**

Single and twin models brew into 1.5 gallon vacuum Shuttle(s).

- Available with or without stand.
- Digitally controlled with PrecisionBrew Technology.
- Advanced touchscreen digital interface simplifies and streamlines brewing and operation.
- Troubleshoot with interactive diagnostics through touch display.
- Minimal training with icon-driven programming.
- (3) independent brew volumes of 0.5, 1.0, 1.5 gallons let you be prepared for a busy morning rush and eliminate waste during slower sales periods.
- With the twin model, you can brew two different beverages in side-by-side dispensers and expand your beverage offerings.
- Shuttle safety sensors prevent brewing when server is not in place.
- Standard electronic basket lock prevents basket removal during brewing and dripout.
- 3.2 gallon heating tank per brew head.



# PrecisionBrew® Vacuum Shuttle® Brewers



Model	<b>PBC-1V</b> (1004-005)	<b>PBC-2V</b> (1004-006)
<b>Description</b>	Single digitally controlled brewer for use with vacuum shuttle without stand	Twin digitally controlled brewer for use with vacuum shuttle without stands
<b>Brew Volumes</b>	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
<b>Plumbing</b>	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required
<b>Electrical</b>	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
<b>Product Dimensions (H x W x D)</b>	33.56" x 9.13" x 19.13"	33.56" x 18.13" x 19.13"
<b>Ship Dimensions (H x W x D)</b>	34.88" x 14.13" x 25.75"	34.88" x 23.13" x 25.75"
<b>Ship Weight</b>	55 lbs.	85 lbs.
<b>List Price</b>	\$ 2,711	\$ 3,187

**Note:** Vacuum Shuttles sold separately. See page 61.

**Note:** Shuttle graphics shown are not included. See page 63.

**Note:** Order ABB2.0WP filters. Accessories available separately. See page 63.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

**COFFEE BREWERS : SHUTTLE® COFFEE BREWERS**  
**PrecisionBrew® Vacuum Shuttle® Brewers**



<b>Model</b>	<b>PBC-1VS</b> (1004-007)	<b>PBC-2VS</b> (1004-008)
<b>Description</b>	Single digitally controlled brewer for use with vacuum shuttle with stand	Twin digitally controlled brewer for use with vacuum shuttle with stands
<b>Brew Volumes</b>	0.5 gal, 1.0 gal, 1.5 gal	0.5 gal, 1.0 gal, 1.5 gal
<b>Plumbing</b>	0.25" flare water line at 30-80 psi required	0.25" flare water line at 30-80 psi required
<b>Electrical</b>	240V / 7.0 kW / 60Hz / 1 Ph	240V / 7.0 kW / 60Hz / 1 Ph
<b>Product Dimensions (H x W x D)</b>	35" x 12.3" x 19.13"	35" x 21.75" x 19.13"
<b>Ship Dimensions (H x W x D)</b>	35.88" x 17.13" x 25.75"	35.88" x 26.13" x 25.75"
<b>Ship Weight</b>	60 lbs.	90 lbs.
<b>List Price</b>	\$ 3,364	\$ 4,424

**Note:** Vacuum Shuttles sold separately. See page 61.

**Note:** Shuttle graphics shown are not included. See page 63.

**Note:** Order ABB2.0WP filters. Accessories available separately. See page 63.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.



**PrecisionBrew® Shuttles**





Model	AS15 (2503-006)	VS15 (2503-002)	V15 (2503-001)	WS15 (2503-007)
<b>Description</b>	Air-heated Shuttle 1.5 gal.	Vacuum Shuttle With Stand 1.5 gal.	Vacuum Shuttle Without Stand 1.5 gal.	Warmer Shuttle 1.5 gal.
<b>Product Dimensions (H x W x D)</b>	12" x 9" x 14.38"	24.38" x 8" x 12.81"	15.88" x 8" x 12.75"	12" x 9" x 14.38"
<b>Ship Dimensions (H x W x D)</b>	14.5" x 12.5" x 17.5"	27" x 16.5" x 11"	27" x 16.5" x 11"	14.5" x 12.5" x 17.5"
<b>Ship Weight</b>	8 lbs.	15 lbs.	12 lbs.	8 lbs.
<b>List Price</b>	\$ 855	\$ 652	\$ 529	\$ 313



# PrecisionBrew® Shuttle Stands



Model	<b>RAS1</b> (1502-004)	<b>RWS1</b> (1503-004)
<b>Description</b>	Air-heated Shuttle Stand	Warmer Shuttle Stand
<b>Electrical</b>	120V / 0.13 kW / 60Hz / 1 Ph NEMA 5-15P line cord included. 	120V / 0.11 kW / 60Hz / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	18" x 9.13" x 13"	7.5" x 9.13" x 9.25"
<b>Ship Dimensions (H x W x D)</b>	18.63" x 13.25" x 16.75"	7.63" x 13.25" x 13.25"
<b>Ship Weight</b>	13 lbs.	10 lbs.
<b>List Price</b>	\$ 695	\$ 252



**COFFEE BREWERS : SHUTTLE® COFFEE BREWERS**  
**PrecisionBrew® Graphics and Accessories**



**Optional Shuttle Graphics**

<b>Model</b>	<b>380-00335</b>	<b>380-00439</b>	<b>380-00336</b>
<b>Description</b>	Air-heated Shuttle Graphics	Vacuum Shuttle Graphics	Warmer Shuttle Graphics
<b>List Price</b>	\$ 40	\$ 54	\$ 40

**Brew Baskets and Filters**



<b>Model</b>	<b>230-00173</b>	<b>230-00199</b>	<b>ABB2.0WP</b>
<b>Description</b>	Stainless Steel Brew Basket	Plastic Brew Basket	14" bottom, 6" sidewall filter paper, 500 per box
<b>List Price</b>	\$ 119	\$ 44	\$ 77







# Coffee Decanters

## Industry Standard

Glass decanters for regular or decaf coffee.


- Provides 10-12 cup capacities.
- Thumb rest on handle ensures greater control and easy pouring.
- Contoured bottle design allows for comfortable fit on warmer plates.



Model	98005	98000	98006	98001
<b>Description</b>	3-pack glass decanters with black handle	24-pack glass decanters with black handle	3-pack glass decanters with orange handle	24-pack glass decanters with orange handle
<b>Product Dimensions (H x W x D)</b>	7" x 6" each	7" x 6" each	7" x 6" each	7" x 6" each
<b>Ship Dimensions (H x W x D)</b>	8" x 7" x 19.5"	14.75" x 28" x 20.5"	8" x 7" x 19.5"	14.75" x 28" x 20.5"
<b>Ship Weight</b>	4 lbs.	23 lbs.	4 lbs.	23 lbs.
<b>List Price</b>	\$ 33	\$ 216	\$ 33	\$ 216

## Optional Decanter Rack

<b>Model</b>	<b>DR-2SU</b> (ADR-2SU)
<b>Description</b>	Black, powder-coated decanter rack, holds 2 decanters, step-up
<b>Product Dimensions (H x W x D)</b>	7.5" x 7.75" x 12.25"
<b>Ship Dimensions (H x W x D)</b>	8" x 8.5" x 14"
<b>Ship Weight</b>	5 lbs.
<b>List Price</b>	\$ 67



**COFFEE BREWERS : ACCESSORIES**

**Coffee Airpots**

**Glass-lined,  
Push-top Dispense**



Model	<b>AP-3</b> (AAP-3)	<b>70768-C</b>
<b>Description</b>	Single (1) 3.0 L airpot	Case of (6) 2.2 L airpots
<b>Product Dimensions (H x W x D)</b>	14.5" x 7.25" x 7.25"	case of six, each 14.5" x 7.25" x 7.25"
<b>Ship Dimensions (H x W x D)</b>	17" x 15" x 11"	18" x 14" x 20"
<b>Ship Weight</b>	4 lbs.	26 lbs.
<b>List Price</b>	\$ 107	\$ 444



**Flavor Tags,  
Glass-lined,  
Lever-top Dispense**



Model	<b>ENALG22S</b> (2502-000)	<b>ENALG22S</b> (7000-10000)	<b>ENALG25S</b> (2502-002)	<b>ENALG25S</b> (7000-10002)
<b>Description</b>	Single (1) 2.2 L airpot	Case of (6) 2.2 L airpots	Single (1) 2.5 L airpot	Case of (6) 2.5 L airpots
<b>Product Dimensions (H x W x D)</b>	15.5" x 6.25" x 8.5"	case of six, each 15.5" x 6.25" x 8.5"	14" x 5.5" x 5.5"	case of six, each 14" x 5.5" x 5.5"
<b>Ship Dimensions (H x W x D)</b>	15.5" x 8.75" x 6.5"	17.5" x 15.25" x 22.75"	17" x 8.75" x 6.5"	16.5" x 15.5" x 23"
<b>Ship Weight</b>	4.8 lbs.	28 lbs.	5.1 lbs.	30 lbs.
<b>List Price</b>	\$ 79	\$ 470	\$ 89	\$ 520

**Note:** Airpots sold in cases of six are individually boxed.



# Coffee Airpots

ENAL- Models include colored flavor tags to indicate contents.



Brown for regular coffee.



Orange for decaf.



Green for tea or hot water.

**Flavor Tags,  
Glass-lined,  
Lever-top Dispense**



Model	ENALG30S (2502-004)	ENALG30S (7000-20001)
Description	Single (1) 3.0 L airpot	Case of (6) 3.0 L airpots
Product Dimensions (H x W x D)	16.5" x 7" x 7"	case of six, each 16.5" x 7" x 7"
Ship Dimensions (H x W x D)	18" x 8.75" x 8.75"	18.5" x 15.5" x 23"
Ship Weight	5.3 lbs.	32 lbs.
List Price	\$ 102	\$ 590

**Note:** Airpots sold in cases of six are individually boxed.



**COFFEE BREWERS : ACCESSORIES**

# Coffee Airpots

Flavor Tags,  
Stainless Steel-lined,  
Lever-top Dispense



Model	ENALS22S (2502-001)	ENALS22S (7000-10001)
Description	Single (1) 2.2 L airpot	Case of (6) 2.2 L airpots
Product Dimensions (H x W x D)	15.5" x 6" x 6"	case of six, each 15.5" x 6" x 6"
Ship Dimensions (H x W x D)	15.5" x 8.75" x 6.5"	17.5" x 15.25" x 22.75"
Ship Weight	4.8 lbs.	29 lbs.
List Price	\$ 126	\$ 743



Flavor Tags,  
Stainless Steel-lined,  
Lever-top Dispense



Model	ENALS25S (2502-003)	ENALS25S (7000-20000)	ENALS30S (2502-005)	ENALS30S (7000-20002)
Description	Single (1) 2.5 L airpot	Case of (6) 2.5 L airpots	Single (1) 3.0 L airpot	Case of (6) 3.0 L airpots
Product Dimensions (H x W x D)	14" x 5.5" x 5.5"	case of six, each 14" x 5.5" x 5.5"	16.5" x 7" x 7"	case of six, each 16.5" x 7" x 7"
Ship Dimensions (H x W x D)	17" x 8.75" x 6.5"	20" x 15.25" x 23"	18" x 8.75" x 8.75"	18" x 15" x 23"
Ship Weight	5.1 lbs	30 lbs.	5.3 lbs.	33 lbs.
List Price	\$ 136	\$ 787	\$ 147	\$ 863

**Note:** Airpots sold in case of six are individually boxed.





# Coffee Warmers

## Coffee Ready and Waiting

Expand your brewing center by combining multiple warmers with your brewers.

- Attractive appearance complements any decor.
- Space saving designs.
- Stainless steel construction with black warmer plates.



Model	BW-2 (ABW-2)	BW-2SU (ABW-2SU)
<b>Description</b>	(2) side-by-side warmers	(2) warmers, step-up
<b>Electrical</b>	120V / 0.2 kW / 1.7A / 1 Ph NEMA 5-15P line cord included. 	120V / 0.2 kW / 1.7A / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	3.5" x 14" x 7.25"	5.5" x 7" x 14"
<b>Ship Dimensions (H x W x D)</b>	4" x 15" x 9"	6.5" x 10" x 16"
<b>Ship Weight</b>	6 lbs	5 lbs.
<b>List Price</b>	\$ 112	\$ 147



**COFFEE BREWERS : ACCESSORIES**

# Coffee Airpot Racks and Systems

**Condiment Holders**

<b>Model</b>	<b>70583</b>
<b>Description</b>	Holds 2 cream or sugar canisters or multiple packets in rear compartment
<b>Product Dimensions (H x W x D)</b>	7" x 7" x 11"
<b>Ship Dimensions (H x W x D)</b>	12" x 12" x 6"
<b>Ship Weight</b>	1 lbs.
<b>List Price</b>	\$ 75




Model	70620	70759	70577	70571
<b>Description</b>	2 airpot rack only (2 inline)	2 airpot rack with 2 lever-top airpots (2 inline, black)	2 airpot rack only (2 airpots side-by-side)	3 airpot rack only (3 airpots side-by-side)
<b>Product Dimensions (H x W x D)</b>	16" x 7.25" x 21"	23" x 7.25" x 21.5"	9" x 14" x 12"	9" x 21.5" x 11.25"
<b>Ship Dimensions (H x W x D)</b>	17" x 8" x 23"	19" x 9" x 37"	10" x 14.5" x 12.25"	10" x 21.5" x 12.5"
<b>Ship Weight</b>	7 lbs.	20 lbs.	6 lbs.	8 lbs.
<b>List Price</b>	\$ 128	\$ 306	\$ 128	\$ 130

**COFFEE BREWERS : ACCESSORIES**  
**Coffee Airpot Racks and Systems**



<b>Model</b>	<b>70659</b>	<b>70651</b>
<b>Description</b>	2 airpot rack with 2 lever-top pots (2 side-by-side)	3 airpot rack with 3 lever-top pots (3 side-by-side)
<b>Product Dimensions (H x W x D)</b>	16.25" x 14.5" x 12"	16" x 21.5" x 11.25"
<b>Ship Dimensions (H x W x D)</b>	25.25" x 12.75" x 18.75"	17.5" x 23" x 23"
<b>Ship Weight</b>	16 lbs.	27 lbs.
<b>List Price</b>	\$ 302	\$ 437



<b>Model</b>	<b>70576</b>	<b>70575</b>	<b>70758</b>	<b>70757</b>
<b>Description</b>	Rack only: Riser for 2 airpots.	Rack only: Riser for 3 airpots.	4 airpot rack with 4 lever-top pots. Racks are 2 airpots wide with a riser for 2 airpots.	6 airpot rack with 6 lever-top pots. Racks are 3 airpots wide with a riser for 3 airpots.
<b>Product Dimensions (H x W x D)</b>	11.5" x 10.75" x 10.25"	10" x 19" x 10.75"	15.5" x 27" x 12"	15.5" x 41" x 11.75"
<b>Ship Dimensions (H x W x D)</b>	12.5" x 14.75" x 10"	7" x 19" x 12"	32" x 16" x 24"	39" x 16" x 30"
<b>Ship Weight</b>	4 lbs.	5 lbs.	35 lbs.	48 lbs.
<b>List Price</b>	\$ 70	\$ 81	\$ 558	\$ 664

**COFFEE BREWERS : ACCESSORIES**

**Coffee Brew Baskets and Filters**

**Brew Baskets**



Model	71952	71619	A71431
Description	Plastic brew basket	Stainless steel brew basket	Stainless steel gourmet brew basket
For Use With	Pourover brewers	Decanter, Airpot, and Gravity Container brewers	B-SAP
Product Dimensions (H x W x D)	3.63" x 7.63" x 9"	3.63" x 7.63" x 9"	5" x 7.63" x 9"
List Price	\$ 26	\$ 118	\$ 263

**Coffee Filters**



Model	A06513-04
Description	12-cup, 4.5" bottom, 2.6" sidewall filter paper 1,000 per box
For Use With	71952 - plastic brew basket 71619 - stainless steel brew basket A71431 - stainless steel gourmet brew basket
List Price	\$ 35



# COFFEE URNS



## COFFEE URNS

# PrecisionBrew® Barista Series Urns

### Signature Cup

PrecisionBrew® technology gives user complete control over the brew cycle, contact time, and brew temperature, and holds the water temperature to +/- 1 °F.

- Three independent batch-volume sizes per liner.
- Each batch can be programmed with pulse brewing feature.
- Dual wall, air-insulated, electropolished liners maintain steady temperature. Brews at 200°F, and holds coffee at 185°F.
- Programmable, energy-saving 'sleep mode' feature - every day can be individually programmed to be warmed up and ready to brew when you open, and turn off when you close.
- Low Temp - No Brew function.
- Coffee levels are displayed as an easy-to-read LED light graph.
- Automatic Air Agitation ensures that every cup has the same profile.



Model : PB-8113E

#### Single Barista Series Urns

#### Twin Barista Series Urns

Model	<b>PB-8113E</b> (APB8113EP)	<b>PB-8103E</b> (APB8103E)
<b>Description</b>	Pump style (1) liner, 3 gallons	Heat exchange style standard (2) liners, 3 gallons each
<b>Electrical</b>	120/208V / 8.0 kW / 38A / 1 Ph 120/240V / 10.5 kW / 28A / 1 Ph <i>Line cord not included.</i>	120/208V / 11.5 kW / 54A / 1 Ph 120/240V / 15.0 kW / 63A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	28" x 19" x 20"	28" x 31.5" x 20"
<b>Ship Dimensions (H x W x D)</b>	36" x 26" x 22"	41" x 42" x 26"
<b>Ship Weight</b>	105 lbs.	145 lbs.
<b>List Price</b>	\$ 9,877	\$ 12,648

**Electrical:** Specify 3 phase if needed. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order ABB3WP filters. See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

# COFFEE URNS

## Space Saver Urns

### Of Course We Have Coffee!

Space Saver Coffee Urns are the hassle-free, automatic, and efficient way to produce premium quality coffee. With so many automatic features, and its constant brew temperature, preparing fresh coffee for a crowd has never been simpler.

- Fully automatic, push-button operation.
- Brew temperature remains constant with less than 5° F variation.
- Dual wall fiberglass insulation saves energy and minimizes heat loss.
- Automatic coffee agitation and automatic refill/reheat of water.
- Low water cutoff system protects heating elements from burn out.



Model : 8106E

	Single Space Saver Urns	Twin Space Saver Urns
<b>Model</b>	<b>8116E</b> (A8116E)	<b>8106E</b> (A8106E)
<b>Description</b>	Heat exchange style (1) liner, 6 gallons <b>C-UL US, CSA,</b> <b>NSF Certification</b>	Heat exchange style (2) liners, 6 gallons each <b>C-UL US, CSA,</b> <b>NSF Certification</b>
<b>Electrical</b>	120/208V / 11.5 kW / 54A / 1 Ph 120/240V / 15.0 kW / 63A / 1 Ph <i>Line cord not included.</i>	120/208V / 15.0 kW / 72A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	35" x 22" x 17.75"	33.5" x 35" x 17.75"
<b>Ship Dimensions (H x W x D)</b>	42" x 45" x 26"	41" x 42" x 26"
<b>Ship Weight</b>	145 lbs.	195 lbs.
<b>List Price</b>	\$ 9,487	\$ 11,987

**Electrical:** Specify 3 phase if needed. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns, See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

## COFFEE URNS

# Single Midline Pump Urns

### One-Button Brewing

Effortless, automatic, and premium coffee are all possible! These solid performers are simple to use, dependable, and produce an exceptional cup of coffee.

- Pump type brewing system - water is heated in large water storage compartment. When brew button is activated, hot water is pumped over the coffee grounds through specially-designed solid cone spray nozzle, providing the most uniform extraction possible from the coffee bed.
- All A.I.S.I. type 304 18-8 stainless steel, single-wall construction.
- Automatic coffee agitation and automatic refill/reheat of water.
- Low water cutoff system protects heating elements from burn out.
- Half batch / full batch capability.
- Closed chamber brewing prevents escape of coffee vapors and loss of aroma and flavor.



Model : 7716E

Model	<b>7713E</b> (A7713E)	<b>7716E</b> (A7716E)
<b>Description</b>	(1) liner, 3 gallons	(1) liner, 6 gallons
<b>Electrical</b>	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph <i>Line cord not included.</i>	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	27.25" x 23.5" x 15.25"	33.25" x 26.5" x 16.75"
<b>Ship Dimensions (H x W x D)</b>	36" x 26" x 22"	42" x 41" x 26"
<b>Ship Weight</b>	90 lbs.	125 lbs.
<b>List Price</b>	\$ 4,320	\$ 5,717

**Electrical:** Specify 3 phase if needed. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns. See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

# Twin Midline Pump Urns



Model : 77710E

Model	7773E (A7773E)	7776E (A7776E)
<b>Description</b>	(2) liners, 3 gallons each	(2) liners, 6 gallons each
<b>Electrical</b>	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph <i>Line cord not included.</i>	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	27.25" x 36" x 15.25"	33.25" x 39.5" x 16.75"
<b>Ship Dimensions (H x W x D)</b>	42" x 41" x 26"	42" x 41" x 26"
<b>Ship Weight</b>	115 lbs.	155 lbs.
<b>List Price</b>	\$ 5,199	\$ 6,718

**Electrical:** Specify 3 phase if needed. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns. See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

## COFFEE URNS

# Single Midline Heat Exchange Urns

### Reliable, Durable, Delicious

For energy-efficient brewing that will surpass the expectations of any coffee shop, try this unique fresh water brewing system. Saves energy while brewing premium quality coffee.

- Fresh water brewing - water is brought into the urn immediately before the brew, preventing any staling. The water passes through a heat exchanger coil, and is instantly heated to optimal brew temperature. Saves energy, and preserves taste!
- All A.I.S.I. type 304 18-8 stainless steel, single-wall construction.
- Automatic coffee agitation and automatic refill/reheat of water.
- Low water cutoff system protects heating elements from burn out.
- Velvet smooth spray arm - Teflon® coating on spray arm piston prevents liming and ensures smooth operation.
- Half batch / full batch capability.



Model : 7416E

Model	<b>7413E</b> (A7413E)	<b>7416E</b> (A7416E)
<b>Description</b>	(1) liner, 3 gallons	(1) liner, 6 gallons
<b>Electrical</b>	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph <i>Line cord not included.</i>	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	27.25" x 23.5" x 15.25"	33.25" x 26.5" x 16.75"
<b>Ship Dimensions (H x W x D)</b>	38" x 26.5" x 22"	41" x 42" x 27"
<b>Ship Weight</b>	90 lbs.	125 lbs.
<b>List Price</b>	\$ 4,488	\$ 5,890

**Electrical:** Specify 3 phase if needed. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns. See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

# Twin Midline Heat Exchange Urns



Model : 7446E

Model	7443E (A7443E)	7446E (A7446E)
<b>Description</b>	(2) liners, 3 gallons each	(2) liners, 6 gallons each
<b>Electrical</b>	120/208V / 5.5 kW / 25A / 1 Ph 120/240V / 7.0 kW / 29A / 1 Ph Line cord not included.	120/208V / 8.5 kW / 41A / 1 Ph 120/240V / 11.5 kW / 48A / 1 Ph Line cord not included.
<b>Product Dimensions (H x W x D)</b>	27.25" x 36" x 15.25"	33.25" x 39.5" x 16.75"
<b>Ship Dimensions (H x W x D)</b>	41" x 42" x 27"	41" x 42" x 27"
<b>Ship Weight</b>	115 lbs.	155 lbs.
<b>List Price</b>	\$ 5,609	\$ 6,855

**Electrical:** Specify 3 phase if needed. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order filter ABB3WP for 3 gallon urns, ABB6WP for 6 gallon urns. See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

## COFFEE URNS

# Midline Heat Exchange Urns Shipboard Models

### Ship Shape Service

Created specifically for shipboard use, these state-of-the-art coffee urns provide every convenience when you are sailing the seas.

- Anti-splash baffle in water compartment.
- Larger capacity coffee liner prevents spills.
- Reusable, washable muslin bags (25 ea) instead of paper filters.
- Drilled and tapped bullet feet, bolts included.
- Heat exchange type brewing saves energy.
- No air agitation for coffee (auto or manual).
- Low water cutoff system protects heating elements from burn out.



Model : 7443E  
(A7443EX SHP)

#### Single Midline Heat Exchange Urns

#### Twin Midline Heat Exchange Urns

Model	7413E (A7413EX SHP)	7443E (A7443EX SHP)
Description	3 gallon urn with (1) liner, 4 gallons	3 gallon urn with (2) liners, 4 gallons each
Electrical	440V / 10 kW / 13A / 3 Ph / 3W + G Step down transformer for 120V controls built in. <i>Line cord not included.</i>	440V / 10 kW / 13A / 3 Ph / 3W + G Step down transformer for 120V controls built in. <i>Line cord not included.</i>
Product Dimensions (H x W x D)	24.25" x 23.5" x 18"	24.25" x 36" x 15.25"
Ship Dimensions (H x W x D)	33" x 22" x 26"	41" x 42" x 27"
Ship Weight	90 lbs.	115 lbs.
List Price	\$ 4,965	\$ 5,598

**Note:** No bypass valve.

**Note:** Order brew basket ABB3 for 3 gallon urns, and ABB6 for 6 gallon urns. See page 89.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.





## COFFEE URNS

# Grindmaster Urns Single 3 Gallon Models

### Keeps Up With Customer Demand

Perfect for high volume coffee environments, the compact construction is a valuable asset to any operation with limited countertop space.

- Solid-state dual water level control.
- Stainless steel, single-wall construction.
- Silicone fittings prevent corrosion, pitting, and leakage.
- Thermostat on side box for easy access and service.
- Pump-style brewing.
- 3 gallon tank.
- Adjustable by-pass.



Model : CL75N

	Automatic Agitator Urn	Automatic Agitator Urn	Manual Agitator Urn
<b>Model</b>	<b>FE75N</b> (101805)	<b>FE75N 3 Phase</b> (101806)	<b>CL75N</b> (118802)
<b>Description</b>	Automatic agitator, solid-state timer	Automatic agitator, solid-state timer	Push button agitator, electro-mechanical timer
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120/208V / 5.3 kW / 26A / 1 Ph 120/240V / 7 kW / 30A / 1 Ph Line cord not included.	120/208V / 4.5 kW / 13A / 3 Ph 120/240V / 6 kW / 15A / 3 Ph Line cord not included.	120/208V / 5.3 kW / 26A / 1Ph 120/240V / 7 kW / 30A / 1Ph Line cord not included.
<b>Product Dimensions (H x W x D)</b>	28.5" x 21.5" x 14"	28.5" x 21.5" x 14"	28.5" x 21.5" x 14"
<b>Ship Dimensions (H x W x D)</b>	31" x 22" x 18"	31" x 22" x 18"	29" x 22" x 18"
<b>Ship Weight</b>	75 lbs.	75 lbs.	70 lbs.
<b>List Price</b>	\$ 3,930	\$ 4,127	\$ 3,665

**Electrical:** Additional higher wattage units available. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order ABB6WP filters. See page 90.

\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.



# Grindmaster Urns

## Twin 3 Gallon Models

### Simple Operation

With a six-gallon capacity, you can quickly brew all of the piping hot coffee you need to keep your customers' coffee mugs filled during high-volume hours.

- Solid-state dual water level control.
- Stainless steel, single-wall construction.
- Silicone fittings prevent corrosion, pitting, and leakage.
- Modern look and user-friendly operation.
- Thermostat sensor on side box for easy access and service.
- Pump-style brewing.
- Two 3 gallon tanks (6 gallon total capacity).
- Adjustable by-pass.



Model : FE100N 3

	Automatic Agitator Urn	Automatic Agitator Urn	Manual Agitator Urn
<b>Model</b>	<b>FE100N</b> (102417)	<b>FE100N 3 Phase</b> (102418)	<b>CL100N</b> (117402)
<b>Description</b>	Automatic agitator, solid-state timer.	Automatic agitator, solid-state timer.	Push button agitator, electro-mechanical timer
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120/208 V / 6 kW / 29 A / 1 Ph 120/240 V / 8 kW / 34 A / 1 Ph <i>Line cord not included.</i>	120/208V / 6 kW / 17A / 3 Ph 120/240V / 8 kW / 20A / 3 Ph <i>Line cord not included.</i>	120/208V / 5.3 kW / 26A / 1 Ph 120/240V / 7 kW / 30A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	33" x 38" x 20"	33" x 38" x 20"	33" x 38" x 20"
<b>Ship Dimensions (H x W x D)</b>	33" x 38" x 20"	33" x 38" x 20"	33" x 38" x 20"
<b>Ship Weight</b>	100 lbs.	100 lbs.	90 lbs.
<b>List Price</b>	\$ 4,690	\$ 4,899	\$ 4,283

**Electrical:** Additional higher wattage units available. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

## COFFEE URNS

# Grindmaster Urns

## Twin 6 Gallon Models

### Consider the Crowds Tamed

Make high volume coffee operation simple and seamless, and deliver delicious drinks with the 12 gallon capacity Cecil Series Urn.

- Two brew batch sizes at the push of a button for high and low volume periods.
- Adjustable by-pass system.
- Automatic refill ensures fresh hot water
- Automatic agitation blends coffee at end of each brew cycle.
- Cycle stop switch provides ability to stop brew cycle midstream.
- Thermometer indicates optimum brewing temperature.
- Durable stainless steel construction.



Model : FE200

	<b>Automatic Agitator Urn</b>	<b>Automatic Agitator Urn</b>
<b>Model</b>	<b>FE200</b> (104400)	<b>FE200 3 Phase</b> (104415)
<b>Description</b>	1 Phase	3 Phase
<b>Plumbing</b>	0.25" water line required	0.25" water line required
<b>Electrical</b>	120/208V / 7.5 kW / 37A / 1 Ph 120/240V / 10 kW / 42A / 1 Ph <i>Line cord not included.</i>	120/208V / 7.5 kW / 21A / 3 Ph 120/240V / 10 kW / 25A / 3 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	33" x 37.5" x 16"	33" x 37.5" x 16"
<b>Ship Dimensions (H x W x D)</b>	33" x 37.5" x 19.5"	33" x 37.5" x 19.5"
<b>Ship Weight</b>	130 lbs.	130 lbs.
<b>List Price</b>	\$ 6,548	\$ 6,661

**Electrical:** Additional higher wattage units available. See option chart on page 85.

**Note:** Accessories available separately. See pages 85-89.

**Note:** Order ABB6WP filters. See page 90.



\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.

# COFFEE URNS

## Electrical Options

### Electrical Options: 120/208V

Model	AOPT 21AU	AOPT 21AU6	AOPT 21AU610
Description	120/208V / 3 Ph	120/208V / 3 Ph	120/208V / 3 Ph
For Use With	Midline 3 gallon urns	Midline 6 gallon heat exchange urns	Midline 6 gallon pump urns
List Price	\$ 408	\$ 399	\$ 399

### Electrical Options: 208/240V

Model	AOPT 21BU3	AOPT 21BU610
Description	208/240V / 0.003 kW / 3 Ph	208/240V / 3 Ph / 0.003 kW For use with midline 6/10 gallon urns
List Price	\$ 443	\$ 443

### Electrical Options: 480V

Model	AOPT 21CU3	AOPT 21CU610	AOPT 21CUTL3	AOPT 21CUTL610
Description	480V / 0.003 kW / 3 Ph	480V / 0.003 kW / 3 Ph	480V / 0.003 kW / 3 Ph	480V / 0.003 kW / 3 Ph
For Use With	Midline 3 gallon urns	Midline 6/10 gallon urns	Space saver 3 gallon urns	Space saver 6/10 gallon urns
List Price	\$ 736	\$ 707	\$ 722	\$ 707

### Electrical Options: Transformers

Model	AOPT 2200	AOPT 2200P
Description	Transformer for heat exchange urns: 2 wire	Transformer for pump urns: 2 wire
List Price	\$ 199	\$ 393

## COFFEE URNS

# Options

### Double Service Package Options

Model	AOPT DS101 to DS108	AOPT DS201 to DS206	AOPT TS103 to TS104	AOPT TS204 to TS206
<b>Description</b>	Service, double faucets, gauge on operator side only	Service, double faucets, gauge on both sides	Service, double faucets, gauge on operator sides	Service, double faucets, gauge on both sides
<b>For Use With</b>	Midline/spacesaver urns <specify model>	Midline/spacesaver urns <specify model>	Triple urns <specify model>	Triple urns <specify model>
<b>List Price</b>	\$ 1,811	\$ 1,948	\$ 1,946	\$ 2,489

### Low Temp No Brew

Model	AOPT 47U00	AOPT 47U01
<b>Description</b>	Low Temp No Brew	Low Temp No Brew
<b>For Use With</b>	Single and twin urns	Triple urns
<b>List Price</b>	\$ 553	\$ 576

### Prison Packages

Model	AOPT 10	AOPT 10B	AOPT 10B3
<b>Description</b>	Prison package	Prison package	Prison package
<b>For Use With</b>	Twin highline urns: 3, 6 gal.	Twin midline urns: 6 gal.	Twin midline urns: 3 gal.
<b>List Price</b>	\$ 1,169	\$ 1,146	\$ 1,146

### Prison Packages

Model	AOPT 10SB610	AOPT 10SSS
<b>Description</b>	Prison package	Prison package
<b>For Use With</b>	Single midline urns: 6 gal.	Single space saver urns: 6 gal.
<b>List Price</b>	\$ 1,092	\$ 1,092

# COFFEE URNS Accessories

## Accessories

Model	AOPT 45	AOPT 4400U	AOPT 5800	AOPT 5700
Description	Bullet feet, drilled and tapped	Flanged feet	Higher legs	Gravity jug fill
List Price	\$ 79	\$ 158	\$ 182	\$ 649

## Accessories

Model	AOPT 7100	AOPT 93L3 to 93WB
Description	Vacuum Breaker	Control Cover with Lock for all space saver urns
List Price	\$ 502	\$ 386





# Coffee Brew Baskets For Coffee Urns

## 3 Gallon Urns

Model	ABB3	ABB3-1.5	A#153
Description	Brew basket	Brew basket, half batch	Brew basket, permanent stainless steel screen
List Price	\$ 120	\$ 120	\$ 266

## 6 Gallon Urns

Model	ABB6	ABB6-3	A#156
Description	Brew basket	Brew basket, half batch	Brew basket, permanent stainless steel screen
List Price	\$ 163	\$ 163	\$ 274

## 10 Gallon Urns

Model	ABB810	ABB810-6	A#158
Description	Brew basket	Brew basket, half batch	Brew basket, permanent stainless steel screen
List Price	\$ 195	\$ 195	\$ 354

## COFFEE URNS

# Coffee Filters For Coffee Urns

### 3 Gallon Urns

Model	ABB1.5WP	ABB3WP
Description	13" diameter, 5" bottom 500 per box	18" diameter, 6" bottom 500 per box
For Use With Brew Basket	Half-batch brew basket ABB3-1.5	ABB3
Ship Dimensions (H x W x D)	8.9" x 12.2" x 9"	15.75" x 11.75" x 11.75"
List Price	\$ 77	\$ 96

### 6 Gallon Urns

Model	ABB3WP	ABB6WP	820 (F820U)
Description	18" diameter, 6" bottom 500 per box	500 per box	20" diameter, 8" bottom 500 per box
For Use With Brew Basket	Half-batch brew basket ABB6-3	ABB6	ABB6
Ship Dimensions (H x W x D)	15.75" x 11.75" x 11.75"	16" x 20.5" x 13.75"	16" x 20.75" x 13.75
List Price	\$ 96	\$ 117	\$ 114

### 10 Gallon Urns

Model	ABB6WP	ABB810WP	923 (F923U)
Description	500 per box	500 per box	23" diameter, 8" bottom 500 per box
For Use With Brew Basket	Half-batch brew basket ABB810-6	ABB810	ABB810
Ship Dimensions (H x W x D)	16" x 20.5" x 13.75"	16" x 20.5" x 13.75"	16" x 20.75" x 13.75
List Price	\$ 117	\$ 183	\$ 179

# ICED TEA BREWERS & DISPENSERS



## Front of House Stainless Steel Tea Dispensers

### **Streamlined and Elegant, With No Liner Required!**

The attractive finish is polished and professional. It's large 3 gallon capacity is perfect for self-service beverage areas. Simple to use, easy-to-clean, hard-wearing. We are still trying to find something we don't like about these dispensers.

### **No Liner Needed**

Passivated interior and exterior protects the flavor of the beverage, and does not require the use of a liner. This makes these dispensers easier to clean and sanitize than plastic urns on the market, with substantial cost savings and environmental benefit.

### **Rugged Construction**

Stainless steel construction and faucet connection withstands heavy use, is rust resistant, and easy to clean. Laser welds are heavy duty, stand up to repeated use, and resist leakage.

### **Easy Brewing and Dispensing**

Fits under most commercial brewers - just remove the lid and brew directly into the dispenser. With four dispensers to choose from, you can select the perfect one for your usage.

### **Cleaning Made Simple**

All parts and components are removable, allowing it to be easily and thoroughly cleaned.

### **Effortless Transportation**

Stainless steel handles make it easy to lift and carry.

### **9 ½" Cup Clearance**

Easily fill large to-go cups or tall iced tea glasses.

### **Slim Design, Considerable Capacity**

Its large 3 gallon size guarantees that your drinks will be in good supply, and its compact design allows it to easily fit where you need it, and not waste much-needed counter space.

# Front of House Stainless Steel Tea Dispensers



Model	<b>GTD3-DNT</b> (6700-20001)	<b>GTD3-FOT</b> (6700-30000)	<b>GTD3-TP</b> (6700-30001)	<b>GTD3-C</b> (6700-40000)
<b>Description</b>	Tomlinson® down-facing valve	Tomlinson® front valve	Tomlinson® front valve with pinch tube	Crathco® valve. Designed to allow for one-hand operation.
<b>Product Dimensions (H x W x D)</b>	22" x 6" x 13.5"	22" x 6" x 13.5"	22" x 6" x 13.5"	22" x 6" x 13.5"
<b>Ship Dimensions (H x W x D)</b>	24" x 9.5" x 18.5"	24" x 9.5" x 18.5"	24" x 9.5" x 18.5"	24" x 9.5" x 18.5"
<b>Ship Weight</b>	13 lbs.	13 lbs.	13 lbs.	13 lbs.
<b>List Price</b>	\$ 174	\$ 153	\$ 158	\$ 185



## ICED TEA BREWERS AND DISPENSERS

# S Series Stainless Steel Tea Dispensers

### Cool and Easy

The S Series Stainless Steel Tea Dispensers are perfect anywhere you or your customers need easy access to delicious iced tea. Featuring Tomlinson no-drip faucets to protect from potential drips and spills, the series offers dispensers from 2 - 10 gallons in size, with or without handles.

They provide an impressive 7" - 9" high faucet clearance, allowing ample room for serving your delicious fresh-brewed iced tea into tall glasses, to-go cups, and beverage pitchers. When finished serving, its cylindrical design makes cleanup quick and easy.



Model : S2



Model : S3C

Model	<b>S2</b> (442000L)	<b>S3</b> (443000L)	<b>S3C</b> (069430L)
<b>Description</b>	2 gallon capacity 7" faucet clearance	3 gallon capacity 7" faucet clearance	3 gallon capacity with handles 7" faucet clearance
<b>Product Dimensions (H x W x D)</b>	15" x 9.25"	19.5" x 9.5"	19.5" x 9.5"
<b>Ship Dimensions (H x W x D)</b>	19" x 10" x 25"	24" x 13" x 13"	24" x 13" x 13"
<b>Ship Weight</b>	8 lbs.	9 lbs.	9 lbs.
<b>List Price</b>	\$ 166	\$ 178	\$ 276



# ICED TEA BREWERS AND DISPENSERS

## S Series Stainless Steel Tea Dispensers



Model : S5



Model : S10



Model : S10C

Model	<b>S5</b> (445000L)	<b>S5C</b> (445010L)	<b>S10</b> (446500L)	<b>S10C</b> (446511L)
<b>Description</b>	5 gallon capacity 7" faucet clearance	5 gallon capacity with handles 7" faucet clearance	10 gallon capacity 9" faucet clearance	10 gallon capacity with handles 9" faucet clearance
<b>Product Dimensions (H x W x D)</b>	26" x 10"	26" x 10"	29" x 12.5"	29" x 12.5"
<b>Ship Dimensions (H x W x D)</b>	29.5" x 13" x 13"	29.5" x 13" x 13"	31" x 14" x 14"	31" x 14" x 14"
<b>Ship Weight</b>	10 lbs.	10 lbs.	18 lbs.	18 lbs.
<b>List Price</b>	\$ 208	\$ 302	\$ 358	\$ 425







# ICED TEA BREWERS AND DISPENSERS


## TB Series Tea Brewers and Dispensers

### Effortless Brewing and Dispensing

The high-performance TB3 Iced Tea Brewer brews 3 gallons of crisp, delicious iced tea in just 5 minutes. It features a low temperature lockout system that will prevent brewing until the water has reached its proper temperature to ensure great tasting drinks. The iced tea brews directly into the B1/3T seamless stainless steel dispenser, which facilitates easy cleaning and crisp taste.

- Brew timer adjustment controls the brewing time.
- Clear plastic brew funnel with restrictor.
- Stainless steel body construction.
- Brew - through cover.



<b>Model</b>	<b>TB3 Brewer with B1/3T Dispenser</b> (069363L)
<b>Description</b>	3 gallon capacity
<b>Plumbing</b>	0.25" water line required
<b>Electrical</b>	120V / 15A / 1 Ph  NEMA 5-15P <i>line cord included.</i>
<b>Product Dimensions (H x W x D)</b>	33.25" x 9.25" x 22.75"
<b>Ship Dimensions (H x W x D)</b>	34" x 13.5" x 23"
<b>Ship Weight</b>	46 lbs.
<b>List Price</b>	\$ 1,408

### Brew Filters for TB3

<b>Model</b>	<b>ABB1.5WP</b>
<b>Description</b>	13" x 5" filters . 500 per box.
<b>List Price</b>	\$ 77



ICED TEA BREWERS AND DISPENSERS

**TB Series Tea Dispensers**



Model	<b>B1/3 Dispenser &amp; Base</b> (069370L)	<b>B1/3T Dispenser</b> (069380L)	<b>SU3P Dispenser &amp; Base</b> (069480L)
<b>Description</b>	3 gallon capacity	3 gallon capacity	3.5 gallon capacity
<b>Product Dimensions (H x W x D)</b>	22" x 12.5" x 12.5"	14" x 10" x 14"	18.75" x 9.25" x 9.25"
<b>Ship Dimensions (H x W x D)</b>	23" x 13" x 12.5"	14" x 11" x 11"	23" x 12.5" x 12.5"
<b>Ship Weight</b>	11 lbs.	4 lbs.	9 lbs.
<b>List Price</b>	\$ 210	\$ 220	\$ 286

**Note:** All units come standard with plastic brew funnel.



# HOT TEA URNS





## HOT TEA URNS

# Chinese Hot Tea Urns

### Hot Tea Made Simple

The Chinese Hot Tea Urn is a twin style unit with 3 gallons in each urn, for a total capacity of 6 gallons. A seamless urn liner and silicone fittings prevent corrosion, pitting, and leaking, and enable the urn to withstand constant use. The urn automatically fills with water thanks to the solid state dual water level controls. Construction of stainless steel makes it durable, easy to clean, and reliable. Tea can be brewed in half or full batches to ensure minimal end-of-day waste.

- Silicone fittings prevent corrosion, pitting, and leakage.
- Type 304L stainless steel single-wall construction.
- Solid-state dual water level control.
- Thermostat sensor at side box for easy access and service.
- Seamless urn liners standard.
- Easy changing of the water pump or thermostat- no need to empty urn completely.
- Provides (2) brew cycle choices, full batch and half batch. Full batch standard, half batch optional.
- Electro-mechanical timer, adjustable by-pass, push-button agitator.



## HOT TEA URNS

# Chinese Hot Tea Urns

<b>Model</b>	<b>CH100N</b> (119905)
<b>Description</b>	(2) liners, 3 gallons each.
<b>Plumbing</b>	0.25" water line required
<b>Electrical</b>	120/240V / 8 kW / 34A / 1 Ph 120/208V / 6 kW / 29A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	28.5" x 33.5" x 14"
<b>Ship Dimensions (H x W x D)</b>	29" x 34" x 18"
<b>Ship Weight</b>	98 lbs.
<b>List Price</b>	\$ 4,173



**Note:** Baskets and filters not included with these models.  
See options below.



### Brew Baskets and Filter Paper

Model	V002A	ABB3WP
<b>Description</b>	Stainless steel brew basket	18" diameter, 6" bottom filter paper 500 per box
<b>Ship Dimensions (H x W x D)</b>	6.25" x 11.5" Diam.	15.75" x 11.75" x 11.75"
<b>Ship Weight</b>	1 lbs.	10 lbs.
<b>List Price</b>	\$ 78	\$ 96

\*Unit does not ship with Cord or plug. Please contact Local Qualified Service Agency for installation.



HOT WATER HEATERS  
AND DISPENSERS

## HOT WATER HEATERS AND DISPENSERS

# ME Series Water Heaters

## 10 Gallon Models


### The Perfect Addition

Investing in a hot water heater from the ME Series is a wise, economical addition to your business. They provide you with a convenient, affordable way of keeping piping hot water flowing for the preparation of your hot chocolate, tea, Americanos, and more! The automatic refill system ensures you're never caught unprepared, their solid state liquid level control system provides added peace of mind.

Models are available with either a 10 or 15 gallon capacity, so you will have a constant source of hot water, and the no-drip faucet guarantees that the water stays put until you need it.

- Electronic solid state water level control for automatic refill.
- Precision multi-setting thermostat with hold setting.
- Dial thermometer for exact temperature reading.
- Type 304L stainless steel construction for long-lasting service.
- Accurate water level gauge.
- Reliable no-drip faucet with sight glass and water shut off.



Model	ME10EN (121505)	ME10EN (121511)	ME10EN (121521)
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 5.3 kW / 26A / 1 Ph 240V / 7.0 kW / 30A / 1 Ph Line cord not included.	208V / 7.9 kW / 22A / 3 Ph 240V / 10.5 kW / 25A / 3 Ph Line cord not included.
<b>Product Dimensions (H x W x D)</b>	26" x 18" x 20"	26" x 18" x 20"	26" x 18" x 20"
<b>Ship Dimensions (H x W x D)</b>	26" x 18" x 20"	26" x 18" x 20"	26" x 18" x 19.75"
<b>Ship Weight</b>	47 lbs.	47 lbs.	47 lbs.
<b>List Price</b>	\$ 2,240	\$ 2,532	\$ 2,532






**HOT WATER HEATERS AND DISPENSERS**

**ME Series Water Heaters**  
**15 Gallon Models**



Model	ME15EN (121574)	ME15EN (121561)	ME15EN (121571)
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 5.3 kW / 26A / 1 Ph 240V / 7.0 kW / 30A / 1 Ph Line cord not included.	208V / 7.9 kW / 22A / 3 Ph 240V / 10.5 kW / 25A / 3 Ph Line cord not included.
<b>Product Dimensions (H x W x D)</b>	31" x 18" x 20"	31" x 18" x 20"	31" x 18" x 20"
<b>Ship Dimensions (H x W x D)</b>	31" x 18" x 20"	31" x 18" x 20"	30.5" x 18" x 19.75"
<b>Ship Weight</b>	53 lbs.	53 lbs.	53 lbs.
<b>List Price</b>	\$ 2,344	\$ 2,413	\$ 2,578



## HOT WATER HEATERS AND DISPENSERS

# Heavy Duty Hot Water Heaters

### Auto Refill and Reheat

- Water temperature is maintained between 190°F and 200°F.
- Water compartment automatically refills and reheats as necessary.
- Dial thermometer with color-marked temperature zone.
- Type 304L stainless steel construction.



Model	<b>830E</b> (A830E)	<b>850E</b> (A850E)
<b>Capacity</b>	30 gallon	50 gallon
<b>Plumbing</b>	3/8" FPT water inlet	3/8" FPT water inlet
<b>Electrical</b>	120/208V / 11.5 kW / 54A / 1 Ph 120/240V / 15.0 kW / 72A / 1 Ph <i>Line cord not included.</i>	120/208V / 11.5 kW / 54A / 1 Ph 120/240V / 15.0 kW / 72A / 1 Ph <i>Line cord not included.</i>
<b>Product Dimensions (H x W x D)</b>	27" x 26" x 16.75"	32" x 26" x 16.75"
<b>Ship Dimensions (H x W x D)</b>	27" x 25" x 21"	42" x 42" x 27"
<b>Ship Weight</b>	80 lbs.	100 lbs.
<b>List Price</b>	\$ 3,257	\$ 3,835

### Optional Prison Package for 830E and 850E

<b>Model</b>	<b>AOPT 10WB</b>
<b>Description</b>	Prison package
<b>List Price</b>	\$ 1,076



# HOT WATER HEATERS AND DISPENSERS



## Portable Coffee and Hot Water Dispensers

### Hot Drinks To Go!

- Ideal for hot coffee or hot water.
- Portable, easily moved to any convenient location.
- Precision thermostat for accurate temperature control.
- Sight glass indicates water level.
- Type 304L stainless steel construction.



Model : CS113

Model	<b>CS113</b> (431500L)	<b>CS115</b> (432500L)
<b>Capacity</b>	3 gallon	5 gallon
<b>Electrical</b>	120V / 1.65 kW / 13.8A / 1 Ph NEMA 5-15P <i>line cord included.</i> 	120V / 1.65 kW / 13.8A / 1 Ph NEMA 5-15P <i>line cord included.</i> 
<b>Product Dimensions</b>	21" H x 11" Diameter	26.5" H x 11" Diameter
<b>Ship Dimensions (H x W x D)</b>	31" x 13" x 13"	31" x 14.5" x 14.5"
<b>Ship Weight</b>	15 lbs.	18 lbs.
<b>List Price</b>	\$ 1,055	\$ 1,131



## HOT WATER HEATERS AND DISPENSERS

# HWD Series Hot Water Dispensers



## Two Gallon Models

### Constant Temperature

Don't let the compact footprint of the HWD Series of hot water dispensers fool you. Although they take up minimal space in your kitchen, they provide an inexhaustible supply of hot water that is held at a constant temperature up to 200°F. 2, 3, or 5 gallon capacity models are available.

- Instant automatic water refill.
- Energy efficient system keeps water temperature uniform.
- Constant hot water in only 9.4" of counter space.
- Tomlinson® no-drip faucet.
- Digital water temperature display.
- Ideal for large-scale food preparation.
- Easy-to-clean exterior.
- Removable drip tray.



	Two Gallon Models	Two Gallon Models
<b>Model</b>	<b>HWD2</b> (2401-001)	<b>HWD2</b> (2401-002)
<b>Plumbing</b>	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 2.3 kW / 11A / 1 Ph 240V / 3.0 kW / 13A / 1 Ph NEMA 6-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	24" x 9.4" x 21.25"	24" x 9.4" x 21.25"
<b>Ship Dimensions (H x W x D)</b>	30.7" x 12.7" x 22.7"	30.7" x 12.7" x 22.7"
<b>Ship Weight</b>	33 lbs.	33 lbs.
<b>List Price</b>	\$ 1,180	\$ 1,329







# HOT WATER HEATERS AND DISPENSERS

## HWD Series Hot Water Dispensers

### Three and Five Gallon Models



	Three Gallon Models	Three Gallon Models	Five Gallon Models	Five Gallon Models
<b>Model</b>	<b>HWD3</b> (2401-004)	<b>HWD3</b> (2401-005)	<b>HWD5</b> (2401-007)	<b>HWD5</b> (2401-008)
<b>Capacity</b>	3 gallon	3 gallon	5 gallon	5 gallon
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 2.3 kW / 11A / 1 Ph 240V / 3.0 kW / 13A / 1 Ph NEMA 6-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	208V / 2.3 kW / 11A / 1 Ph 240V / 3.0 kW / 13A / 1 Ph NEMA 6-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	24" x 9.4" x 21.25"	24" x 9.4" x 21.25"	30" x 9.4" x 21.25"	30" x 9.4" x 21.25"
<b>Ship Dimensions (H x W x D)</b>	30.7" x 12.7" x 22.7"	30.7" x 12.7" x 22.7"	32.7" x 12.7" x 22.7"	32.7" x 12.7" x 22.7"
<b>Ship Weight</b>	35 lbs.	35 lbs.	42 lbs.	42 lbs.
<b>List Price</b>	\$ 1,452	\$ 1,579	\$ 1,723	\$ 1,867



POWDERED BEVERAGE  
DISPENSERS



**POWDERED BEVERAGE DISPENSERS**

**PIC Powdered Beverage Dispensers**




**Three and Five Flavor Models**



**Three Flavor Models**

**Three Flavor Models**

**Five Flavor Models**

Model	<b>PIC3</b> (61005D)	<b>PIC33A</b> (61052D)	<b>PIC5</b> (62933)
<b>Description</b>	3 hoppers, 5 lbs. capacity.	3 hoppers, 5 lbs. capacity. 3 volume options per head.	5 hoppers, 5 lbs. capacity.
<b>Tank Capacity</b>	3.5 gallon	3.5 gallon	5 gallon
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.4 kW / 14A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.4 kW / 14A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.4 kW / 14A / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	26.5" x 12" x 22"	26.5" x 12" x 22"	34.75" x 20.5" x 24.75"
<b>Ship Dimensions (H x W x D)</b>	32" x 17" x 27"	32" x 17" x 27"	44" x 31" x 31"
<b>Ship Weight</b>	83 lbs.	85 lbs.	125 lbs.
<b>List Price</b>	\$ 3,005	\$ 3,305	\$ 4,477





**POWDERED BEVERAGE DISPENSERS**

# PIC Powdered Beverage Dispensers

## Options

### Simple Satisfaction

PIC Hot Powdered Beverage Dispensers are perfect for dispensing a variety of products, including great tasting, high quality cappuccinos, gourmet hot cocoas, chai teas, and hot apple cider.

- Large, operator friendly, Clear-View™ hoppers.
- Direct drive hoppers – self-aligning for durability and easy install.
- Patented safety rib on dispense nozzle and cup guide on the drain tray.
- Generous cup clearance for popular large sizes.
- Attractive front-lit graphics encourage impulse buys.

### Preventive Maintenance Kit

**PIC 3**  
6 Month Schedule  
Item: 250-00112  
List Price: \$ 77

**PIC 5**  
6 Month Schedule  
Item: 250-00113  
List Price: \$ 118

### Optional External Water Pump Kit

<b>Model</b>	<b>63174</b>
<b>Description</b>	<b>External Water Pump Kit:</b> allows unit to operate in remote location from bottled water.
<b>Electrical</b>	115V / 1.5A (draws 1.3A) NEMA 1-15P line cord included.
<b>Ship Dimensions (H x W x D)</b>	24" x 10.5" x 3.25"
<b>Ship Weight</b>	6 lbs.
<b>List Price</b>	\$ 431





**POWDERED BEVERAGE DISPENSERS**

# **GB Powdered Beverage Dispensers**

## **Delicious Flavor, Optimal Variety**

Let your customers have their choice of mixed hot beverages, from a single flavor all the way up to eight flavors per model! And, with Fast Flow, these delicious beverages will dispense 30% faster, reducing wear and tear on major dispenser components.

A slanted whipper chamber thoroughly mixes your beverage into a creamy drink for optimum flavor and body, while keeping mixing powder away from the motor seal, and a direct drive auger adjusts beverage strength, guarantees perfect hopper alignment, and allows for quiet operation.

The GB Series of Powdered Beverage Dispensers guarantees that you have the right variety of high-quality beverages for any customer's taste!

- Vacuum Steam Removal System ensures the powdered mix remains dry, to eliminate clogging, caking, and bridging.
- Moisture and powder collection tray prevents excess moisture and product powder from reaching the vacuum motor.
- Self cleaning rinse system is touch-button easy and rinses the entire whipper chamber with hot water at the end of each cycle.

**POWDERED BEVERAGE DISPENSERS**

**GB Powdered Beverage Dispensers**  
Single and Two Flavor Models

**Preventive Maintenance Kit**

**Single Flavor**

6 Month Schedule  
Item: 250-00105  
List Price: \$ 25

**Two Flavor**




6 Month Schedule  
Item: 250-00106  
List Price: \$ 36



**Single Flavor Models**

**Two Flavor Models**

**Two Flavor Models**

Model	<b>GB1HC-CP</b> (08003QL)	<b>GB2HC-CP</b> (08003TL)	<b>2K-GB-LD</b> (080022L)
<b>Description</b>	Moderate volume, (1) hopper, 8 lbs. capacity	Moderate volume, smallest footprint available (2) hoppers, 4 lbs. capacity each	Low to medium volume, (2) hoppers, 4 lbs. capacity each
<b>Door</b>	Non-lit, right side hinge	Non-lit, right side hinge	Lit, right side hinge
<b>Tank Capacity</b>	1.4 gallon	1.4 gallon	2 gallon
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	26" x 7.75" x 19"	24" x 7.75" x 19"	34.25" x 8.5" x 23"
<b>Ship Dimensions (H x W x D)</b>	39" x 14" x 27"	39" x 14" x 27"	39" x 14" x 27"
<b>Ship Weight</b>	30 lbs.	32 lbs.	60 lbs.
<b>List Price</b>	\$ 2,074	\$ 2,178	\$ 2,552



**POWDERED BEVERAGE DISPENSERS**  
**GB Powdered Beverage Dispensers**  
 Three and Four Flavor Models

**Preventive Maintenance Kit**

**Three Flavor**

6 Month Schedule  
 Item: 250-00107  
 List Price: \$ 44

**Four Flavor**




6 Month Schedule  
 Item: 250-00108  
 List Price: \$ 52



**Three Flavor Models**

**Three Flavor Models**

**Four Flavor Models**

Model	<b>3K-GB-NL</b> (08002NL)	<b>3K-GB-LD</b> (080023L)	<b>4K-GB-LD</b> (080041L)
<b>Description</b>	Low to medium volume, (3) hoppers, 4 lbs. capacity each	Low to medium volume, (3) hoppers, 4 lbs. capacity each	Low to medium volume, (4) hoppers, 4 lbs. capacity each
<b>Door</b>	Non-lit, right side hinge	Lit, right side hinge	Lit, right side hinge
<b>Tank Capacity</b>	2 gallon	2 gallon	3.75 gallon
<b>Plumbing</b>	0.25" water line required	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 
<b>Product Dimensions (H x W x D)</b>	34.25" x 10" x 22"	34.25" x 10" x 23"	31.5" x 15.6" x 20"
<b>Ship Dimensions (H x W x D)</b>	39" x 16" x 27"	39" x 16" x 27"	33" x 18" x 23"
<b>Ship Weight</b>	87 lbs.	87 lbs.	103 lbs.
<b>List Price</b>	\$ 2,887	\$ 3,031	\$ 3,685



**POWDERED BEVERAGE DISPENSERS**

**GB Powdered Beverage Dispensers**  
Six and Eight Flavor Models

**Preventive Maintenance Kit**

**Six Flavor**

6 Month Schedule  
Item: 250-00110  
List Price: \$ 72



**Eight Flavor**

6 Month Schedule  
Item: 250-00111  
List Price: \$ 92



**Six Flavor Models**

**Eight Flavor Models**

Model	<b>GB6M10-LD-U</b> (080152L)	<b>GB8MP-10-LD-U*</b> (080167L)
<b>Description</b>	High volume , (1) hopper, 10 lbs. capacity, (5) hoppers, 5 lbs. capacity each. <b>C-UL US, NSF Certification</b>	High volume , (1) hopper, 10 lbs. capacity, (7) hoppers, 5 lbs. capacity each. <b>UL, NSF Certification</b>
<b>Door</b>	Lit, vertical lift	Lit, vertical lift
<b>Tank Capacity</b>	6 gallon	7.4 gallon
<b>Plumbing</b>	0.25" water line required	0.25" water line required
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included. 	(2) 120V / 1.8 kW / 15A / 1 Ph (2) NEMA 5-15P line cords included. 
<b>Product Dimensions (H x W x D)</b>	34.25" x 21.75" x 22"	35" x 27.25" x 24"
<b>Ship Dimensions (H x W x D)</b>	39" x 27" x 27"	40" x 33" x 31"
<b>Ship Weight</b>	180 lbs.	180 lbs.
<b>List Price</b>	\$ 5,307	\$ 9,166

\* This model requires two water lines and two separate electrical circuits.

\* Side panel graphics available.



HEATED  
DISPENSERS



## HEATED DISPENSERS


# Lola Series Hot Dispensers

### Thick, Rich, and Hot

Perfect for heating and dispensing thick chocolate, hot cider, and other hot beverages. Use as a heated dispenser for mixtures with no particulates that need to be served warm and require agitation to prevent separation.

- Adjustable thermostat up to 194° F.
- Vertical tap for free flow. Easy to clean and disassemble.
- Transparent bowl encourages impulse use.
- Attractive design allows for use in any location: as a counter-top dispenser, in the buffet line, or in the kitchen.
- Easily removable bowl even when full for refrigerated storage.



<b>Model</b>	<b>Lola 6</b> (2505-001)
<b>Description</b>	(1) 1.32 gallon capacity, black finish
<b>Electrical</b>	115V / 60 Hz / 0.32 kW / 2.8A / 1Ph 
<b>Product Dimensions (H x W x D)</b>	18.3" x 10.6" x 12.5"
<b>Ship Dimensions (H x W x D)</b>	21" x 13" x 15"
<b>Product Weight</b>	14 lbs.
<b>Ship Weight</b>	19 lbs.
<b>List Price</b>	\$ 1,440

NSF-18



**Note:** Clearance of 8" required on all sides.



ESPRESSO  
MACHINES





## Tango Milk Series

# Super-Automatic One-Step with Real Milk

### Automatically Delicious

Exceptional quality in a variety of drinks with little operator skill. All models can be public-facing in some areas. Push a button and the machine will grind the beans, pull the extraction, froth and steam its refrigerated milk, and add it into the drink.

#### Touchscreen Interface Offers Programmable Control of:

- 48 drink recipes per grouphead
- 2 separate coffee grinds
- 2 pre-infusion methods
- Tamping
- Boiler temperature
- Coffee dose and water dose

Easy use makes it a great choice for locations where espresso is not the focus, or with seasonal employees. Perfect in cafés, cafeterias, offices, refreshment areas for business, education, and hospitals.

- Integrated SteamAir wand with auto milk foamer and programmable temperature control.
- Quick clean cycles every 90 drinks; complete group auto clean cycle every 24 hours.
- ACE L/C, ST Solo L/C and ST Duo L/C offer temperature regulation for the steam and the group.
- Includes installation by a Unic certified service provider.



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



## ESPRESSO MACHINES

# Tango Milk Series

## Super-Automatic One-Step with Real Milk

For details, visit  
[www.unic-usa.com](http://www.unic-usa.com)



<b>Model</b>	<b>ACE L/C Milk</b> (1011-004)	<b>ST Solo Milk</b> (1011-005)
<b>Description</b>	Public facing and attended service, (1) group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 64 mm Mahlkonig burrs, one-gallon pump refrigerator.	Public facing and attended service, (1) group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 80 mm Mahlkonig burrs, Shown with 2-Gallon Tango L/C Fridge.
<b>Capacity</b>	Small to medium capacity, 50-150 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 2 espressos simultaneously.
<b>Boiler</b>	(1) 1.72 gal. 4500 W	(1) 1.72 gal. 4500 W
<b>Electrical</b>	240V / 7 kW / 60Hz / 29A 1 Ph Fridge: 120V 0.1 kW / 1 Ph Line cord included with no plug. Suggested plug: L6-30P. NEMA 5-15P line cord included for all refrigerators.	Brewer: 230V / 5.6 kW / 30A 1 Ph Fridge: 120V 15A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P. NEMA 5-15P line cord included for all refrigerators.
<b>Product Dimensions (H x W x D)</b>	Without refrigerator: 33" X 18" X 24" With refrigerator: 33" X 27" X 24" Height includes 3" stainless steel legs.	Without refrigerator: 33" x 18" x 24" With refrigerator: 33" x 28" x 24" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	33" X 44" X 30"	33" X 44" X 30"
<b>Ship Weight</b>	195 lbs.	205 lbs.
<b>List Price</b>	\$ 25,551	\$ 30,647

# ESPRESSO MACHINES

## Tango Milk Series

### Super-Automatic One-Step with Real Milk



<b>Model</b>	<b>ST Duo Milk</b> (1011-006)
<b>Description</b>	Public facing and attended service, (2) groups with double spouts, (2) 3.75 lbs. coffee bean hoppers, (2) precision grinders with 80 mm Mahlkonig burrs. Shown with 2-Gallon Tango L/C Fridge. Can work with 2 Fridges for 2 different milk types.
<b>Capacity</b>	Large capacity, 200-300 drinks daily. Brews 4 espressos simultaneously.
<b>Boiler</b>	(2) 1.72 gal. 6800 W
<b>Electrical</b>	Brewer: 230V / 8 kW / 50A 1 Ph Fridge: 120V 15A / 1 Ph Line cord included with no plug. Suggested plug: L6-50P. NEMA 5-15P line cord included for all refrigerators.
<b>Product Dimensions (H x W x D)</b>	Without refrigerator: 33" X 24" X 24" With refrigerator: 33" X 34" X 24" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	33" X 44" X 30"
<b>Ship Weight</b>	269 lbs.
<b>List Price</b>	\$ 37,832

<b>Model</b>	<b>Two-gallon Tango ST L/C Refrigerator</b>
<b>Description</b>	Designed to be placed next to an espresso machine, Completely insulated and refrigerating a US 1-gallon container of milk. Built-in side hose hole. External Digital Thermostat Control
<b>Capacity</b>	Two gallon.
<b>Electrical</b>	120V / 0.1kW / 1A / 1Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	16" X 9" X 24"
<b>Ship Weight</b>	45 lbs..
<b>List Price</b>	\$5,276





ESPRESSO

# Tango Series

## Super-Automatic Two-Step

### Loved by All

A beginning barista will appreciate the easy use, and a skilled barista will love the control. The beans are ground and espresso pulled by the machine, but the user mixes the steamed or frothed milk and other flavorings for each drink.

Programmable Automatic SteamAir wand controls the temperature and foam time to create the perfect milk to add to each drink, which gives you more control over amount and type of foam, froth, and milk in the drink, and lets you steam non-coffee drinks like chai tea and hot chocolate.

Touchscreen Interface Offers Programmable Control of:

- 48 drink recipes per grouphead
- 2 separate coffee grinds
- 2 pre-infusion methods
- Tamping
- Boiler temperature
- Coffee dose and water dose

Produces a delicious drink even with an operator who has only basic skills, and offers more skilled baristas greater variety and control. Made-to-order for cafés, hotels, bakeries, coffee shops, cafeterias, restaurants, drive-thrus, or foodservice.

- Programmable hot water dispenser for other hot drinks.
- Quick clean cycles every 90 drinks; complete group auto clean cycle every 24 hours.
- Includes installation by a Unic certified service provider.



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



**ESPRESSO MACHINES**

**Tango Series**

**Super-Automatic Two-Step**

For details, visit  
www.unic-usa.com



Model	<b>ACE</b> (1011-001)	<b>ST Solo</b> (1011-002)	<b>ST Duo</b> (1011-003)
<b>Description</b>	One group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 64 mm Mahlkonig burrs	One group with double spouts, (2) coffee bean hoppers: 3.75 lbs. and 2.6 lbs., (2) precision grinders with 80 mm Mahlkonig burrs	Two groups with double spouts, (2) 3.75 lbs. coffee bean hoppers (2) precision grinders with 80 mm Mahlkonig burrs
<b>Capacity</b>	Small to medium capacity, 100-150 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 2 espressos simultaneously.	Large capacity, 200-300 drinks daily. Brews 4 espressos simultaneously.
<b>Boiler</b>	(1) 1.72 gal. 4500 W	(1) 1.72 gal. 4500 W	(2) 1.72 gal. 6800 W
<b>Electrical</b>	240V / 7 kW / 60Hz / 29A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	240V / 7 kW / 60Hz / 29A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	240V / 7 kW / 60Hz / 50A / 1 Ph Line cord included with no plug. Suggested plug: L6-50P.
<b>Product Dimensions (H x W x D)</b>	32" X 18" X 24" Height includes 3" stainless steel legs.	32" X 18" X 24" Height includes 3" stainless steel legs.	32" X 24" X 24" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	33" X 44" X 30"	33" X 44" X 30"	33" X 44" X 30"
<b>Ship Weight</b>	168 lbs.	168 lbs	231 lbs.
<b>List Price</b>	\$ 24,357	\$ 29,453	\$ 37,552





## Pony Series

# Pod Super-Automatic Two-Step

### Pod Perfection

Using 45mm ESE coffee pods to pull espressos, and the automatic SteamAir wand to create just-right milk foam, these machines are ideal where quality and consistency are vital, despite multiple users or employee turnover.

Automatic SteamAir wand is pre-programmed to foam milk, controlling temperature and foam time. User mixes the milk and any other flavorings into the drink. The SteamAir wand gives user more control over amount and type of foam, froth, and milk in the drink, and allows for non-coffee drinks like chai tea and hot chocolate to be created.

### Touchscreen Interface Offers Programmable Control of:

- 6 volumetric water settings per grouphead
- Pre-infusion

Excellent for locations such as cafés, restaurants, bakeries, smaller coffee shops, bed & breakfasts, and hotels, and the perfect choice for catering.

- Programmable hot water dispenser for other hot drinks.
- Quick clean cycles every 90 drinks; complete group auto clean cycle every 24 hours.
- Includes installation by a Unic certified service provider.



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



**ESPRESSO MACHINES**

**Pony Series**

**Pod Super-Automatic Two-Step**

For details, visit  
[www.unic-USA.com](http://www.unic-USA.com)



Model	<b>Pony 2</b> (1011-007)	<b>Pony 4</b> (1011-008)
<b>Description</b>	One group with double spouts	Two groups with double spouts
<b>Capacity</b>	Small to medium capacity, 100-150 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.
<b>Boiler</b>	(1) 1.66 gal 1500 Watts	(1) 2.64 gal 4500 Watts
<b>Electrical</b>	120V / 1.7 kW / 20A / 1 Ph NEMA 5-20P line cord included.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
<b>Product Dimensions (H x W x D)</b>	26" X 14" X 23" Height includes 3" stainless steel legs.	26" X 25" X 23" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 30" X 20"	33" X 44" X 30"
<b>Ship Weight</b>	104 lbs.	143 lbs.
<b>List Price</b>	\$ 11,489	\$ 14,725



## Mira Series

# Automatic Espresso Machines

### Extraordinary Flexibility for an Automatic!

Incredibly versatile MIRA series can switch from standard groupheads to pods and capsules for more automation, then quickly switch back again. Allows the barista precise control over the grind, dose, and tamp of every drink, while the machine takes care of the extraction. Or, switch to more automation and ease with pods!

Preset volumes are programmed for a variety of drinks, guaranteeing consistent shots every time even with different baristas. A manual override button lets the operator control the shot size, allowing for custom drinks. Barista can multi-task and steam milk while shot is being pulled, allowing for better productivity.

- 4 programmable volumes plus manual per grouphead.
- Hot water dispenser for additional drinks.
- User monitors and adjusts for correct brew and steam temperature.
- Automated back-flushing cycle for daily cleaning.
- Integrated running shot timer.
- Solid Teflon steam wands for easy cleaning.
- Direct-to-boiler mounted grouphead for shot temperature stability.
- Twin pressure gauge for pump and steam.
- Diagnostics display for easy trouble shooting.
- Includes installation by a Unic certified service provider.



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



## ESPRESSO MACHINES

# Mira Series

## Automatic Espresso Machines

For details, visit  
[www.unic-usa.com](http://www.unic-usa.com)



Model	<b>MIRA</b> (1011-009)	<b>Twin MIRA</b> (1011-010)	<b>Tri MIRA</b> (1011-011)
<b>Description</b>	One group with double spouts, (1) solid Teflon steam wand. <i>Pair with HC-600 Timer Grinder-Doser</i>	Two groups with double spouts, (2) solid Teflon steam wands, programmable timing for right steam wand. <i>Pair with VGA Automatic Grinder-Doser</i>	Three groups with double spouts, (2) solid Teflon steam wands, programmable timing for right steam wand. <i>Pair with VGHDA Automatic Grinder-Doser</i>
<b>Capacity</b>	Small capacity, 50-100 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.	High volume capacity, 200-300 drinks daily. Brews 6 espressos simultaneously.
<b>Portafilters</b>	(1) single, (1) double, (1) blank	(1) single, (2) double, (1) blank	(1) single, (3) double, (1) blank
<b>Boiler</b>	(1) 1.66 gal. 1500 W	(1) 2.64 gal. 4300 W	(1) 4.2 gal. 6555 W
<b>Electrical</b>	120V / 1.7 kW / 20A / 1 Ph NEMA 5-20P line cord included.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	230V / 6.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
<b>Product Dimensions (H x W x D)</b>	23" X 14" X 23" Height includes 3" stainless steel legs.	23" X 25" X 23" Height includes 3" stainless steel legs.	23" X 34" X 23" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 30" X 20"	33" X 44" X 30"	33" X 53" X 30"
<b>Ship Weight</b>	93 lbs.	166 lbs.	218 lbs.
<b>List Price</b>	\$ 8,533	\$ 11,937	\$ 13,705

### OPTIONS

**Filter Basket for Single Pods** (410-00700) - Basket holds single, 45mm ESE pods. See page 143.

**Filter Basket for Double Pods** (410-00701) - Basket holds pods for double espresso shots. See page 143.



# Mira Series Automatic Espresso Machines

For details, visit  
[www.unic-usa.com](http://www.unic-usa.com)



Model	MIRAHP (1011-009)	Twin MIRAHP (1011-010)
<b>Description</b>	Single group with tall double spouts, (1) solid Teflon steam wand. <i>Pair with HC-600 Timer Grinder-Doser</i>	Two groups with tall double spouts, (2) solid Teflon steam wands, programmable timing for right steam wand. <i>Pair with VGA Automatic Grinder-Doser</i>
<b>Capacity</b>	Small capacity, 50-100 drinks daily. Brews 2 espressos simultaneously.	Medium capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.
<b>Portafilters</b>	(1) single, (1) double, (1) blank	(1) single, (2) double, (1) blank
<b>Boiler</b>	(1) 1.66 gal. 1500 W	(1) 1.66 gal. 1500 W
<b>Electrical</b>	120V / 1.7 kW / 20A / 1 Ph NEMA 5-20P line cord included.	120V / 1.7 kW / 20A / 1 Ph NEMA 5-20P line cord included.
<b>Product Dimensions (H x W x D)</b>	26"X 14"X 23" Height includes 3" stainless steel legs.	26"X 39"X 24" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 30" X 20"	32" X 53" X 30"
<b>Ship Weight</b>	93 lbs.	166 lbs.
<b>List Price</b>	\$ 8,533	\$ 11,937

**OPTIONS**

**Filter Basket for Single Pods** (410-00700) - Basket holds single, 45mm ESE pods. See page 143.

**Filter Basket for Double Pods** (410-00701) - Basket holds pods for double espresso shots. See page 143.





ESPRESSO MACHINES  
**Aura Series**  
Automatic Espresso Machines

**Extraordinary Flexibility for an Automatic!**

Two and Three Group Upscale PID controlled single Boiler Espresso Machine with auto clean and electronic boiler adjustments. This unit is typically operated in mid to high volume cafés.

- - Touch control boxes with LED lighting all around, 4 dosing selection, Start/ Stop, programming, cleaning
- - EASYLOCK system on the group for a perfect seal with minimal effort
- - LED lighting on the group head to illuminate the tray grid
- - MAESTRO thermo-regulated brew groups
- - Large copper boiler with pressure sensor managing PID temperature control
- - Automatic refill with safety and alarm control
- - Integrated shot time display
- - Groups auto clean programming with back-flush cycles
- - USB interface for update



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



**ESPRESSO MACHINES**

**Aura Series**

**Pod Super-Automatic Two-Step**

For details, visit  
[www.unic-USA.com](http://www.unic-USA.com)



Model	<b>Aura 2 Group</b> AURA2 (1011-016)	<b>Aura 3 Group</b> AURA3 (1011-017)
<b>Description</b>	Two groups with double spouts	Three groups with double spouts
<b>Capacity</b>	Medium capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.	Medium capacity, 200-300 drinks daily. Brews 6 espressos simultaneously.
<b>Boiler</b>	(1) 2.67 gal 4500 Watts	(1) 3.7 gal 4500 Watts
<b>Electrical</b>	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
<b>Product Dimensions (H x W x D)</b>	23" X 31" X 24" Height includes 3" stainless steel legs.	23" X 39" X 24" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 43" X 30"	32" X 53" X 30"
<b>Ship Weight</b>	190 lbs.	215 lbs.
<b>List Price</b>	\$ 16,688	\$ 20,357





ESPRESSO MACHINES  
**Stella Di Caffè Series**  
Automatic Espresso Machines

**Extraordinary Flexibility for an Automatic!**

Two group multi-boiler precision espresso maker. This unit is typically operated in mid to high volume cafés.

- Central control LCD color touch screen (automatic night/day mode, auto-cleaning, drinks counter, USB interface)
- Capacitive independent touch keypad for each group control boxes with running chronographs
- Adjustable lighting (color/intensity) with 5 to 9 high powered LED RGB per electronic box
- Programmable pre-infusion - Time/Pressure - independent per group
- Large cup warmer
- 1 programmable adjustable hot water outlet
- Directly connected to water drain



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



## ESPRESSO MACHINES

# Stella Di Caffè Series

## Automatic Espresso Machines

For details, visit  
[www.unic-USA.com](http://www.unic-USA.com)



<b>Model</b>	<b>Stella di Caffè - 2</b> SDC2 (1011-018)	<b>Stella di Caffè - 2 - Tall Cup</b> SDC2V (1011-019)
<b>Description</b>	Two groups with multi boiler	Two groups with with multi boiler
<b>Capacity</b>	Medium to high capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.	Medium to high capacity, 150-200 drinks daily. Brews 4 espressos simultaneously.
<b>Steam Boiler</b>	(1) 2.25 gal 4500 Watts with two independent half liter coffee boilers.	(1) 2.35 gal 4500 Watts with two independent half liter coffee boilers.
<b>Electrical</b>	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
<b>Product Dimensions (H x W x D)</b>	23" X 31" X 24" Height includes 3" stainless steel legs.	26" X 25" X 23" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 43" 30"	32" X 43" 30"
<b>Ship Weight</b>	215 lbs.	215 lbs.
<b>List Price</b>	\$ 19,011	\$ 20,189



**ESPRESSO MACHINES**  
**Stella Di Caffè Series**  
**Automatic Espresso Machines**

For details, visit  
[www.unic-USA.com](http://www.unic-USA.com)



<b>Model</b>	<b>Stella di Caffè - 3</b> SDC3 (1011-020)	<b>Stella di Caffè - 3 - Tall Cup</b> SDC3V (1011-021)
<b>Description</b>	Three groups with multi boiler	Three groups with multi boiler
<b>Capacity</b>	High volume capacity, 200-300 drinks daily. Brews 6 espressos simultaneously.	High volume capacity, 200-300 drinks daily. Brews 6 espressos simultaneously.
<b>Boiler</b>	(1) 3.8 gal 4500 Watts with three independent half liter coffee boilers	(1) 3.8 gal 4500 Watts with three independent half liter coffee boilers
<b>Electrical</b>	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
<b>Product Dimensions (H x W x D)</b>	23"X 39"X 24" Height includes 3" stainless steel legs.	23"X 39"X 24" Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 53" 30"	32" X 53" 30"
<b>Ship Weight</b>	245 lbs.	245 lbs.
<b>List Price</b>	\$ 24,904	\$ 26,379





ESPRESSO MACHINES  
**Epic Series**  
Automatic Espresso Machines

**Extraordinary Flexibility for an Automatic!**

Two and Three group multi-boiler precision espresso maker. This unit is typically operated in mid to high volume cafés.

- Manual or Programmable pressure adjustments during shot preparation
- Central control LCD color touch screen (automatic night/day mode, auto-cleaning, drinks counter, USB interface)
- Capacitive independent touch keypad for each group control boxes with running chronographs
- Adjustable lighting (color/intensity) with 5 to 9 high powered LED RGB per electronic box
- Programmable pre-infusion – Time/Pressure – independent per group
- Large cup warmer
- 1 programmable adjustable hot water outlet
- Directly connected to water drain



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



## ESPRESSO MACHINES

# Epic Series

## Automatic Espresso Machines

For details, visit  
[www.unic-usa.com](http://www.unic-usa.com)



Model	<b>Epic - 2</b> SE2 (1011-024)	<b>Epic - 3</b> SE3 (1011-025)
<b>Description</b>	Two groups with multi boiler	Three groups with multi boiler
<b>Capacity</b>	Small to medium capacity, 100-150 drinks daily. Brews 4 espressos simultaneously.	High volume capacity, 200-300 drinks daily. Brews 6 espressos simultaneously.
<b>Steam Boiler</b>	(1) 2.35 gal 4500 Watts with two independent half liter coffee boilers	(1) 3.8 gal 4500 Watts with three independent half liter coffee boilers
<b>Electrical</b>	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.	230V / 4.5 kW / 30A / 1 Ph Line cord included with no plug. Suggested plug: L6-30P.
<b>Product Dimensions (H x W x D)</b>	23"X 31"X 24" Height includes 3" stainless steel legs.	23"X 39"X 24"Height includes 3" stainless steel legs.
<b>Ship Dimensions (H x W x D)</b>	32" X 43" 30"	32" X 53" 30"
<b>Ship Weight</b>	240 lbs.	260 lbs.
<b>List Price</b>	\$ 23,432	\$ 30,505



# ESPRESSO MACHINES

## Espresso Machine Accessories

### Super-Automatic Espresso Machine Accessories

Model	Base Cabinet (250-00015)	Cup Warmer (250-00016)	Mini Fridge (250-00017)
<b>Description</b>	For use with Korinto Prime. Sides of cabinet are black, powder-coated metal, countertop is black Formica.	<b>Cup Warmer with 2 Shelves</b> Will hold 40 standard espresso cups or 24 standard cappuccino cups.	<b>One-gallon Pump Refrigerator</b> Designed to be placed next to an espresso machine, completely insulating and refrigerating a one-gallon container of milk. Built-in hose hole.
<b>Electrical</b>	N/A	120V / 1.4 kW / 12.3A / 1 Ph NEMA 5-15P line cord included.	120V / 0.1kW / 1A / 1Ph NEMA 5-15P line cord included.
<b>Dimensions (H x W x D)</b>	<b>Height:</b> 32.7" <b>Base Width:</b> 16" <b>Countertop Width:</b> 26" <b>Depth:</b> 20.5"	<b>Product Dimensions:</b> 19.5" x 13" x 15.25" <b>Ship Dimensions:</b> 23" x 16" x 23"	13.5" x 8.88" x 18"
<b>Ship Weight</b>	60 lbs.	32 lbs.	35 lbs.
<b>List Price</b>	\$ 1,423	\$ 1,971	\$ 1,727

### Automatic Espresso Machine Accessories

Model	Filter Basket for Single Pods (410-00700)	Filter Basket for Double Pods (410-00701)
<b>Description</b>	Basket holds single, 45mm ESE pods.	Basket holds pods for double espresso shots.
<b>List Price</b>	\$ 38	\$ 38



## ESPRESSO MACHINES

# Espresso Machine Accessories

### Automatic Espresso Machine Accessories

Model	60201	60205	60220
<b>Features</b>	Accessory Kit #1 Includes the following: dump box, steam pitcher, measuring spoon, tamper, and cleaner.	Accessory Kit #2 Includes the following: water filter/softening system, dump box, steam pitcher, measuring spoon, tamper, and cleaner.	Dump Box Provides the ideal place to discard used coffee grounds. <b>Material:</b> 18/8 stainless steel with thick rubber cross bar.
<b>Dimensions (H x W x D)</b>	<b>Ship Dimensions:</b> 9.25" x 8.5" x 9.5"	<b>Ship Dimensions:</b> 22" x 14.5" x 10.5"	<b>Product Dimensions:</b> 2.5" x 6.5" x 10.5"
<b>Ship Weight</b>	3 lbs.	15 lbs.	1.45 lbs.
<b>List Price</b>	\$ 183	\$ 438	\$ 77



Model	60207	60112	60247
<b>Features</b>	<b>Espresso Machine Cleaner</b> One packet of cleaner. Use to back-wash each group head once a week.	<b>Hand Tamper</b> Perfect for flattening and leveling the bed of ground coffee in your portafilter. Material: Black high-impact plastic	<b>Steam Pitcher</b> 34 oz. (1 L) This top-quality pitcher is a must for steaming and frothing milk. Material: 18/8 stainless steel
<b>Dimensions (H x W x D)</b>	100 single use packets, each 3.5" x 3.25"	3" H, 2" D and 2.5" ends	<b>Product Dimensions:</b> 5" H x 3.55" D <b>Ship Dimensions:</b> 5.25" x 5.5" x 4"
<b>Ship Weight</b>	1.96 lbs.	0.1 lbs.	0.9 lbs.
<b>List Price</b>	\$ 41	\$ 17	\$ 46





## Korinto Prime

# Super-Automatic One-Step with Powdered Milk

### Barista Quality Drinks at the Push of a Button

Ideal for direct-to-public dispensing, serving up to 100 drinks daily. The user selects the drink they want, and the machine does the rest: doses the beans, grinds them, loads and tamps the portafilter, pulls the extraction using the right water temperature and water volume, and mixes in the milk or other solubles to deliver the completed drink. The machine then ejects the grounds into an internal reservoir, and then runs a quick cleaning cycle on itself so it's ready for the next customer.

No operator skill required, exceptional quality, consistency, and variety of drinks, and the small footprint doesn't take up a lot of space. Profitable addition to any existing beverage program or an easy entry point into the specialty beverage market. Perfect choice for cafeterias, refreshment areas for business, education, hospitals, offices, foodservice, bagel shops, bakeries, and clubhouses.

- 8 programmable drinks
- 7 programmable adjustments for every drink
- Coffee bean hopper and 2 soluble hoppers
- Back-lit, touch sensitive selection panel
- Fits up to 9.45" cups
- Quiet running at <70 dB



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.



## ESPRESSO MACHINES

# Korinto Prime

## Super-Automatic One-Step with Powdered Milk

### Preventive Maintenance Kit

1 Year Schedule  
Item: 250-00139  
List Price: \$ 659

See Page 238



<b>Model</b>	<b>Korinto Prime</b> (1005-003)
<b>Description</b>	(1) 2.1 lbs. (950 g) coffee bean hopper and (2) soluble hoppers with (1) 20.3 oz (0.6 L) boiler.
<b>Dispense Volumes</b>	8 oz, 10 oz, or 12 oz
<b>Capacity</b>	Small to medium capacity, up to 100 drinks daily
<b>Plumbing</b>	Pressure between 7.3 and 123.3 psig.
<b>Electrical</b>	120V / 1.4 kW / 12A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	Machine closed for dispensing: 28.25" x 13" x 21" With upper lid open for refilling: 36.5" x 13" x 21"
<b>Ship Dimensions (H x W x D)</b>	32" X 16" X 24"
<b>Ship Weight</b>	72.75 lbs.
<b>List Price</b>	\$ 9,051

### OPTIONS

**Installation Package** (80598) - Required for the Korinto Prime to qualify for factory warranty. See page 147.

**Base Cabinet** (250-00015) - For use with Korinto Prime. See page 143.

**Cup Warmer** (250-00016) - Cup warmer with 2 shelves. Will hold 40 standard espresso cups or 24 standard cappuccino cups. See page 143.



**Note:** Installation of this model must be performed by a Grindmaster certified agency.

# ESPRESSO MACHINES

## Installation

<b>Model</b>	<b>Installation Package</b> (80598)
<b>Description</b>	<p>Required for Korinto Prime espresso machines to qualify for factory warranty. The install, start, and adjust program includes limited installation, equipment inspection, equipment start-up, and operator training at a single location 35 miles or less from a Grindmaster Certified Service Provider. This is not barista training.</p> <p>When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation:</p> <ol style="list-style-type: none"><li>1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker.</li><li>2. Access to cold water with a minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up.</li><li>3. Adequate drain availability for flexible drain hose on units requiring water line hook-up.</li><li>4. Adequate and appropriate space to position unit.</li></ol>
<b>List Price</b>	\$ 932*

\* Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for multiple units in one location.





# ESPRESSO MACHINES

## Water Purity

Model	250-00011	250-00012	60206
<b>Features</b>	<b>Purity C500 Water Filter Starter Kit</b> Complete kit to test water, and adjustable bypass to produce exactly the water you need - minimizing scale, and retaining minerals that benefit taste. NSF Certification.	<b>Replacement Water Filter Cartridge</b> For Purity C500 water filter. NSF Certification.	<b>Space-saving Water Filter System</b> Includes both water softener and dual-purpose carbon filter in a single mounting system.
<b>Product Dimensions (H x W x D)</b>	22" x 6" x 6"	19" x 4.5" x 4.5"	14" x 10.5" x 5.25"
<b>Ship Dimensions (H x W x D)</b>	27.5" x 7" x 7.25"	6.5" x 6.5" x 23.25"	16.75" x 16.75" x 16.75"
<b>Ship Weight</b>	13 lbs.	10 lbs.	8 lbs.
<b>List Price</b>	\$ 585	\$ 442	\$ 258



Model	60253	63174
<b>Description</b>	<b>Replacement Water Softener Cartridge</b> For use with the 60206 filter system. Reduces mineral build-up that can damage your machine with FDA-grade softener resin. <b>Material:</b> High impact heavy gauge plastic	<b>External Bottled Water Pump Kit</b> Point-of-Use water pump delivers purified water from a 5-gallon water bottle. For remote locations where water supply is inaccessible.
<b>Electrical</b>	N/A	115V / 50/60 Hz / 1.2A
<b>Product Dimensions</b>	9.75" H x 2.88" D	N/A
<b>Ship Dimensions (H x W x D)</b>	11" x 3.25" x 3.25"	24" x 10.5" x 3.25"
<b>Ship Weight</b>	1.5 lbs.	6 lbs
<b>List Price</b>	\$ 59	\$ 431





ESPRESSO  
GRINDER-DOSERS



# Venezia Espresso Grinder-Dosers

## Precise Control

Heavy-duty, high-torque, direct drive grinder-dosers with infinite grind adjustments and exacting precision. These grinder-dosers allow your shop to make it through a rush without having to stop and grind coffee for each drink.

- VGT offers a timer version: set the timer to start the grind, machine turns off automatically after time is up. Timer can also be stopped manually. 1 minute maximum grind.
- VGA and VGHDA offer automatic versions: doser chute is always kept full, ready for dispensing. Auto starts every 12 doses, the grinder stops when the chute is full.
- Direct drive, 1600 rpm motor.
- Overheating safety protection.
- Dose adjustment: 5.5g - 9g.
- Shot counter on doser indicates the number of cups of espresso that have been served.



Visit [www.unic-USA.com](http://www.unic-USA.com) for more information.





# Venezia Espresso Grinder-Dosers

Model	VGT (077800L)	VGA (077810L)	VGHDA (077820L)
<b>Description</b>	Timer model with 1-minute timer 0.5 hp direct drive motor. 64 mm flat precision stainless steel burrs.	Automatic model 0.5 hp direct drive motor. 64 mm flat precision stainless steel burrs.	Heavy-duty, Automatic Model 1.0 hp direct drive motor. 83 mm flat precision stainless steel burrs. Built in cooling fan.
<b>Grinding</b>	2.5 g / sec	2.5 g / sec	4.2 g / sec
<b>Capacity</b>	<b>Up to 200 drinks daily</b> <b>Bean Hopper:</b> 2.7 lbs. (1.2 kg) <b>Ground Espresso:</b> 0.6 lbs. (250 g)	<b>Up to 200 drinks daily</b> <b>Bean Hopper:</b> 2.7 lbs. (1.2 kg) <b>Ground Espresso:</b> 0.6 lbs. (250 g)	<b>200-300 drinks daily</b> <b>Bean Hopper:</b> 4 lbs. (1.8 kg) <b>Ground Espresso:</b> 0.8 lbs. (360 g)
<b>Electrical</b>	120V / 0.35 kW / 2.9A / 1 Ph NEMA 5-15P line cord included.	120V / 0.35 kW / 2.9A / 1 Ph NEMA 5-15P line cord included.	120V / 0.65 kW / 5.4A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	24" x 9.5" x 16.5"	24" x 9.5" x 16.5"	25" x 9.5" x 18"
<b>Ship Dimensions (H x W x D)</b>	17" x 10.5" x 23.5"	17" x 10.5" x 23.5"	25.5" x 8.75" x 11.5"
<b>Product Weight</b>	31 lbs.	31 lbs.	44 lbs.
<b>Ship Weight</b>	35 lbs.	35 lbs.	44 lbs.
<b>List Price</b>	\$ 1,923	\$ 2,387	\$ 3,342



Intertek

## ESPRESSO GRINDER-DOSERS

# Venezia II Espresso Grinder-Dosers

### Exact Grind

In fast-paced environments, this timer model grinder-doser keeps up with demand so you can concentrate on your customers. Direct drive, 0.5 hp 1550 rpm motor, infinite grind adjustments, and exacting precision let this grinder-doser handle workloads of up to 200 cups a day without taking a coffee break.

- Set the timer to start the grind, machine turns off automatically after time is up.  
Timer can also be stopped manually. 5 minute maximum grind.
- 64 mm flat specially hardened stainless steel burrs.
- Heavy duty cast aluminum body.
- Overheating safety protection.
- Dose adjustment: 5.5g - 9g.
- Doser quickly and easily fills your espresso machine's portafilter.



<b>Model</b>	<b>HC-600</b> (1303-000)
<b>Description</b>	Timer model with 5-minute timer
<b>Grinding</b>	2.5 g
<b>Capacity</b>	<b>Up to 200 daily drinks</b> <b>Bean Hopper:</b> 3 lbs. (1.4 kg) <b>Ground Espresso:</b> 0.6 lbs. (250 g)
<b>Electrical</b>	120V / 0.35 kW / 60 Hz / 3A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	22" x 7.75" x 11"
<b>Ship Dimensions (H x W x D)</b>	26" x 11" x 16"
<b>Product Weight</b>	30 lbs.
<b>Ship Weight</b>	31 lbs.
<b>List Price</b>	\$ 1,353



# ORANGE JUICE MACHINES



## ORANGE JUICE MACHINES

# Automatic Orange Juice Machines

### Quick, Efficient, and Juicy

The exclusive design of the juicer separates the peel from the pulp, so that it is not pressed during the squeezing process. The peel never touches the juice, ensuring sanitation.



- Micro-serrated slicing blade - heavy-duty stainless steel blade strong enough to quickly slice through the thickest peel.
- Available carousel-style automatic feeder - fruit is automatically fed into the machine quickly and efficiently as the feeder rotates.
- Fruit Diameter: 2.36" - 3.2"



Model : JX15MC



Model : JX45AF

	Countertop Model	Floor Model
<b>Model</b>	<b>JX15MC</b> (095500L)	<b>JX45AF</b> (095555L)
<b>Description</b>	Orange color, manual feed	Orange color, auto feed, juice reservoir, and self-serve faucet
<b>Feed Rate</b>	15 oranges per minute	45 oranges per minute
<b>Feeder Capacity</b>	6 oranges	39 lbs.
<b>Flow Rate Per Minute</b>	25 oz. - 45 oz.	57 oz. - 114 oz.
<b>Electrical</b>	120V / 1.08 kW / 9A / 1 Ph  NEMA 5-15P line cord included.	120V / 1.08 kW / 9A / 1 Ph  NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	33" x 19.5" x 19.75"	71.5" x 23" x 29.5"
<b>Ship Dimensions (H x W x D)</b>	44.5" x 30.5" x 24"	73" x 24" x 30"
<b>Ship Weight</b>	108 lbs.	190 lbs.
<b>List Price</b>	\$ 8,764	\$ 16,926

### Preventive Maintenance Kit

#### Countertop

1 Year Schedule  
Item: 250-00168  
List Price: \$ 175

#### Floor Model

1 Year Schedule  
Item: 250-00169  
List Price: \$ 175

See Page 238



# COLD BEVERAGE DISPENSERS





## Less Equals More

Simplicity pre-mix dispensers are the first machines that are proud to offer less. Less counter space with their compact size. Less time and effort in cleaning and disassembly. Less wear and power usage. Less waste, with product dispensed to the last drop. Less worry with fewer removable parts. And, less maintenance. Which we believe gives you much, much more.

- Pre-mix dispenser with stainless steel base and clear plastic easy-clean bowls.
- Unique to Simplicity more efficient front-to-back air circulation. Efficient cooling uses less energy and saves money.
- New easy-off bowl release system for faster and easier assembly and disassembly.
- Design enables machine to dispense product until the very last drop.
- Fewer removable parts to simplify cleaning and reduce maintenance, including removable tray.
- 9" cup clearance for a variety of drinks.
- Temperature range from 35 - 41°F.
- BPA Free Bowl options available.



Visit [www.SimplicityBubbler.com](http://www.SimplicityBubbler.com) for more information.



# Simplicity® Bubblers®



## Sleek Design

Dispense up to four flavors in 2.4 or 4.75 gallon clear plastic bowls on a stainless steel base with 9" cup clearance.

## Agitator Models

Choose the minimal foaming system in the agitator model and pair it with our BPA free bowl assembly kit.



## Interchangeable Bowls

Different size bowls fit the same machine!

Easily convert your Simplicity Bubbler to the best bowl configuration for your needs.

Wherever you have two 2.4 gallon bowls on a Simplicity base, you can replace them with a 4.75 gallon bowl and vice versa.

**Note:** The Triple Tall Models (CS-3L Series) are not interchangeable.







## COLD BEVERAGE DISPENSERS : PREMIX **Simplicity® Bubblers®**



### **Reduced Maintenance**

Fewer removable parts also means less maintenance and a longer lifetime.



### **Dispense Levers**

Dispense levers can be removed quickly and easily without affecting the product dispense valves.



### **Easy and Better Sealing**

Advanced sealing guards against leakage, providing trouble-free usage.

**COLD BEVERAGE DISPENSERS : PREMIX**

**Simplicity® Bubblers®**

**Mini Twin Models**

**Preventive Maintenance Kit**

**Agitator Model**

6 Month Schedule


Item: 250-00120

List Price: \$ 64


See Page 239



**Agitator Models**

<b>Model</b>	<b>CS-2E-16</b> <b>Base:</b> (231-00001) <b>Bowl Set:</b> (231-00539)
<b>Description</b>	(2) 2.4 gallon bowls
<b>Electrical</b>	120V / 60Hz / 3.6A  NEMA 5-15P <i>line cord included.</i>
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	27.5" x 10.5" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 15" x 18.9" <b>Bowl:</b> 17.3" x 11.8" x 18.9"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 66 lbs. <b>Base:</b> 53 lbs. <b>Bowl:</b> 13 lbs.
<b>List Price</b>	\$ 2,290

**BPA Free Models**

<b>Model</b>	<b>CS-2E-16</b> <b>Base:</b> (231-00001) <b>BPA Free Bowl Set:</b> (231-00672)
<b>Description</b>	(2) 2.4 gallon bowls
<b>Electrical</b>	120V / 60Hz / 3.6A  NEMA 5-15P <i>line cord included.</i>
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	27.5" x 10.5" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 15" x 18.9" <b>Bowl:</b> 17.3" x 11.8" x 18.9"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 66 lbs. <b>Base:</b> 53 lbs. <b>Bowl:</b> 13 lbs.
<b>List Price</b>	\$ 2,707

**Note:** Accessories available separately. See page 170.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Simplicity® Bubblers®**  
Mini Quad Models

**Preventive Maintenance Kit**

**Agitator Model**

6 Month Schedule  
Item: 250-00122  
List Price: \$ 109

**Spray Model**



6 Month Schedule  
Item: 250-00123  
List Price: \$ 102

See Page 239



**Agitator Models**

**BPA Free Models**

Model	CS-4E-16 Base: (231-00234) Bowl Set: (231-00543)	Model	CS-4E-16 Base: (231-00234) BPA Free Bowl Set: (231-00674)
<b>Description</b>	(4) 2.4 gallon bowls	<b>Description</b>	(4) 2.4 gallon bowls
<b>Electrical</b>	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.	<b>Electrical</b>	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp	<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	27.5" x 20.5" x 17.75" Height includes 4" legs.	<b>Product Dimensions (H x W x D)</b>	27.5" x 20.5" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 19" x 24.8" <b>Bowl:</b> 25.6" x 22.4" x 12.2"	<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 19" x 24.8" <b>Bowl:</b> 25.6" x 22.4" x 12.2"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 99 lbs. <b>Base:</b> 77 lbs. <b>Bowl:</b> 22 lbs.	<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 99 lbs. <b>Base:</b> 77 lbs. <b>Bowl:</b> 22 lbs.
<b>List Price</b>	\$ 3,194	<b>List Price</b>	\$ 3,563

**Note:** Accessories available separately. See page 170.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Simplicity® Bubblers®**

**Single Standard Bowl Models**

**Preventive Maintenance Kit**

**Agitator Model**

6 Month Schedule



Item: 250-00124

List Price: \$ 64



See Page 239



**Agitator Models**

<b>Model</b>	<b>CS-1D-16</b> <b>Base:</b> (231-00001) <b>Bowl Set:</b> (231-00541)
<b>Description</b>	(1) 4.75 gallon bowl
<b>Electrical</b>	120V / 60Hz / 3.6A   NEMA 5-15P <i>line cord included.</i>
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	27.5" x 10.5" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 15" x 18.9" <b>Bowl:</b> 17" x 12.2" x 19.3"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 66 lbs. <b>Base:</b> 53 lbs. <b>Bowl:</b> 13 lbs.
<b>List Price</b>	\$ 1,806

**BPA Free Models**

<b>Model</b>	<b>CS-1D-16</b> <b>Base:</b> (231-00001) <b>BPA Free Bowl Set:</b> (231-00673)
<b>Description</b>	(1) 4.75 gallon bowl
<b>Electrical</b>	120V / 60Hz / 3.6A   NEMA 5-15P <i>line cord included.</i>
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	27.5" x 10.5" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 15" x 18.9" <b>Bowl:</b> 17" x 12.2" x 19.3"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 66 lbs. <b>Base:</b> 53 lbs. <b>Bowl:</b> 13 lbs.
<b>List Price</b>	\$ 1,847

**Note:** Accessories available separately. See page 170.



COLD BEVERAGE DISPENSERS : PREMIX

# Simplicity® Bubblers®

## Twin Standard Bowl Models

**Preventive Maintenance Kit**

**Agitator Model**

6 Month Schedule  
Item: 250-00126  
List Price: \$ 107

**Spray Model**



6 Month Schedule  
Item: 250-00127  
List Price: \$ 102

See Page 239



**Agitator Models**

**BPA Free Models**

Model	CS-2D-16 Base: (231-00234) Bowl Set: (231-00545)	Model	CS-2D-16 Base: (231-00234) BPA Free Bowl Set: (231-00675)
Description	(2) 4.75 gallon bowls	Description	(2) 4.75 gallon bowls
Electrical	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.	Electrical	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.
Refrigeration	Refrigerant: R134A Compressor: 1/10 hp	Refrigeration	Refrigerant: R134A Compressor: 1/10 hp
Product Dimensions (H x W x D)	27.5" x 20.5" x 17.75" Height includes 4" legs.	Product Dimensions (H x W x D)	27.5" x 20.5" x 17.75" Height includes 4" legs.
Ship Dimensions (H x W x D)	Base: 20.8" x 19" x 24.8" Bowl: 25.6" x 22.4" x 12.2"	Ship Dimensions (H x W x D)	Base: 20.8" x 19" x 24.8" Bowl: 25.6" x 22.4" x 12.2"
Ship Weight (in two boxes)	Total: 95 lbs. Base: 77 lbs. Bowl: 18 lbs.	Ship Weight (in two boxes)	Total: 95 lbs. Base: 77 lbs. Bowl: 18 lbs.
List Price	\$ 2,488	List Price	\$ 2,576

Note: Accessories available separately. See page 170.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Simplicity® Bubblers®**

**Triple Tall Bowl Models**

**Preventive Maintenance Kit**



**Agitator Model**  
 6 Month Schedule  
 Item: 250-00130  
 List Price: \$ 81

See Page 239



**Agitator Models**

**BPA Free Models**

Model	<b>CS-3L-16</b> Base: (231-00426) Bowl Set: (231-00549)	Model	<b>CS-3L-16</b> Base: (231-00426) BPA Free Bowl Set: (231-00677)
<b>Description</b>	(3) 4.75 gallon bowls	<b>Description</b>	(3) 4.75 gallon bowls
<b>Electrical</b>	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.	<b>Electrical</b>	120V / 60Hz / 8.5A  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp	<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	31.3" x 20.4" x 17.75" Height includes 4" legs.	<b>Product Dimensions (H x W x D)</b>	31.3" x 20.4" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 19" x 24.8" <b>Bowl:</b> 22" x 22" x 13.8"	<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 19" x 24.8" <b>Bowl:</b> 22" x 22" x 13.8"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 101 lbs. <b>Base:</b> 77 lbs. <b>Bowl:</b> 24 lbs.	<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 101 lbs. <b>Base:</b> 77 lbs. <b>Bowl:</b> 24 lbs.
<b>List Price</b>	\$ 3,200	<b>List Price</b>	\$ 3,444

**Note:** Accessories available separately. See page 170.





**COLD BEVERAGE DISPENSERS : PREMIX**  
**Simplicity® Bubblers®**  
**Triple Combo Bowl Models**

**Preventive  
Maintenance Kit**



**Agitator Model**  
 6 Month Schedule  
 Item: 250-00128  
 List Price: \$ 107

See Page 239



**Agitator Models**

**BPA Free Models**

Model	CS-3D-16 Base: (231-00234) Bowl Set: (231-00547)	Model	CS-3D-16 Base: (231-00234) BPA Free Bowl Set: (231-00676)
<b>Description</b>	(1) 4.75 gallon bowl and (2) 2.4 gallon bowls	<b>Description</b>	(1) 4.75 gallon bowl and (2) 2.4 gallon bowls
<b>Electrical</b>	120V / 60Hz / 8.5A  NEMA 5-15P <i>line cord included.</i>	<b>Electrical</b>	120V / 60Hz / 8.5A  NEMA 5-15P <i>line cord included.</i>
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp	<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/10 hp
<b>Product Dimensions (H x W x D)</b>	27.5" x 20.5" x 17.75" Height includes 4" legs.	<b>Product Dimensions (H x W x D)</b>	27.5" x 20.5" x 17.75" Height includes 4" legs.
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 19" x 24.8" <b>Bowl:</b> 25.6" x 22.4" x 12.2"	<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 20.8" x 19" x 24.8" <b>Bowl:</b> 25.6" x 22.4" x 12.2"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 99 lbs. <b>Base:</b> 77 lbs. <b>Bowl:</b> 22 lbs.	<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 99 lbs. <b>Base:</b> 77 lbs. <b>Bowl:</b> 22 lbs.
<b>List Price</b>	\$ 2,813	<b>List Price</b>	\$ 2,915

**Note:** Accessories available separately. See page 170.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Simplicity® Bubblers®**

Options and Accessories

<b>Model</b>	<b>231-0009T</b>	<b>210-00125T</b>
<b>Description</b>	<b>BPA-Free Bowl</b> 2.4 gallon, dishwasher safe.	<b>BPA-Free Lid</b> for use with 2.4 gallon bowl, dishwasher safe.
<b>List Price</b>	\$ 323	\$ 32

<b>Model</b>	<b>231-00010T</b>	<b>210-00126T</b>
<b>Description</b>	<b>BPA-Free Bowl</b> 4.75 gallon, dishwasher safe.	<b>BPA-Free Lid</b> for use with 4.75 gallon bowl, dishwasher safe.
<b>List Price</b>	\$ 364	\$ 49



<b>Model</b>	<b>231-00227</b>	<b>231-00293</b>
<b>Description</b>	<b>Merchandiser Kit for Mini Twin and Single Bowl Models</b> Attract customers with extra graphics.	<b>Merchandiser Kit for Mini Quad and Double Bowl Models</b> Attract customers with extra graphics.
<b>List Price</b>	\$ 141	\$ 305

<b>Model</b>	<b>210-00118</b>	<b>2001-000</b>
<b>Description</b>	<b>Condenser Filter</b> Protect your condenser with a simple, easy to clean filter. 8.25" x 3.25	<b>Liquid Autofill Control Box</b> Not for use with RO water systems. See page 180.
<b>List Price</b>	\$ 3	\$ 2,185

## **Durable and Efficient**

Keep a steady supply of cold drinks on hand with Crathco Classic Bubbler cold beverage dispensers. Stainless steel and super-strong, virtually unbreakable bowls and covers ensure long-lasting use, and are easy to maintain for a fast, simple cleanup. Crystal-clear bowls and covers showcase your colorful signature fruit juice, tea, and iced coffees and provide an eye-catching appearance - perfect for boosting impulse sales.

- Unique evaporator and high efficiency pump cools faster and more efficiently for quick start-up.
- Along with spray circulation, agitators are included with each unit for fresh juices, coffees, or tea.
- Superior engineering allows full beverage cooling to the dispense point, and right down to the last drink.
- Bowls have easy-to-read measuring marks and models with more than one bowl separate to allow cleaning and flavor changes without total system shut-down.
- Temperature range from 35 - 41°F.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Standard Series Crathco® Classic Bubblers®**

**Single 5 Gallon Bowl Models**

**Preventive Maintenance Kit**



6 Month Schedule  
Item: 250-00136  
List Price: \$ 30

See Page 239



**Stainless Steel Side Panels and Drip Tray**

**Plastic Side Panels and Drip Tray**

	<b>Stainless Steel Side Panels and Drip Tray</b>	<b>Plastic Side Panels and Drip Tray</b>
<b>Model</b>	D15-3 <b>Base:</b> (5619) <b>Bowl:</b> (5111)	D15-4 <b>Base:</b> (5620) <b>Bowl:</b> (5121)
<b>Description</b>	1 bowl, Certified NSF / ANSI 20- safe for milk, 8.25" cup clearance.	1 bowl, Certified NSF / ANSI 20- safe for milk, 8.25" cup clearance.
<b>Electrical</b>	115V / 0.34 kW / 2.8A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.34 kW / 2.8A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp
<b>Product Dimensions (H x W x D)</b>	27.25" x 10.25" x 16"	27.25" x 10.25" x 16"
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 15.5" x 13.5" x 13.5" <b>Bowl:</b> 8.5" x 14" x 15.5"	<b>Base:</b> 15.5" x 13.5" x 13.5" <b>Bowl:</b> 8.5" x 14" x 15.5"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 46 lbs. <b>Base:</b> 37 lbs. <b>Bowl:</b> 9 lbs.	<b>Total:</b> 46 lbs. <b>Base:</b> 37 lbs. <b>Bowl:</b> 9 lbs.
<b>List Price</b>	\$ 1,571	\$ 1,495

**Note:** Accessories available separately. See pages 178 - 181.



**NSF-20**



**COLD BEVERAGE DISPENSERS : PREMIX**

# Standard Series Crathco® Classic Bubblers®

## Double 5 Gallon Bowl Models

**Preventive  
Maintenance Kit**



6 Month Schedule  
Item: 250-00138  
List Price: \$ 44

See Page 239



**Stainless Steel Side Panels and Drip Tray**

**Plastic Side Panels and Drip Tray**

	<b>D25-3</b>	<b>D25-4</b>
<b>Model</b>	<b>Base:</b> (5507) <b>Bowl:</b> (5112)	<b>Base:</b> (5508) <b>Bowl:</b> (5122)
<b>Description</b>	2 bowls, 8.25" cup clearance.	2 bowls, 8.25" cup clearance.
<b>Electrical</b>	115V / 0.66 kW / 5.5A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.66 kW 5.5A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/5 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/5 hp
<b>Product Dimensions (H x W x D)</b>	27.25" x 17.5" x 16"	27.25" x 17.5" x 16"
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 16.25" x 20.75" x 13.5" <b>Bowl:</b> 22.5" x 15.5" x 8.5"	<b>Base:</b> 16.25" x 20.75" x 13.5" <b>Bowl:</b> 22.5" x 15.5" x 8.5"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 73 lbs. <b>Base:</b> 56 lbs. <b>Bowl:</b> 17 lbs.	<b>Total:</b> 73 lbs. <b>Base:</b> 56 lbs. <b>Bowl:</b> 17 lbs.
<b>List Price</b>	\$ 2,164	\$ 2,013

**Note:** Accessories available separately. See pages 178 - 181.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Standard Series Crathco® Classic Bubblers®**

**Triple 5 Gallon Bowl Models**

**Preventive Maintenance Kit**



6 Month Schedule  
Item: 250-00140  
List Price: \$ 58

See Page 239



**Stainless Steel Side Panels and Drip Tray**

**Plastic Side Panels and Drip Tray**

Model	<b>D35-3</b> Base: (5511) Bowl: (5113)	<b>D35-4</b> Base: (5512) Bowl: (5123)
<b>Description</b>	3 bowls, 8.25" cup clearance.	3 bowls, 8.25" cup clearance.
<b>Electrical</b>	115V / 1.02 kW / 8.5A / 1 Ph  NEMA 5-15P line cord included.	115V / 1.02 kW / 8.5A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/3 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/3 hp
<b>Product Dimensions (H x W x D)</b>	27.25" x 25.75" x 16"	27.25" x 25.75" x 16"
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 16" x 29.5" x 13.5" <b>Bowl:</b> 28.5" x 15.5" x 8.5"	<b>Base:</b> 16" x 29.5" x 13.5" <b>Bowl:</b> 28.5" x 15.5" x 8.5"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 98 lbs. <b>Base:</b> 74 lbs. <b>Bowl:</b> 24 lbs.	<b>Total:</b> 98 lbs. <b>Base:</b> 74 lbs. <b>Bowl:</b> 24 lbs.
<b>List Price</b>	\$ 2,806	\$ 2,619

**Note:** Accessories available separately. See pages 178 - 181.



# COLD BEVERAGE DISPENSERS : PREMIX

## Mini-Bowl Series Crathco® Classic Bubblers®

### Double 2.4 Gallon Bowl Models

#### Preventive Maintenance Kit



6 Month Schedule  
Item: 250-00142  
List Price: \$ 42

See Page 240



#### Stainless Steel Side Panels and Drip Tray

#### Plastic Side Panels and Drip Tray

Model	<b>E29-3</b> Base: (5584) Bowl: (5114)	<b>E29-4</b> Base: (5583) Bowl: (5124)
<b>Description</b>	2 bowls, 8" cup clearance.	2 bowls, 8" cup clearance.
<b>Electrical</b>	115V / 0.4 kW / 4A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.4 kW / 4A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp
<b>Product Dimensions (H x W x D)</b>	25.5" x 11.25" x 16"	25.5" x 11.25" x 16"
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 15" x 15" x 16" <b>Bowl:</b> 16" x 19" x 9"	<b>Base:</b> 15" x 15" x 16" <b>Bowl:</b> 16" x 19" x 9"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 56 lbs. <b>Base:</b> 45 lbs. <b>Bowl:</b> 11 lbs.	<b>Total:</b> 56 lbs. <b>Base:</b> 45 lbs. <b>Bowl:</b> 11 lbs.
<b>List Price</b>	\$ 1,992	\$ 1,855

**Note:** Accessories available separately. See pages 178 - 181.







**COLD BEVERAGE DISPENSERS : PREMIX**

# Mini-Bowl Series Crathco® Classic Bubblers®

## Quad 2.4 Gallon Bowl Models

**Preventive  
Maintenance Kit**



6 Month Schedule  
Item: 250-00144  
List Price: \$ 68

See Page 240



**Stainless Steel Side Panels and Drip Tray**

**Plastic Side Panels and Drip Tray**

	<b>Stainless Steel Side Panels and Drip Tray</b>	<b>Plastic Side Panels and Drip Tray</b>
<b>Model</b>	<b>E49-3</b> <b>Base:</b> (5538) <b>Bowl:</b> (5115)	<b>E49-4</b> <b>Base:</b> (5542) <b>Bowl:</b> (5125)
<b>Description</b>	4 bowls, 8" cup clearance.	4 bowls, 8" cup clearance.
<b>Electrical</b>	115V / 0.72 kW / 6A / 1 Ph  NEMA 5-15P line cord included.	115V / 0.72 kW / 6A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp
<b>Product Dimensions (H x W x D)</b>	27.25" x 17.5" x 16"	27.25" x 17.5" x 16"
<b>Ship Dimensions (H x W x D)</b>	<b>Base:</b> 14" x 24" x 16" <b>Bowl:</b> 20" x 26" x 10"	<b>Base:</b> 14" x 24" x 16" <b>Bowl:</b> 20" x 26" x 10"
<b>Ship Weight (in two boxes)</b>	<b>Total:</b> 91 lbs. <b>Base:</b> 67 lbs. <b>Bowl:</b> 24 lbs.	<b>Total:</b> 91 lbs. <b>Base:</b> 67 lbs. <b>Bowl:</b> 24 lbs.
<b>List Price</b>	\$ 3,119	\$ 2,950

**Note:** Accessories available separately. See pages 178 - 181.



COLD BEVERAGE DISPENSERS : PREMIX

**Crathco® Classic Bubblers®**

Options and Accessories

Model	1161M	3587	3709
<b>Description</b>	<b>Large Milkfat Impeller (blue)</b> For thicker dairy products and products with heavy pulp.	<b>Standard MCX Mag Drive™ Impeller (black)</b> For juices and water.	<b>MCX Mag Drive™ Low Foam Impeller (black with blue center)</b> For products that create foam, such as teas and lemonades.
<b>Product Dimensions</b>	2.1" Diameter	2" Diameter	2" Diameter
<b>List Price</b>	\$ 49	\$ 38	\$ 38

Model	3657	2039	2502
<b>Description</b>	<b>Condensation Cover</b> For use with D15, D25, D35. Direct and conceal condensation in high humidity or outdoor locations.	<b>Valve Cap</b> Improves sealing of valve when using pulpy product.	<b>Valve Locking Box</b> For use with cup activated handle - cannot be used with non-contact handle. Secures the valve from dispensing during off-hours.
<b>Product Dimensions (H x W x D)</b>	10" x 7.5" x 3.25"	1.75" Diameter	6" x 3.5" x 3.25"
<b>List Price</b>	\$ 36	\$ 91	\$ 82

**COLD BEVERAGE DISPENSERS : PREMIX**  
**Crathco® Classic Bubblers®**  
 Options and Accessories

Model	2484	2266	2543
<b>Description</b>	<b>Non Contact Handle (Standard)</b>	<b>Cup Activated Handle</b>	<b>3" Legs</b> Set of 4
<b>Product Dimensions (H x W x D)</b>	4.25" x 3.25" x 1"	5.25" x 3.25" x 3"	0.5" Diameter
<b>List Price</b>	\$ 38	\$ 38	\$ 85

Model	2509	2510	2511	5353
<b>Description</b>	<b>Security Kit</b> For use with D15	<b>Security Kit</b> For use with D25	<b>Security Kit</b> For use with D35	<b>Security Kit</b> For use with E49
<b>List Price</b>	\$ 199	\$ 270	\$ 394	\$ 337

Model	5925
<b>Description</b>	<b>Shipboard Kit</b> For use with D15, D25, D35. Only available for use with agitator. Makes unit safer for installation aboard marine vessel.
<b>List Price</b>	\$ 155

## COLD BEVERAGE DISPENSERS : BUBBLER® AUTOFILL SYSTEM

# Liquid Autofill System for Bubblers®

### Drinks Always Ready

Increase productivity beyond bowl capacity in your cold beverage machine! Automatically refills bowls as the product drops below preset level. Placed between the dispensing bowl, liquid concentrate, and a potable water line, the autofill system mixes the liquid concentrate and water together and refills the bowl. Safeguard controls prevent the overfilling of the bowls.

- Use with the Simplicity series, and the Classic series models D15, D25, D35, E29, and E49.
- Unit includes: Sanitizing system, digital control system, power cord, and 72" each of concentrate tubing, dispense tubing, and sensor probe cable.
- Compatible with liquid box products used to create cold or frozen drinks.
- Automatic shutdown at power failure.
- Input and output water tubing attached with quick connects.
- Output: 1.5 - 2.5 oz per second at 32 psi outlet pressure maximum.
- Output in sanitizing mode: approximately 3 gallons per minute.
- Pre-drilled bowls required.



### Single Pump Models

Model	2001-000	2001-001
<b>Description</b>	Mixing Ratio of 5:1	Mixing Ratio of 4:1
<b>Plumbing</b>	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11 1/2 TPI.	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11 1/2 TPI.
<b>Electrical</b>	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	6.5" x 11.75" x 9.625"	6.5" x 11.75" x 9.625"
<b>Ship Dimensions (H x W x D)</b>	9.75" x 14.25" x 13.25"	9.75" x 14.25" x 13.25"
<b>Ship Weight</b>	19 lbs.	19 lbs.
<b>List Price</b>	\$ 2,185	\$ 2,185

## COLD BEVERAGE DISPENSERS : BUBBLER® AUTOFILL SYSTEM

# Liquid Autofill System for Bubblers®

### Double Pump Models

Model	2001-002	2001-003
<b>Description</b>	Double Pump, Mixing Ratio of 5:1	Double Pump, Mixing Ratio of 4:1
<b>Plumbing</b>	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11½ TPI.	50 psi maximum inlet pressure. Not for use with reverse osmosis (RO) water systems. Requires a 3/4" female GHT connection with 11½ TPI.
<b>Electrical</b>	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.	120V / 60Hz / 2A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	6.5" x 16.5" x 12"	6.5" x 16.5" x 12"
<b>Ship Dimensions (H x W x D)</b>	9.5" x 18.75" x 15.5"	9.5" x 18.75" x 15.5"
<b>Ship Weight</b>	38 lbs.	38 lbs.
<b>List Price</b>	\$ 3,277	\$ 3,277



### Options for Both Pump Models

Model	90380
<b>Description</b>	Pre-drilled holes for autofill on new premix machine (drilling charge per bowl)
<b>List Price</b>	Contact Factory



## COLD BEVERAGE DISPENSERS : PREMIX Crathco® G-Cool® Series

### So Many Options - Even Safe for Milk!

The most advanced, user-friendly cold premix dispenser available, for up to 4 flavors with options of both 2.4 and 5 gallon bowls. Easy operator interface, simple machine care, and faster cleaning. Cleans in half the time of a traditional dispenser. Patented Tri-Cool™ evaporator with a large 3-sided cooling surface refrigerates through the bowl using less energy and saving money.

Low aeration magnetic mixing system keeps product mixed without creating unwanted foam in tea and cappuccino products.

- 360° merchandising with choice of fruit, tea, or cappuccino graphic attract customers.
- Stainless steel dispensing valve and 9.5" cup height.
- Temperature range from 35 - 41°F.
- Certified NSF / ANSI 20 - safe for milk.



**COLD BEVERAGE DISPENSERS : PREMIX**

**Crathco® G-Cool® Series**

**5 Gallon Bowl Models**

**Preventive Maintenance Kit**

**Single Model**

6 Month Schedule  
Item: 250-00132  
List Price: \$ 40

**Double Model**



6 Month Schedule  
Item: 250-00133  
List Price: \$ 64

See Page 240



**Single Models**

**Double Models**

Model	<b>C-1S-16</b> (231-00162)	<b>C-2D-16</b> (231-00166)
<b>Description</b>	(1) 5 gallon bowl	(2) 5 gallon bowls
<b>Electrical</b>	120V / 0.45 kW / 5.2A / 1 Ph  NEMA 5-15P line cord included.	120V / 0.98 kW / 11A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/3 hp
<b>Product Dimensions (H x W x D)</b>	26.5" x 12.5" x 19.5"	26.5" x 22" x 19.5"
<b>Ship Dimensions (H x W x D)</b>	30" x 16" x 22"	30" x 23" x 25"
<b>Ship Weight</b>	72 lbs.	119 lbs.
<b>List Price</b>	\$ 1,627	\$ 2,398

**Specify Graphic:** Iced Coffee (99454), Iced Tea (99455), or Fruit (99456).

**Note:** Accessories available separately. See page 187.



**NSF-20**




**COLD BEVERAGE DISPENSERS : PREMIX**  
**Crathco® G-Cool® Series**  
**Focus Flavor Models**

**Preventive  
Maintenance Kit**

6 Month Schedule  
 Item: 250-00134  
 List Price: \$ 87

See Page 240



<b>Model</b>	<b>C-3D-16</b> (231-00168)
<b>Description</b>	(1) 5 gallon bowl and (2) 2.4 gallon bowls
<b>Electrical</b>	120V / 0.98 kW / 11A / 1 Ph NEMA 5-15P <i>line cord included.</i> 
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/3 hp
<b>Product Dimensions (H x W x D)</b>	26.5" x 22" x 19.5"
<b>Ship Dimensions (H x W x D)</b>	30" x 23" x 25"
<b>Ship Weight</b>	119 lbs.
<b>List Price</b>	\$ 2,915

**Specify Graphic:** Iced Coffee (99454), Iced Tea (99455), or Fruit (99456).  
**Note:** Accessories available separately. See page 187.



NSF-20

**COLD BEVERAGE DISPENSERS : PREMIX**

# Crathco® G-Cool® Series

## Mini Models

**Preventive Maintenance Kit**

**Mini Duo**

6 Month Schedule  
Item: 250-00133  
List Price: \$ 64

**Mini Quattro**



6 Month Schedule  
Item: 250-00135  
List Price: \$ 113

See Page 240



**Duo Models**

**Quattro Models**

<b>Model</b>	C-2S-16 (231-00164)	C-4D-16 (231-00170)
<b>Description</b>	(2) 2.4 gallon bowls	(4) 2.4 gallon bowls
<b>Electrical</b>	120V / 0.45 kW / 5.2A / 1 Ph  NEMA 5-15P line cord included.	120V / 0.98 kW / 11A / 1 Ph  NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/6 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/3 hp
<b>Product Dimensions (H x W x D)</b>	26.5" x 12.5" x 19.5"	26.5" x 22" x 19.5"
<b>Ship Dimensions (H x W x D)</b>	30" x 16" x 22"	30" x 21" x 25"
<b>Ship Weight</b>	72 lbs.	150 lbs.
<b>List Price</b>	\$ 2,071	\$ 3,238

**Specify Graphic:** Iced Coffee (99454), Iced Tea (99455), or Fruit (99456).

**Note:** Accessories available separately. See page 187.



NSF-20

**COLD BEVERAGE DISPENSERS : PREMIX**

**Crathco® G-Cool® Series**  
Options and Accessories

<b>Model</b>	<b>9913</b>	<b>99453</b>	<b>99634</b>
<b>Description</b>	Milkfat Impeller	Single cradle 4" leg kit (Optional on single units, standard on double cradle units)	Heavy valve assembly for G-Cool for use with products with pulp 3.8" H x 1.45"
<b>List Price</b>	\$ 22	\$ 160	\$ 74



FROZEN BEVERAGES  
AND DESSERTS



## FROZEN BEVERAGES AND DESSERTS : FROZEN I-Pro Frozen Granita Dispensers

### **Introducing the most advanced professional slush, sorbet, and granita machine in the world. Even safe for milk!**

High performance, ultramodern design, and user-friendly. Insulating technology increases cooling power, saves energy and money, and reduces external condensation. Choose from either (2) or (3) 2.9 gallon insulated bowls with either mechanical or electronic control board and timer, and optional light panel.

Perfect solution for restaurants, coffee shops, bars, amusement parks, convenience stores, kiosks, and much more.

- All models are certified NSF-6 safe for milk.
- Transparent bowl encourages impulse purchasing.
- Manual defrost mode.
- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- Lockable lid.
- Adjustable product consistency.
- Black finish.
- Commercial grade parts ensure a long life in heavy-usage locations.
- Repairable machine with available replacement parts.



FROZEN BEVERAGES AND DESSERTS : FROZEN GRANITA DISPENSERS

# I-Pro 2 Frozen Granita Dispensers

**Preventive Maintenance Kit**





for details, visit [www.grindmaster.com](http://www.grindmaster.com)



Model : I-PRO 2M with light



Model : I-PRO 2E

Model	I-PRO 2M (1206-000)	I-PRO 2M light panel (1206-001)	I-PRO 2E (1206-002)	I-PRO 2E light panel (1206-003)
<b>Description</b>	(2) 2.9 gallon insulated bowls, Mechanical control and timer.	(2) 2.9 gallon insulated bowls, Mechanical control and timer, Lighted panel.	(2) 2.9 gallon insulated bowls, Electronic control and timer.	(2) 2.9 gallon insulated bowls, Electronic control and timer, Lighted panel.
<b>Electrical</b>	115V / 60 Hz 0.975 kW / 10A / 1 Ph 	115V / 60 Hz 0.975 kW / 10A / 1 Ph 	115V / 60 Hz 0.93 kW / 9.4 A / 1 Ph 	115V / 60 Hz 0.93 kW / 9.4 A / 1 Ph 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp
<b>Product Dimensions (H x W x D)</b>	34" x 16" x 23"	34" x 16" x 23"	34" x 16" x 23"	34" x 16" x 23"
<b>Ship Dimensions (H x W x D)</b>	36" x 17" x 23"	36" x 17" x 23"	36" x 17" x 23"	36" x 17" x 23"
<b>Product Weight</b>	132 lbs.	132 lbs.	132 lbs.	132 lbs.
<b>Ship Weight</b>	141 lbs.	141 lbs.	141 lbs.	141 lbs.
<b>List Price</b>	\$ 4,543	\$ 4,676	\$ 4,728	\$ 4,862

NSF-6











FROZEN BEVERAGES AND DESSERTS : FROZEN GRANITA DISPENSERS

# I-Pro 3 Frozen Granita Dispensers

**Preventive Maintenance Kit**

for details, visit  
[www.grindmaster.com](http://www.grindmaster.com)



Model	I-PRO 3M (1206-004)	I-PRO 3M light panel (1206-005)	I-PRO 3E (1206-006)	I-PRO 3E light panel (1206-007)
<b>Description</b>	(3) 2.9 gallon insulated bowls, Mechanical control and timer.	(3) 2.9 gallon insulated bowls, Mechanical control and timer, Lighted panel.	(3) 2.9 gallon insulated bowls, Electronic control and timer.	(3) 2.9 gallon insulated bowls, Electronic control and timer, Lighted panel.
<b>Electrical</b>	115V / 60 Hz 1.3 kW / 14.4A / 1Ph  	115V / 60 Hz 1.3 kW / 14.4A / 1Ph  	115V / 60 Hz 1.2 kW / 12A / 1Ph  	115V / 60 Hz 1.2 kW / 12A / 1Ph  
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> $\frac{7}{8}$ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> $\frac{7}{8}$ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> $\frac{7}{8}$ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> $\frac{7}{8}$ hp
<b>Product Dimensions (H x W x D)</b>	34" x 24" x 23"	34" x 24" x 23"	34" x 24" x 23"	34" x 24" x 23"
<b>Ship Dimensions (H x W x D)</b>	36" x 21" x 25"	36" x 21" x 25"	36" x 21" x 25"	36" x 21" x 25"
<b>Product Weight</b>	179 lbs.	179 lbs.	179 lbs.	179 lbs.
<b>Ship Weight</b>	209 lbs.	209 lbs.	209 lbs.	209 lbs.
<b>List Price</b>	\$ 7,554	\$ 7,719	\$ 8,399	\$ 8,563

**Note:** Operate at room temperature between 75 - 90° F.  
**Note:** Clearance of 8" required on all sides.  
**Note:** Mixture must maintain a sugar content near 14%.



NSF-6



# Frosty Frozen Granita Dispensers

## Perfect for Indoor or Outdoor Use

Frosty Frozen Dispensers are the go-to model when you want large-sized, high-performance equipment, without a high investment. Slushes, sherbets, and other frozen treats are created with a double mixing system that prevents ice accumulation, for optimum product consistency that is also adjustable. The black and stainless steel finishes and illuminated lid encourage impulse purchasing.



- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- All models are certified NSF-6 safe for milk.
- LED illumination system.
- Manual control keypad.



Model : Frosty 2

**Preventive Maintenance Kit**

for details, visit [www.grindmaster.com](http://www.grindmaster.com)

Model	Frosty 2 (1206-010)	Frosty 3 (1206-011)
<b>Description</b>	(2) 3.2 gallon tanks, 6.3 gallon total capacity.	(3) 3.2 gallon tanks, 9.5 gallon total capacity.
<b>Electrical</b>	115V / 60 Hz / 1.05 kW / 11 A / 1 Ph 	115V / 60 Hz / 1.35 kW / 13.2 A / 1 Ph 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp air cooled	<b>Refrigerant:</b> R404A <b>Compressor:</b> ¾ hp air cooled
<b>Product Dimensions (H x W x D)</b>	32.5" x 15.8" x 21.9"	32.5" x 23.6" x 21.9"
<b>Ship Dimensions (H x W x D)</b>	34" x 44" x 75"	26" x 47" x 75"
<b>Product Weight</b>	117 lbs.	172 lbs.
<b>Ship Weight</b>	123 lbs.	198 lbs.
<b>List Price</b>	\$ 4,374	\$ 5,930

**Note:** Operate at room temperature between 75 - 90° F.

**Note:** Clearance of 8" required on all sides.

**Note:** Mixture must maintain a sugar content between 12 -14%; a lower concentration could seriously damage the mixing parts and gear motors.



NSF-6

# FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS


## MP Series Crathco® Single Barrel Freezers

### High-Volume, High-Demand

You won't come across another slush machine that is so user-friendly! Provides continuous, rapid production, thanks to its gravity-feed system.

- 4.76 gallon capacity single barrel freezer.
- Certified NSF-6 safe for milk.
- Front window ensuring product visibility, and encourages impulse purchasing.
- Refrigerated tank.
- LED-illuminated graphic panel for customer appeal.
- Robust stainless steel structure.
- Mechanical control board and defrost mode.



<b>Model</b>	<b>MP</b> (1207-000)
<b>Description</b>	2.64 gallons capacity in hopper, 2.1 gallons capacity in cooling cylinder.
<b>Electrical</b>	115V / 60 Hz / 1.35 kW / 13 A / 1Ph 
<b>Refrigeration</b>	Refrigerant: R404A Compressor: 3/4 hp air cooled
<b>Product Dimensions (H x W x D)</b>	31" x 14" x 28"
<b>Ship Dimensions (H x W x D)</b>	31" x 47" x 41"
<b>Product Weight</b>	172 lbs.
<b>Ship Weight</b>	207 lbs.
<b>List Price</b>	\$ 7,924

### Preventive Maintenance Kit

for details, visit  
[www.grindmaster.com](http://www.grindmaster.com)

**Note:** Operate at room temperature between 75 - 90° F.

**Note:** Mixture must maintain a sugar content between 12 -14%; a lower concentration could seriously damage the mixing parts and gear motors.



NSF-6

# FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

## 3000 and 5000 Series Crathco® Barrel Freezers

### Industry Workhorse

Serves a variety of frozen smoothies, frozen cappuccinos or lattés, granitas, frozen fruit juices, frozen lemonades, slushes, or cocktails. Your delicious drinks are continually replenished in the barrel by a large product reservoir, and a mix low light alerts you when the reservoir needs to be refilled. Patented FlavorLight™ illuminates your beverage with your choice of eye catching back-lit signs that draw customers and increase sales.

The oversize drive motor, sturdy belt drive, and heavy-duty stainless steel frame construction will stand tough against years of high volume use. Individual controls allow you select on/off, clean, and mix out for each barrel so you can easily maintain your machine for consistent dispensing and long life.

This space-saving unit is great for self-serve applications or behind-the-bar service, providing you with everything you need to serve a variety of delicious frozen treats!

- Heavy-duty components provide lasting commercial use.
- Compact units provide big service. Single barrel models are only 13" wide, and double barrel models are only 18.5" wide, but they more than double the output capacity of visual beverage freezers.
- Mechanical control in the 3000 Series.
- Electronic control in the 5000 Series.



**FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS**

**3000 Series Crathco® Barrel Freezers**

**Preventive Maintenance Kit**

**3311 Model**


6 Month Schedule  
Item: 250-00115  
List Price: \$ 83

**3511 Model**

6 Month Schedule  
Item: 250-00117  
List Price: \$ 109



See Page 240

Model	<b>3311</b> (CFB3311-A)	<b>3511</b> (CFB3511-C)
<b>Description</b>	Single barrel, 0.5 hp drive motor	Single barrel, 0.5 hp drive motor.
<b>Capacity per Barrel</b>	5-7 gallon/hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon	8-10 gallon/hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon
<b>Electrical</b>	120V / 1.392 kW / 11.6A / 1 Ph NEMA 5-15P line cord included. 	208-230V / 60Hz / 10.5A / 1 Ph NEMA 6-20P line cord included. 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> ¾ hp air cooled	<b>Refrigerant:</b> R404A <b>Compressor:</b> 1 hp air cooled
<b>Product Dimensions (H x W x D)</b>	28.5" x 13" x 29"	28.5" x 13" x 29"
<b>Ship Dimensions (H x W x D)</b>	31" x 21" x 37"	30" x 19" x 38"
<b>Ship Weight</b>	195 lbs.	200 lbs.
<b>List Price</b>	\$ 9,499	\$ 10,007

**Note:** Accessories available separately. See page 199.



# FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

## 3000 Series Crathco® Barrel Freezers

### Preventive Maintenance Kit

#### 3312

6 Month Schedule  
Item: 250-00116  
List Price: \$ 139




#### 3341

6 Month Schedule  
Item: 250-00117  
List Price: \$ 109

See Page 240



### Remote Condensing Frozen Beverage Dispensers

Model	3312 (CFB3312-A)	3341 (CFB3341-D)
<b>Description</b>	Twin barrel, (2) 0.25 hp drive motors	Drive motor: 0.5 hp Compressor: 2.5 hp Works with remote condensing units up to 2.5 hp per freezing cylinder*.
<b>Capacity per Barrel</b>	5-7 gallon / hour Frozen: 1.5 gallon Storage: 2.25 gallon Total: 3.75 gallon	Match condensing unit's size to output needs: up to 30 gallon / hour Frozen: 1.5 gallon Storage: 5.0 gallon Total: 6.5 gallon
<b>Electrical</b>	120V / 1.896 kW / 15.8A / 1 Ph NEMA 5-20P line cord included. 	120V / 60Hz / 0.816 kW / 6.8A / 1 Ph Required Circuit: 120V 15A NEMA#5-15R NEMA 5-15P line cord included  
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> ¼ hp air cooled	<b>Refrigerant:</b> R404A <b>Compressor:</b> 2.5 hp (Customer provided)
<b>Product Dimensions (H x W x D)</b>	28.5" x 18.5" x 29"	28.5" x 13" x 29"
<b>Ship Dimensions (H x W x D)</b>	33" x 24" x 37"	31" x 20" x 37"
<b>Ship Weight</b>	280 lbs.	150 lbs.
<b>List Price</b>	\$ 12,113	\$ 8,830

**Note:** Accessories available separately. See page 199.  
\*Remote condensing units not available through Grindmaster.



FROZEN BEVERAGES AND DESSERTS : BARREL FREEZERS

# 5000 Series Crathco® Barrel Freezers

**Preventive Maintenance Kit**

**5311 Model**



6 Month Schedule  
Item: 250-00118  
List Price: \$ 98

**5711 Model**

6 Month Schedule  
Item: 250-00119  
List Price: \$ 102

See Page 240



Model	5311 (CFB5311-D)	5711 (CFB5711-B)
<b>Description</b>	Single barrel, 0.25 hp drive motor	Single barrel, 0.5 hp drive motor
<b>Capacity per Barrel</b>	5-7 gallon / hour <b>Frozen:</b> 1.5 gallon <b>Storage:</b> 5.0 gallon <b>Total:</b> 6.5 gallon	15-20 gallon / hour <b>Frozen:</b> 1.5 gallon <b>Storage:</b> 5.0 gallon <b>Total:</b> 6.5 gallon
<b>Electrical</b>	120V / 1.92 kW / 16A / 1 Ph Required Circuit: 120V / 20A NEMA#5-20 NEMA 5-20P line cord included. 	208V / 2.7 kW / 12A / 1 Ph Required Circuit: 208V / 20A NEMA#6-20R NEMA 6-20P line cord included. 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> 3/4 hp air cooled	<b>Refrigerant:</b> R404A <b>Compressor:</b> 1.5 hp
<b>Product Dimensions (H x W x D)</b>	28.5" x 13" x 29"	28.5" x 18.5" x 29"
<b>Ship Dimensions (H x W x D)</b>	34" x 21" x 37"	32" x 23" x 34"
<b>Ship Weight</b>	200 lbs.	270 lbs.
<b>List Price</b>	\$ 9,986	\$ 11,572

**Note:** Accessories available separately. See page 199.



# FROZEN BEVERAGES AND DESSERTS : ACCESSORIES

## Crathco® Barrel Freezer Accessories

Model	W0890208	W0890200	W0890206	W0890220
Description	<b>Concealed Filter Kit</b> Black	<b>Concealed Filter Kit</b> Stainless Steel	<b>Exposed Filter Kit</b>	<b>Legs</b> Set of (4)
<b>List Price</b>	\$ 304	\$ 355	\$ 148	\$ 78

Model	W0890224	W0890219	W0470051	W0890053
Description	<b>Parts Tray Kit</b> Scraper Dasher	<b>Parts Tray Kit</b> Standard	<b>Refractometer</b>	<b>120V Spinner Kit</b> 120V / 60Hz / 1A / 1 Ph
<b>List Price</b>	\$ 228	\$ 228	\$ 240	\$ 879

### Start and Adjust for Counter Models

Model	W0910001	W0910002
	Start and Adjust, Single Barrel	Start and Adjust, Twin Barrel
Description	<p>Start and Adjust available for all counter units except remote condensing or pressurized models. The Install, Start, and Adjust Program includes limited installation, equipment inspection, equipment start-up, and operator training at a single location 35 miles or less from a Grindmaster Authorized Service Center.</p> <p>When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation:</p> <ol style="list-style-type: none"> <li>1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker.</li> <li>2. Access to cold water with a minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up.</li> <li>3. Adequate drain availability for flexible drain hose on units requiring water line hook-up.</li> <li>4. Adequate and appropriate space to position unit</li> </ol>	
<b>List Price</b>	\$ 957*	\$ 1,434*

\* Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for multiple units in one location.





# SP Series Frozen Granita and Cold Cream Dispensers



## Cold Cream and Frozen Coffee

One compact counter machine creates both chilled beverages like frozen coffee, fruit juices, frozen cocktails, and creamy desserts, like mousses, cold creams, slushes, sherbets, and sorbets. Functions with both water or milk added to dried base or with ready-to-use mixed product bases to create delicious chilled treats. Easy to clean and user-friendly, this is the perfect solution for restaurants, cafeterias, coffee shops, bars, or hotels.

- Easy disassemble without tools for cleaning.
- Lockable lid.
- Mechanical control board.
- Manual defrost mode.
- Digital display shows the bowls temperature.
- All models are certified NSF-6 safe for milk.



Model : SP 2

Model	SP 1 (1206-008)	SP 2 (1206-009)
<b>Description</b>	(1) 1.3 gallon capacity	(2) 1.3 gallon capacity, 2.6 gallon total capacity.
<b>Electrical</b>	115V / 60 Hz / 0.44 kW / 5.2 A / 1Ph 	115V / 60 Hz / 0.7 kW / 9.3 A / 1Ph 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> 1/6 hp air cooled	<b>Refrigerant:</b> R404A <b>Compressor:</b> ¼ hp air cooled
<b>Product Dimensions (H x W x D)</b>	24" x 10" x 17"	24" x 18" x 17"
<b>Ship Dimensions (H x W x D)</b>	28" x 12" x 19"	25" x 18" x 19"
<b>Product Weight</b>	62 lbs.	106 lbs.
<b>Ship Weight</b>	66 lbs.	110 lbs
<b>List Price</b>	\$ 3,249	\$ 3,751

### Preventive Maintenance Kit

for details, visit  
[www.grindmaster.com](http://www.grindmaster.com)



NSF-6

**FROZEN BEVERAGES AND DESSERTS : FROZEN DESSERTS AND COLD CREAM DISPENSERS**

# GT Push Frozen Desserts Dispensers

## Easy Freeze



Elegant appearance, small footprint, versatile, and delicious! This compact, multi-purpose wonder creates the perfect thick shakes, soft serve, slushes, smoothies, sherbets, frozen yogurts, frozen fruit drinks and frozen coffees, or whatever your own signature frozen specialty may be!

The GT Push is simple, easy, and reliable, designed to operate with either water or milk-based products to create delicious chilled specialties.

- Transparent bowl and clean white finish encourage impulse purchasing.
- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- LED-based electronic keypad.
- When the product is ready, just press the push button, increasing motor speed, and allowing quicker dispensing.
- All models are certified NSF-6 safe for milk.



Model : GT Push 2

Model	GT Push 1 (1206-012)	GT Push 2 (1206-013)
<b>Description</b>	(1) 1.3 gallon insulated tank	(2) 1.3 gallon insulated tanks, 2.6 gallon total capacity.
<b>Electrical</b>	115V / 60 Hz / 0.35 kW / 4.1 A / 1 Ph 	115V / 60 Hz / 0.75 kW / 7.7 A / 1 Ph 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp
<b>Product Dimensions (H x W x D)</b>	26" x 10" x 17"	26" x 18" x 17"
<b>Ship Dimensions (H x W x D)</b>	30" x 12" x 20"	30" x 18" x 18"
<b>Product Weight</b>	62 lbs.	101 lbs.
<b>Ship Weight</b>	73 lbs.	117 lbs.
<b>List Price</b>	\$ 3,909	\$ 6,207

**Preventive Maintenance Kit**

for details, visit [www.grindmaster.com](http://www.grindmaster.com)

**Note:** Operate at room temperature between 75 - 90° F.



NSF-6




# Karma Soft Ice Cream Dispensers

## Ice Cream Cones in 24 Seconds

Delicious soft serve ice cream and frozen yogurt in a compact, quiet, counter-top machine! Its cooled hopper reduces dispense time, as the product is cold before reaching the freezing cylinder. And, don't let the small size fool you. The Karma gives back to the universe by producing 150 ice cream cones an hour!

- Auto defrost/night mode: keeps product fresh.
- Product is ready in a few minutes after start-up.
- Minimum level warning light.
- Customizable dispensing lever.
- 3 consistency levels.
- Certified NSF-6 safe for milk.



Model	Karma Gravity (1208-002)	Karma Pump (1208-003)
<b>Description</b>	1.85 gallon capacity in cooled upper tank, 0.61 gallon capacity in freezing cylinder, 2.5 gallon total capacity.	1.85 gallon (7.0 L) capacity in cooled upper tank, 0.61 gallon (2.3 L) capacity in freezing cylinder, 2.5 gallon (9.3 L) total capacity
<b>Production Capacity</b>	20 lbs. per hour - about 150 cones	20 lbs. per hour - about 150 cones
<b>Electrical</b>	115V / 60 Hz / 1.4 kW / 14.8 A / 1Ph	115V / 60 Hz / 1.4 kW / 14.8 A / 1Ph
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Comp</b>  <b>or:</b> ½ hp	<b>Refrigerant:</b> R404A <b>Compressor:</b> ¾ hp
<b>Product Dimensions (H x W x D)</b>	25.5" x 14.1" x 20.5"	25.9" x 14.1" x 20.5"
<b>Ship Dimensions (H x W x D)</b>	29" x 17" x 26"	29" x 17" x 26"
<b>Product Weight</b>	154 lbs.	165 lbs.
<b>Ship Weight</b>	176 lbs.	187bs.
<b>List Price</b>	\$ 9,773	\$ 9,773

**Note:** Operate at room temperature between 75 - 90° F.  
**Note:** Clearance of 10" required on left side to allow for collection drawer removal, all other sides require clearance of 8".




# K-Soft Ice Cream Dispensers

## Ice Cream Cones in 24 Seconds

Delicious soft serve ice cream and frozen yogurt in a compact, quiet, counter-top machine! Its cooled hopper reduces dispense time, as the product is cold before reaching the freezing cylinder. And, don't let the small size fool you. The K-Soft gives back to the universe by producing 150 ice cream cones an hour!

- Perfect for users who want to enter soft ice cream market without investing in industrial, oversized equipment.
- Compact counter-top unit, ideal for small spaces.
- Simple, practical, quiet, and reliable.
- Production capacity of 11 lbs. (5 kg) per hour.
- Excellent capacity: 0.92 gallon (3.5 L) in cooled upper tank, and 0.26 gallon (1 L) in freezing cylinder, for a total capacity of 1.2 gallon (4.5 L).
- Air cooling.
- Certified NSF-6 safe for milk.



<b>Model</b>	<b>K-Soft</b> (1208-000)
<b>Description</b>	0.92 gallon capacity in cooled upper tank, 0.26 gallon capacity in freezing cylinder, 1.2 gallon total capacity.
<b>Production Capacity</b>	11 lbs. per hour - about 150 cones
<b>Electrical</b>	115V / 60 Hz / 0.9 kW / 9.2 A / 1Ph 
<b>Refrigeration</b>	<b>Refrigerant:</b> R404A <b>Compressor:</b> ½ hp
<b>Product Dimensions (H x W x D)</b>	27.6" x 9.4" x 22.8"
<b>Ship Dimensions (H x W x D)</b>	30" x 12" x 25"
<b>Product Weight</b>	121 lbs.
<b>Ship Weight</b>	130 lbs.
<b>List Price</b>	\$7,342

### Preventive Maintenance Kit

for details, visit [www.grindmaster.com](http://www.grindmaster.com)

**Note:** Operate at room temperature between 75 - 90° F.  
**Note:** Clearance of 10" required on left side to allow for collection drawer removal, all other sides require clearance of 8".



NSF-6



# HAND MIXERS



## HAND MIXERS



# Immersion Blenders

### Effortless Power

Easy-to-use immersion blender, designed for heavy-duty usage. Lightweight, ergonomic grip, stainless steel tube, and 9 adjustable speeds make tasks fast and easy, and the space-saving wall mount makes it convenient! All parts in contact with food are easily disassembled without tools and 100% dishwasher safe.

- Visible and waterproof control panel adjusts speed and has overload indicator warning.
- Safety feature requires both hands to start the mixer.
- Bell knife design with antispash protection and minimum handling during working.
- Shaft locking device avoids release during operation.
- Double fan system to cool motor.
- Water protected motor unit.
- BPA free.



		Options	
<b>Model</b>	<b>DBP4545</b> (2801-000)	<b>Model</b>	<b>250-00257</b>
<b>Description</b>	With 18" stainless steel tube Capacity up to 26 gallons Variable speeds up to 9,000 rpm	<b>Description</b>	Reinforced 10" whisk attachment
<b>Electrical</b>	110-120V / 0.45 kW / 50/60 Hz / 1 Ph NEMA 5-15P line cord included.  	<b>Product Dimensions (H x W x D)</b>	16" x 5" x 5"
<b>Product Dimensions (H x W x D)</b>	34" x 5" x 5"	<b>Ship Weight</b>	4 lbs.
<b>Ship Weight</b>	11 lbs.	<b>List Price</b>	\$ 580
<b>List Price</b>	\$ 1,169		



COOKING  
EQUIPMENT







**COOKING EQUIPMENT : FRYERS**  
**Floor Model Gas Fryers**  
**40, 50, and 70 lbs.**

**Sleek and Solid**

Constructed of heavy-duty stainless steel for long life and easy maintenance, the new Cecilware Pro line of gas floor fryers are built using the best components the industry has to offer. Offering heavy-duty construction at value prices, these tube fryers are ideal for heavy volume restaurants. The deep cold zone meets the demand for healthier foods by preventing the breakdown of oil, and maximizes savings by prolonging oil life span.

Equipped with multiple safety features, and available in either natural or LP gas, with Invensys® thermostat rated at 200 - 400° F, and an auto reset high limit, these fryers also make the job simple!

- Models available using natural or LP gas.
- 6" adjustable legs.
- Two nickel chrome wire mesh fry baskets included.
- Fry pot depth of 30.25".



Visit [www.CecilwarePRO.com](http://www.CecilwarePRO.com) for more information.



**COOKING EQUIPMENT : FRYERS**

**Floor Model Gas Fryers**

40, 50, and 70 lbs.



40 lbs. Fryer Tank



50 lbs. Fryer Tank

**40 lbs. Capacity Models**

**50 lbs. Capacity Models**

Model	<b>FMS403LP</b> (555700)	<b>FMS403NAT</b> (555710)	<b>FMS504LP</b> (555720)	<b>FMS504NAT</b> (555730)
<b>Description</b>	Stainless steel front and galvanized sides, (3) 30,000 BTU tubes	Stainless steel front and galvanized sides, (3) 30,000 BTU tubes	Stainless steel front and sides, (4) 30,000 BTU tubes	Stainless steel front and sides, (4) 30,000 BTU tubes
<b>BTUs / Hour</b>	90,000	90,000	120,000	120,000
<b>Tank Size</b>	14" x 14"	14" x 14"	14" x 14"	14" x 14"
<b>Plumbing</b>	1.25" ball type full port drain.	1.25" ball type full port drain.	1.25" ball type full port drain.	1.25" ball type full port drain.
<b>Product Dimensions (H x W x D)</b>	48.25" x 15.5" x 30.25" Working Height: 36.25"	48.25" x 15.5" x 30.25" Working Height: 36.25"	48.25" x 15.5" x 30.25" Working Height: 36.25"	48.25" x 15.5" x 30.25" Working Height: 36.25"
<b>Ship Dimensions (H x W x D)</b>	49" x 17" x 33"	49" x 17" x 33"	49" x 17" x 33"	49" x 17" x 33"
<b>Ship Weight</b>	130 lbs.	130 lbs.	156 lbs.	156 lbs.
<b>List Price</b>	\$ 1,763	\$ 1,763	\$ 2,205	\$ 2,205



**COOKING EQUIPMENT : FRYERS**  
**Floor Model Gas Fryers**  
 40, 50, and 70 lbs.



70 lbs. Fryer Tank



Model : FMS705LP

**70 lbs. Capacity Models**

**Optional Casters for FMS Model Fryers**

Model	FMS705LP (555740)	FMS705NAT (555750)	410-00190
<b>Description</b>	Stainless steel front and sides, (5) 30,000 BTU tubes	Stainless steel front and sides, (5) 30,000 BTU tubes	Set of 4 Casters: 2 locking casters and 2 regular casters
<b>BTUs / Hour</b>	150,000	150,000	N/A
<b>Tank Size</b>	19.5" x 14"	19.5" x 14"	N/A
<b>Plumbing</b>	1.25" ball type full port drain.	1.25" ball type full port drain.	N/A
<b>Product Dimensions (H x W x D)</b>	48.25" x 21" x 30.25" Working Height: 36.25"	48.25" x 21" x 30.25" Working Height: 36.25"	5.75" Height, 5" Diameter Wheel
<b>Ship Dimensions (H x W x D)</b>	34" x 33" x 24.5"	34" x 33" x 24.5"	6.5" x 6.25" x 11.25"
<b>Ship Weight</b>	172 lbs.	172 lbs.	11 lbs.
<b>List Price</b>	\$ 2,814	\$ 2,814	\$ 110



# COOKING EQUIPMENT : FRYERS

## Floor Model Fryer Baskets

### Fryer Baskets with Plasticized Handles

Fry baskets ensure complete and even circulation of shortening for perfect deep fried foods.

- Constructed of sturdy, heavy-gauge wire handles and frames, plus quality nickel-plated wire.



<b>Model</b>	<b>V180P</b> (V180P)
<b>For Use With Fryers</b>	EFS65
<b>Dimensions (H x W x D)</b>	6" x 8.75" x 16.75"
<b>List Price</b>	\$ 66

<b>Model</b>	<b>410-00212</b>
<b>For Use With Fryers</b>	FMS705LP, FMS705NAT
<b>List Price</b>	Contact Factory

**COOKING EQUIPMENT : FRYERS**  
**Floor Model Fryer Accessories**

**Fryer Covers**

Model	U589Q	U641Q
<b>Description</b>	Cover for 40 lbs. fryer	Cover for 65 lbs. fryer
<b>Product Dimensions (H x W x D)</b>	0.75" x 23" x 15.75"	0.75" x 15.75" x 22.81"
<b>List Price</b>	\$ 164	\$ 226

**Banking Strips**

Model	U631A	U633A-L
<b>Description</b>	Banking (connecting) strip 40 lbs. fryer	Banking (connecting) strip 65 lbs. fryer
<b>Product Dimensions (H x W x D)</b>	22.75" x 2.25" x 1"	29.75" x 2.09" x 1.67"
<b>List Price</b>	\$ 35	\$ 59

**Other Accessories for Fryers**

Model	250-00052	V109A
<b>Description</b>	Set of 4 Casters ( 2 locking and 2 regular casters) For EFS floor model fryers	Standard 200 Pan (for dump station)
<b>Product Dimensions (H x W x D)</b>	5.75" Height 5" Diameter Wheel	2.5" x 21" x 12.75"
<b>List Price</b>	\$ 338	\$ 101

## COOKING EQUIPMENT : FRYERS

# Countertop Electric Fryers

### Safety and Ease

Easy-to-use controls, all stainless steel construction, and fast-responding heating elements for accurate heat adjustments will have you looking for things to fry up! The stainless steel tank is removable for easy cleaning, and for the best operator safety, thermal overload device turns off the fryer if the heating element gets too hot, and a cutout switch automatically turns off the element when the tank is being removed.

- Includes fry basket(s).
- Non-slip feet.



Model	<b>EL6</b> (721140)	<b>EL15</b> (721160)	<b>EL25</b> (721180)
<b>Description</b>	(1) 6 lbs. fry pot with (1) basket	(1) 15 lbs. fry pot with (2) baskets	(1) 15 lbs. fry pot with (2) baskets
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	240V / 3.2 kW / 15A / 1 Ph NEMA 6-20P line cord included.
<b>Product Dimensions (H x W x D)</b>	12.75" x 7.5" x 17.5"	15.75" x 11" x 17.5"	15.75" x 11" x 17.5"
<b>Ship Dimensions (H x W x D)</b>	17" x 11" x 22"	21" x 14" x 22"	21" x 14" x 22"
<b>Ship Weight</b>	14 lbs.	20 lbs.	20 lbs.
<b>List Price</b>	\$ 502	\$ 834	\$ 913

Note: Optional fry baskets and fry tank covers available. See page 216.



**COOKING EQUIPMENT : FRYERS**  
**Countertop Electric Fryers**



Model EL2X6  
 Shown with Optional Fry Tank Cover

Model	EL2X6 (721100)	EL2X15 (721120)	EL2X25 (721130)
<b>Description</b>	(2) 6 lbs. fry pots with (2) baskets	(2) 15 lbs. fry pots with (4) baskets	(2) 15 lbs. fry pots with (4) baskets
<b>Electrical</b>	(2) 120V / 1.8 kW / 15A / 1 Ph (2) NEMA 5-15P line cords included.	(2) 120V / 1.8 kW / 15A / 1 Ph (2) NEMA 5-15P line cords included.	(2) 240V / 3.2 kW / 15A / 1 Ph (2) NEMA 6-20P line cords included.
<b>Product Dimensions (H x W x D)</b>	12.75" x 14.5" x 17.5"	15.75" x 21.75" x 17.5"	15.75" x 21.75" x 17.5"
<b>Ship Dimensions (H x W x D)</b>	17" x 22" x 17"	17" x 22" x 17"	17" x 22" x 17"
<b>Ship Weight</b>	22 lbs.	37 lbs.	37 lbs.
<b>List Price</b>	\$ 1,082	\$ 1,426	\$ 1,499

**Note:** Optional fry baskets and fry tank covers available. See page 216.



## Countertop Fryer Baskets and Accessories

### Countertop Fryer Baskets with Back Hook Placement

Model	08050L	08086L	08021L
Description	Single large fry basket	Single large fry basket	Twin fry basket
Fits Fryer Model	EL6 and EL2X6	EL15, EL25, EL2X15, and EL2X25	EL15, EL25, EL2X15, and EL2X25
Ship Weight	2 lbs.	3 lbs.	2 lbs.
List Price	\$ 92	\$ 115	\$ 105

### Fry Tank Covers

Model	08049L	08020QL
Description	Single fry tank cover	Single fry tank cover
Fits Fryer Model	EL6 and EL2X6	EL15, EL25, EL2X6, EL2X15, and EL2X25
Ship Weight	1.5 lbs.	3 lbs.
List Price	\$ 75	\$ 97



**COOKING EQUIPMENT : GRIDDLES**  
**Medium Duty Gas Griddles**

**Professional Results**

The ultimate in flexibility for your kitchen! Available in four widths with manually controlled, independent cooking zones and a polished steel cooking surface for the best results in grilling.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Griddle plate thickness of 1" for better heat retention, faster recovery, and more even heat distribution than thin plates.
- Heavy-duty stainless steel full-cooking depth dual-ported burners for long life and easy maintenance.
- Manually controlled, independent cooking zones.
- Bottom-welded plate for accurate heat distribution.
- Non-welded top plate ensures uniform temperature consistency on cooking surface.



Visit [www.CecilwarePRO.com](http://www.CecilwarePRO.com) for more information.





**COOKING EQUIPMENT : GRIDDLES**  
**Medium Duty Gas Griddles**



Model : GCP15



Model : GCP24

Model	<b>GCP15</b> (6601-1000)	<b>GCP24</b> (6601-1001)	<b>GCP36</b> (6601-1002)	<b>GCP48</b> (6601-1003)
<b>Cooking Surface (W x D)</b>	15" x 20"	24" x 20"	36" x 20"	48" x 20"
<b>Number of Burners</b>	1	2	3	4
<b>BTUs per Hour</b>	30,000	60,000	90,000	120,000
<b>Product Dimensions (H x W x D)</b>	15.75" x 15.5" x 30"	15.75" x 24.5" x 30"	15.75" x 36.5" x 30"	15.75" x 48.5" x 30"
<b>Ship Dimensions (H x W x D)</b>	18" x 32" x 17"	18" x 31" x 25"	18" x 37" x 31"	18" x 50" x 31"
<b>Ship Weight</b>	137 lbs.	194 lbs.	269 lbs.	342 lbs.
<b>List Price</b>	\$ 1,102	\$ 1,413	\$ 1,893	\$ 2,349



**COOKING EQUIPMENT : GRIDDLES**

# Thermostatic Gas Griddles

## Exact Temperature

Unlike manual griddles that only have temperature ranges, thermostatic griddles can be set to an exact temperature, and will maintain that temperature within a couple of degrees.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Griddle plate thickness of 1" for better heat retention, faster recovery, and more even heat distribution than thin plates.
- Heavy-duty stainless steel full-cooking depth dual-ported burners for long life and easy maintenance.
- Manually controlled, independent cooking zones.
- One U-shaped burner and thermostat control for every 12" of cooking surface to maintain even heating.
- Throttling thermostat provides a consistent surface temperature and superior food quality.



Model : CE-G24TPF

Model	<b>CE-G15TPF</b> (6602-10000)	<b>CE-G24TPF</b> (6602-10001)	<b>CE-G36TPF</b> (6602-10002)	<b>CE-G48TPF</b> (6602-10003)
<b>Cooking Surface (W x D)</b>	15" x 20"	24" x 20"	36" x 20"	48" x 20"
<b>Number of Burners</b>	1	2	3	4
<b>BTUs per Hour</b>	30,000	60,000	90,000	120,000
<b>Product Dimensions (H x W x D)</b>	15.6" x 15" x 30"	15.6" x 24" x 30"	15.6" x 36" x 30"	15.6" x 48" x 30"
<b>Ship Dimensions (H x W x D)</b>	19.1" x 18.5" x 32.5"	19.1" x 28" x 32.5"	18" x 38" x 32"	18" x 52" x 32.5"
<b>Ship Weight</b>	165 lbs.	215 lbs.	318 lbs.	360 lbs.
<b>List Price</b>	\$ 1,277	\$ 1,667	\$ 2,262	\$ 2,894



# COOKING EQUIPMENT : GRIDDLES

## Medium Duty Electric Griddles

### Precise Temperature Control

This countertop griddle provides the heating power you need to produce great results while maintaining a small footprint. Delivering uniform heating without hot spots, temperature is controlled by precision thermostats with pilot light indicator.

- Stainless steel body construction.
- Steel cooking surface.
- Concealed, easily cleaned, removable grease tray and convenient rotary controls for precise temperature control up to 572°F.
- 24" x 16" cooking area.
- 1/2" thick machine polished steel griddle plate.
- Welded, stainless steel splash guards.



Model : EL1624

Model	<b>EL1624</b> (721250)	<b>EL1636</b> (721275)
<b>Description</b>	1 heating element, 1/2" griddle plate thickness	2 heating elements, 1/2" griddle plate thickness
<b>Electrical</b>	240V / 2.4 kW / 10A / 1 Ph NEMA 6-20P line cord included.	240V / 3.6 kW / 15A / 1 Ph NEMA 6-20P line cord included.
<b>Product Dimensions (H x W x D)</b>	8" x 24" x 16"	8" x 36" x 16"
<b>Ship Dimensions (H x W x D)</b>	12" x 29" x 27"	16.5" x 41" x 27"
<b>Ship Weight</b>	92 lbs.	131 lbs
<b>List Price</b>	\$ 1,236	\$ 1,611





Cecilware  
PRO

## Gas Charbroilers

### Flexibility and Performance

The ideal option for the increasing demand of char grilled food. With reversible, heavy-duty cast iron grilling grates for delicate proteins, manually controlled, independent cooking zones, and grates designed to be tilted for different level heating. Available in four widths, and can alternate between lava rock and radiant cooking methods.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Stainless steel construction for long life and easy maintenance.
- Angled sidewalls and bottom plate reflect heat into cooking zone for better and more accurate heat distribution.
- Lava Rock Kit and Holding Rack options available in 24", 36", and 48".



Visit [www.CecilwarePRO.com](http://www.CecilwarePRO.com) for more information.



**COOKING EQUIPMENT : CHARBROILERS**

**Gas Charbroilers**



Model : CCP15



Model : CCP24

Model	<b>CCP15</b> (6600-1000)	<b>CCP24</b> (6600-1001)	<b>CCP36</b> (6600-1002)	<b>CCP48</b> (6600-1003)
<b>Description</b>	(1) burner, 3" & 6" wide grates	(2) burners, 6" wide grates	(3) burners, 6" wide grates	(4) burners, 6" wide grates
<b>Cooking Surface</b>	15" W x 20" D	24" W x 20" D	36" W x 20" D	48" W x 20" D
<b>BTUs per Hour</b>	40,000	80,000	120,000	160,000
<b>Product Dimensions (H x W x D)</b>	15.75" x 15.5" x 26.5"	15.75" x 24.5" x 31.5"	15.75" x 36.5" x 31.5"	15.75" x 48.5" x 31.5"
<b>Ship Dimensions (H x W x D)</b>	18" x 17" x 30"	18" x 30" x 26"	20" x 40" x 32"	18" x 50" x 30"
<b>Ship Weight</b>	110 lbs.	154 lbs.	184 lbs.	280 lbs.
<b>List Price</b>	\$ 1,199	\$ 1,500	\$ 2,324	\$ 2,635



**Options**

Model	<b>250-00031</b> (6600-1000)	<b>250-00032</b> (6600-1001)	<b>250-00033</b> (6600-1002)
<b>Description</b>	Lava rocks and holding racks kit for CCP24	Lava rocks and holding racks kit for CCP36	Lava rocks and holding racks kit for CCP48
<b>List Price</b>	\$ 263	\$ 392	\$ 522



### **Heavy-Duty Workhorse**

Easily expand your menu offerings! Available in 2, 4, and 6 burner configurations with individually controlled burners, each with 22,000 BTUs per hour. Heavy-duty cast iron trivets create a sturdy work surface.

- All models can be operated using natural or LP gas. Models ship as natural gas unit with no additional parts necessary for conversion.
- Sleek, durable stainless steel construction for long life and easy maintenance.
- Easy access front panel pilot adjustments.
- Durable anti-clogging dual-ported burners.
- Removable grease drawer.



Visit [www.CecilwarePRO.com](http://www.CecilwarePRO.com) for more information.



**COOKING EQUIPMENT : HOT PLATES**

**Gas Hot Plates**



Model : HPCP636

Model	<b>HPCP212</b> (6200-1000)	<b>HPCP424</b> (6200-4000)	<b>HPCP636</b> (6200-6000)
<b>Description</b>	(2) burners	(4) burners	(6) burners
<b>Cooking Surface</b>	12" W x 20" D	24" W x 20" D	36" W x 20" D
<b>BTUs per Hour</b>	44,000	88,000	132,000
<b>Product Dimensions (H x W x D)</b>	15" x 12" x 27.5"	13.5" x 24" x 30.5"	13.5" x 36" x 30.5"
<b>Ship Dimensions (H x W x D)</b>	18" x 14" x 30"	18" x 30" x 26"	18" x 41" x 31"
<b>Ship Weight</b>	93 lbs.	166 lbs.	176 lbs.
<b>List Price</b>	\$ 898	\$ 1,448	\$ 2,005





Model : HPCP212

**COOKING EQUIPMENT : PANINI GRILLS**

**Sandwich or Panini Grills**

**What a Time Saver!**

Cut your cooking time in half when you cook both sides of a sandwich, hamburger, chicken breast, and many other products simultaneously. The self-balanced top surface adjusts to different heights ensuring even cooking of food.

- Choice of flat or grooved surface.
- Stainless steel construction.
- Cast iron cooking surface.



Model : SG1SG



Model : SG1SF

Model	<b>SG1SG</b> (721300)	<b>SG1SF</b> (721315)	<b>SG1LG</b> (721325)	<b>SG1LF</b> (721350)
<b>Description</b>	Single, grooved surface.	Single, flat surface.	Single plus, grooved surface.	Single plus, flat surface.
<b>Work Surface</b>	9.6" W x 9" D	9.6" W x 9" D	14" W x 11" D	14" W x 11" D
<b>Electrical</b>	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.	120V / 1.8 kW / 15A / 1 Ph NEMA 5-15P line cord included.
<b>Product Dimensions (H x W x D)</b>	22" x 15.5" x 15.5" Height with Lid Open: 23.5"	22" x 15.5" x 15.5" Height with Lid Open: 23.5"	22" x 20.25" x 17.5" Height with Lid Open: 23.5"	22" x 20.25" x 17.5" Height with Lid Open: 23.5"
<b>Ship Dimensions (H x W x D)</b>	14.5" x 19" x 19"	14.5" x 19" x 19"	14.5" x 22" x 23.5"	14.5" x 22" x 23.5"
<b>Ship Weight</b>	49 lbs.	49 lbs.	73 lbs.	73 lbs.
<b>List Price</b>	\$ 749	\$ 749	\$ 936	\$ 936



**COOKING EQUIPMENT : PANINI GRILLS**  
**Sandwich or Panini Grills**



Model : SG2LG

Model	<b>SG1LG240</b> (721320)	<b>SG2LG</b> (721375)	<b>SG2LF</b> (721425)
<b>Description</b>	Single plus, grooved surface.	Double, grooved surface	Double, flat surface
<b>Work Surface</b>	14" W x 11" D	Per Side: 7.25" W x 9" D	Per Side: 7.25" W x 9" D
<b>Electrical</b>	240V / 2.4 kW / 10A / 1 Ph NEMA 6-20P line cord included.	240V / 3.2 kW / 13A / 1 Ph NEMA 6-20P line cord included.	240V / 3.2 kW / 13A / 1 Ph NEMA 6-20P line cord included.
<b>Product Dimensions (H x W x D)</b>	22" x 20.25" x 17.5" Height with Lid Open: 23.5"	22" x 22.75" x 15.5" Height with Lid Open: 23.5"	22" x 22.75" x 15.5" Height with Lid Open: 23.5"
<b>Ship Dimensions (H x W x D)</b>	14.5" x 22" x 23.5"	14" x 20" x 26"	14" x 20" x 26"
<b>Ship Weight</b>	73 lbs.	77 lbs.	77 lbs.
<b>List Price</b>	\$ 936	\$ 1,201	\$ 1,201



**COOKING EQUIPMENT : PANINI GRILLS**

**Medium Duty Sandwich or Panini Grills**

**Larger Grilling Surface**

Grill sandwiches, chicken, hot dogs, and other foods to perfection! A cast iron griddle surface on the top and bottom for even heating, and your choice of flat or grooved plates are covered with non-stick enamel for easy use. The upper plate is adjustable to accommodate a wide variety of sandwiches and foods. A removable stainless steel grease tray makes this unit incredibly easy to clean, and its low clearance and compact footprint let it fit on any countertop.

- Counter balanced top plate ensures even cooking temperature up to 570° F.
- Large work surface.
- Stainless steel body construction.



Model : TSG2F



Model : TSG1G

Model	<b>TSG1G</b> (720100)	<b>TSG1F</b> (720150)	<b>TSG2G</b> (720200)	<b>TSG2F</b> (720250)
<b>Description</b>	Single, grooved surface.	Single, flat surface.	Double, grooved surface.	Double, flat surface.
<b>Work Surface</b>	14.5" W x 10" D	14.5" W x 10" D	19.75" W x 10" D	19.75" W x 10" D
<b>Electrical</b>	110V / 1.4 kW / 13A / 1 Ph NEMA 5-15P line cord included.	110V / 1.4 kW / 13A / 1 Ph NEMA 5-15P line cord included.	240V / 3.1 kW / 13A / 1 Ph NEMA 6-20P line cord included.	240V / 3.1 kW / 13A / 1 Ph NEMA 6-20P line cord included.
<b>Product Dimensions (H x W x D)</b>	19.75" x 15" x 12.5"	19.75" x 15" x 12.5"	19.75" x 20.25" x 12.5"	19.75" x 20.25" x 12.5"
<b>Ship Dimensions (H x W x D)</b>	11" x 17" x 17"	11" x 17" x 17"	11" x 18" x 13"	11" x 18" x 13"
<b>Ship Weight</b>	47 lbs.	47 lbs.	63 lbs.	63 lbs.
<b>List Price</b>	\$ 1,338	\$ 1,338	\$ 1,892	\$ 1,892



WARMING  
EQUIPMENT



## WARMING EQUIPMENT

# Syrup Warmers

### Wonderful Hot Syrup

Everyone loves a hot breakfast of fresh pancakes, waffles, or French toast. But the best part is always the sweet, hot, flowing syrup.

These heated syrup dispensers hold 1 or 2 gallons of heated syrup at a constant temperature of 125 degrees Fahrenheit. At this temperature, syrup will stay thick and warm, but won't crystallize. Stable and durable stainless steel body with secure faucets that will prevent sticky drips on your countertops.



Model : SD1

Model	SD1 (437100L)	SD2 (437200L)
Description	1 gallon capacity, Tomlinson all-plastic self-closing faucet.	2 gallon capacity, Tomlinson-S no-drip faucet.
Electrical	120V / 0.053 kW / 1Ph NEMA 5-15P line cord included.	120V / 0.116 kW / 1Ph NEMA 5-15P line cord included.
Product Dimensions (Height x Diam.)	12.5" x 7.25"	17" x 11.75"
Ship Dimensions (H x W x D)	15" x 8" x 8"	19" x 13" x 13"
Ship Weight	7 lbs.	11 lbs.
List Price	\$ 415	\$ 577






# Portable Bulk Liquid Dispensers


## Dispense Anywhere!

- Superior method of containing and dispensing liquids such as honey, syrup, and sauces.
- Large 5 gallon capacity.
- Exceptional durability and reliability.
- Type 304L stainless steel construction.



	Non-Electrified	Electrified
<b>Model</b>	<b>BD505SS</b> (ABD505SS)	<b>BD505SS-177</b> (2504-000)
<b>Description</b>	5 gallon bulk dispenser	5 gallon bulk dispenser with heat lamp. Includes hard-surface bulb, thermostat, cord with plug, and on - off switch. <b>C-UL US Certification</b>
<b>Electrical</b>	N/A	120V / 0.075 kW NEMA 5-15P <i>line cord included.</i> 
<b>Product Dimensions (H x W x D)</b>	25" x 12.5" x 17"	25" x 12.5" x 17"
<b>Ship Dimensions (H x W x D)</b>	25" x 13" x 17"	25" x 13" x 17"
<b>Ship Weight</b>	18 lbs.	19 lbs.
<b>List Price</b>	\$ 881	\$ 1,309





# COOLING EQUIPMENT



## COOLING EQUIPMENT

# Countertop Refrigerators

### Compact and Chilly

Countertop display refrigerators allow you to put your food and beverages on display and increase impulse sales! These refrigerated merchandisers have double pane thermal glass doors with a built-in door locks and a strong magnetic gasket for exceptional energy efficiency.

- Interior lights show off your product.
- ETL and ETL sanitation listed.
- Adjustable thermostat between 34 - 45° F.
- Adjustable PVC coated wire shelves.



Model : CTR2.68LD

Model	CTR2.68LD (810115L)	CTR3.75 (810105L)
<b>Description</b>	Black, 2.7 cubic feet, (4) shelves, Includes lighted display header.	Black, 3.8 cubic feet, (5) shelves.
<b>Electrical</b>	120V / 0.24 kW / 2A / 1Ph NEMA 5-15P line cord included.	120V / 0.24 kW / 2A / 1Ph NEMA 5-15P line cord included.
<b>Refrigeration</b>	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/8 hp	<b>Refrigerant:</b> R134A <b>Compressor:</b> 1/8 hp
<b>Product Dimensions (H x W x D)</b>	36.5" x 18" x 18.5"	33.75" x 19" x 18.75"
<b>Ship Dimensions (H x W x D)</b>	38" x 22" x 22"	35" x 22" x 22"
<b>Ship Weight</b>	90 lbs.	85 lbs.
<b>List Price</b>	\$ 881	\$ 970

### Optional Shelf for CTR3.75

Model	08727L
<b>Description</b>	Additional shelf for CTR3.75
<b>Product Dimensions (H x W x D)</b>	15.75" W x 13" D
<b>List Price</b>	\$ 14



PREVENTIVE  
MAINTENANCE



## PREVENTIVE MAINTENANCE

# Requirements and Frequencies

### Category 1:

Care and Use Per Frequency Specified in Operators Manual

- Coffee Grinders
- Coffee Brewers (except RC400)
- Hot Water Dispensers
- Liquid Autofill Systems
- Cooking, Warming, and Cooling Equipment

### Category 2:

Onsite Preventive Maintenance through Grindmaster

Recommended to be scheduled and completed within 30 days of one-year anniversary of purchase through Grindmaster Technical Service. To schedule, contact Grindmaster Technical Service by email at [TSmalbox@gmcw.com](mailto:TSmalbox@gmcw.com).

- Urns and Hot Water Heaters

### Category 3:

One Year Preventive Maintenance Schedule

Series	Model	Preventive Maintenance Kit Part Number	List Price
<b>Espresso Machines</b>			
Super Automatic Espresso	Korinto Prime (1005-003)	250-00139	\$ 659
<b>Orange Juice Machines</b>			
Countertop Orange Juice	JX15MC (095500L)	250-00168	\$ 175
Floor Model Orange Juice	JX45AF (095555L)	250-00169	\$ 175

# PREVENTIVE MAINTENANCE

## Requirements and Frequencies

### Category 4:

#### Six Months Preventive Maintenance Schedule

Series	Model	Preventive Maintenance Kit Part Number	List Price
<b>Cold Beverage Dispensers</b>			
Simplicity Bubbler Mini Twin	CS-2E-16	250-00120	\$ 64
Simplicity Bubbler Mini Twin	CS-2E-16-S	250-00121	\$ 62
Simplicity Bubbler Mini Quad	CS-4E-16	250-00122	\$ 109
Simplicity Bubbler Mini Quad	CS-4E-16-S	250-00123	\$ 102
Simplicity Bubbler Triple Combo	CS-3D-16	250-00128	\$ 107
Simplicity Bubbler Triple Combo	CS-3D-16-S	250-00129	\$ 102
Simplicity Bubbler Single Standard	CS-1D-16	250-00124	\$ 64
Simplicity Bubbler Single Standard	CS-1D-16-S	250-00125	\$ 60
Simplicity Bubbler Twin Standard	CS-2D-16	250-00126	\$ 107
Simplicity Bubbler Twin Standard	CS-2D-16-S	250-00127	\$ 102
Simplicity Bubbler Triple Tall	CS-3L-16	250-00130	\$ 81
Simplicity Bubbler Triple Tall	CS-3L-16-S	250-00131	\$ 81
Classic Bubbler Standard	D15-3	250-00136	\$ 30
Classic Bubbler Standard	D15-4	250-00136	\$ 30
Classic Bubbler Standard	D25-3	250-00138	\$ 44
Classic Bubbler Standard	D25-4	250-00138	\$ 44
Classic Bubbler Standard	D35-3	250-00140	\$ 58
Classic Bubbler Standard	D35-4	250-00140	\$ 58

## PREVENTIVE MAINTENANCE

# Requirements and Frequencies

### Category 4:

#### Six Months Preventive Maintenance Schedule

Series	Model	Preventive Maintenance Kit Part Number	List Price
<b>Cold Beverage Dispensers</b>			
Classic Bubbler Mini	E29-3	250-00142	\$ 42
Classic Bubbler Mini	E29-4	250-00142	\$ 42
Classic Bubbler Mini	E49-3	250-00144	\$ 68
Classic Bubbler Mini	E49-4	250-00144	\$ 68
G-Cool Single	C-1S-16 (231-00162)	250-00132	\$ 40
G-Cool Double	C-2D-16 (231-00166)	250-00133	\$ 64
G-Cool Focus Flavor Triple	C-3D-16 (231-00168)	250-00134	\$ 87
G-Cool Mini-Duo	C-2S-16 (231-00164)	250-00133	\$ 64
G-Cool Mini-Quattro	C-4D-16 (231-00170)	250-00135	\$ 113
<b>Frozen Beverage and Dessert Dispensers</b>			
3000 Barrel Mechanical Freezer	3311 (CFB3311-A)	250-00115	\$ 83
3000 Barrel Mechanical Freezer	3511 (CFB3511-C)	250-00117	\$ 109
3000 Barrel Mechanical Freezer	3312 (CFB3312-A)	250-00116	\$ 139
5000 Barrel Electronic Freezer	5311 (CFB5311-D)	250-00118	\$ 98
5000 Barrel Electronic Freezer	5711 (CFB5711-B)	250-00119	\$ 102
Remote Condensing Barrel Freezer	3341 (CFB3341-D)	250-00117	\$ 109



## PRODUCT CERTIFICATIONS

# Domestic Certifications

Grindmaster strives to design, create, and deliver the highest quality beverage and cooking equipment to help you build your business. Sanitation, safety, quality, and public health are critical. That is why Grindmaster works with numerous independent, third-party testing and certification organizations to simplify your search for superior equipment. Below are the certifications and marks that we refer to in this catalog, along with a brief description of the standards used to provide certification.

## UL

Underwriters Laboratories (UL) is an independent, not-for-profit, nongovernmental organization that has been testing products for public safety for more than a century and has developed more than 1,000 safety standards. UL serves a wide range of customers including manufacturers, retailers, consumers, and regulating bodies.

### UL Certification

The UL Certification symbol can be found on products in compliance with UL's safety standards and U.S. safety requirements.



### C-UL US Certification

The C-UL US Mark indicates that a product meets the testing standards for UL listing, as well as applicable regulations on that type of product in the United States and Canada. The Canada/US UL mark is optional, but UL encourages those manufacturers with products certified for both countries to use this new, combined mark.



# Domestic Certifications

## NSF

NSF (National Sanitation Foundation) International is the only third-party testing organization to undertake a complete evaluation of every aspect of a product's development for public health and safety, quality, and sanitation. NSF food equipment standards include requirements for material safety, to ensure the product will not leach harmful chemicals into food; design and construction, to ensure the product is cleanable and is not likely to harbor bacteria; and product performance. As part of the certification process, the production facility is subject to unannounced plant inspections.



### NSF Certification

The NSF Certification Mark on a food equipment product confirms that NSF has assessed and certified its conformity with the relevant NSF/ANSI food safety standards. Products with the NSF Mark receive guaranteed regulatory acceptance in North America and improved acceptance worldwide.



### NSF Electrical Certification

The NSF Electrical Mark certifies electrical safety certification and compliance with U.S. requirements.



### cNSFus Electrical Certification

NSF is accredited by OSHA as a nationally recognized testing laboratory to provide electrical safety certification to various UL standards in a wide range of foodservice equipment categories. The cNSFus Mark indicates compliance with both Canadian and U.S. requirements.

## NSF-20

### NSF-20 Certification

NSF International, in conjunction with ANSI has created the NSF / ANSI 20 certification. This establishes minimum food protection and sanitation requirements for the materials, design, fabrication, construction, and performance of commercial bulk milk dispensers and their related components. This includes equipment designed to dispense servings of milk or milk products by manual or machine actuation. This standard does not apply to dispensing freezers (soft-serve machines), vending machines, or manual food and beverage dispensing equipment covered by the scope of other NSF standards.

The American National Standards Institute (ANSI) is a private non-profit organization that oversees the development of voluntary consensus standards for products, services, processes, systems, and personnel in the United States.

## **ETL**

ETL is the certification mark used by Intertek, a Nationally Recognized Testing Laboratory (NRTL) providing independent evaluation, testing, and certification of any electrically operated or gas- and oil-fired product. A product bearing the ETL listed mark is determined to have met the minimum requirements of prescribed product safety standards. Moreover, the mark indicates that the manufacturer's production site conforms to a range of compliance measures and is subject to periodic follow-up inspections to verify continued conformance. The ETL listed mark is the equivalent of the UL listed and CSA listed marks throughout the United States and Canada.



### **ETL Sanitation Certification**

The ETL Sanitation Mark indicates a product meets applicable requirements for food safety. To achieve it, the item must pass tests by ANSI/NSF standards and the certification shows production conforms to compliance measures for ensuring a food-safe product. Facilities are inspected on a regular basis to verify those standards continue to be met. The ETL Certification with "sanitation listed" inscribed on the bottom of the circle signifies that the product has been tested and deemed compliant with product safety standards.



### **ETL Certification - United States**

A product bearing the ETL Certification with the U.S. mark has been tested and deemed compliant with U.S. product safety standards.



### **ETL Certification**

An ETL Certification Mark signifies that the product complies with both U.S. and Canadian product safety standards.

# Domestic Certifications

## CSA

CSA (Canadian Standards Association) International is an independent, not-for-profit member-based association that tests products for compliance with national and international safety and performance standards. CSA Group is recognized and accredited in the U.S. by OSHA, which enables them to use the U.S. standards written or administered by organizations including ANSI, UL, and NSF, among others.



### CSA Certification

The CSA Mark signifies that the product meets applicable U.S. and Canadian standards, including those from CSA, CSA America, ANSI, ASME, ASSE, ASTM, NSF, and UL. If a product has features from more than one area (such as electrical equipment with fuel-burning features), the mark indicates compliance with all applicable standards.



### CSA Star Certification Mark

Indicates that the product was tested and has met the certification requirements for gas-fired products in the United States.



### CSA Flame Certification Mark

Indicates that the product was tested and has met the certification requirements for gas-fired products in Canada.